

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS       | Font         | ABS 2A |        | ABS 2B |        | ABS 2C |        | ABS 2D |        | ABS 2E |        | ABS 2G |        |
|----------------------------------|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|                                  |              | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   |
| Població                         | PADRO (2004) |        |        |        |        |        |        |        |        |        |        |        |        |
| 0 - 3 anys (Homes)               |              | 447    |        | 472    |        | 494    |        | 263    |        | 504    |        | 350    |        |
| (Dones)                          |              | 471    |        | 450    |        | 464    |        | 281    |        | 520    |        | 321    |        |
| 4 - 14 anys (Homes)              |              | 1.157  |        | 1.155  |        | 1.143  |        | 645    |        | 1.209  |        | 982    |        |
| (Dones)                          |              | 1.092  |        | 1.184  |        | 1.158  |        | 610    |        | 1.173  |        | 823    |        |
| 15 - 64 anys (Homes)             |              | 9.852  |        | 9.753  |        | 9.568  |        | 5.813  |        | 9.634  |        | 6.770  |        |
| (Dones)                          |              | 10.585 |        | 10.531 |        | 10.715 |        | 6.068  |        | 10.884 |        | 7.338  |        |
| >= 65 anys (Homes)               |              | 2.966  |        | 2.375  |        | 2.502  |        | 1.426  |        | 2.777  |        | 1.741  |        |
| (Dones)                          |              | 4.913  |        | 4.090  |        | 4.066  |        | 2.718  |        | 5.103  |        | 3.518  |        |
| Index de dependència demogràfica | PADRO (2004) |        | 54,05  |        | 47,95  |        | 48,45  |        | 50,02  |        | 55,01  |        | 54,83  |
| Index d'envelliment              | PADRO (2004) |        | 248,78 |        | 198,25 |        | 201,53 |        | 230,35 |        | 231,36 |        | 212,4  |
| Index sobre-envelliment          | PADRO (2004) |        |        |        |        |        |        |        |        |        |        |        |        |
| (>=75 anys / >=65anys) (Homes)   |              |        | 48,79  |        | 48,13  |        | 46,28  |        | 49,58  |        | 51,35  |        | 50,78  |
| (Dones)                          |              |        | 56,6   |        | 58,78  |        | 55,24  |        | 62,44  |        | 61,32  |        | 63,67  |
| Llars unipersonals               | PADRO (2004) |        |        |        |        |        |        |        |        |        |        |        |        |
| >= 65 anys (Homes)               |              | 350    | 11,8   | 317    | 13,347 | 318    | 12,71  | 194    | 13,604 | 377    | 13,576 | 267    | 15,336 |
| (Dones)                          |              | 1.710  | 34,806 | 1.423  | 34,792 | 1.430  | 35,17  | 999    | 36,755 | 1.912  | 37,468 | 1.111  | 31,58  |
| >= 75 anys (Homes)               |              | 201    |        | 183    |        | 184    |        | 102    |        | 222    |        | 144    |        |
| (Dones)                          |              | 1.145  |        | 981    |        | 953    |        | 721    |        | 1.379  |        | 788    |        |
| Nascuts fora Catalunya           | PADRO (2004) | 11.022 | 35,009 | 11.139 | 37,118 | 10.284 | 34,155 | 6.724  | 37,724 | 10.824 | 34,033 | 6.791  | 31,09  |
| Immigració estrangera (nd:5622)  | PADRO (2004) |        |        |        |        |        |        |        |        |        |        |        |        |
| Europa Comunitaria               |              | 858    |        | 547    |        | 358    |        | 542    |        | 677    |        | 440    |        |
| Resta d' Europa                  |              | 185    |        | 266    |        | 225    |        | 224    |        | 451    |        | 251    |        |
| Amèrica Central i Ilatina        |              | 1.708  |        | 3.292  |        | 1.988  |        | 2.369  |        | 4.308  |        | 2.686  |        |
| EEUU i Canadà                    |              | 95     |        | 51     |        | 24     |        | 64     |        | 55     |        | 28     |        |
| Països del Magreb                |              | 312    |        | 276    |        | 267    |        | 193    |        | 405    |        | 269    |        |
| Resta de països d'Àfrica         |              | 40     |        | 71     |        | 58     |        | 56     |        | 110    |        | 57     |        |
| Àsia                             |              | 426    |        | 375    |        | 410    |        | 574    |        | 698    |        | 528    |        |
| Oceania                          |              | 12     |        | 5      |        | 2      |        | 4      |        | 5      |        | 2      |        |
| Mitjana Persones/ habitatge      | PADRO (2004) | 2      |        | 2      |        | 2      |        | 2      |        | 2      |        | 2      |        |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS     | Font                   | ABS 2A |        | ABS 2B |        | ABS 2C |        | ABS 2D |        | ABS 2E |        | ABS 2G |        |
|--------------------------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|                                |                        | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   |
| Situació Laboral               | PADRO (1996)           |        |        |        |        |        |        |        |        |        |        |        |        |
| Jubilats                       |                        | 8.024  | 25,487 | 6.688  | 22,286 | 6.187  | 20,548 | 4.567  | 25,623 | 8.374  | 26,33  | 4.923  | 22,538 |
| Aturats                        |                        | 2.473  | 7,855  | 2.187  | 7,288  | 2.159  | 7,17   | 1.270  | 7,125  | 2.275  | 7,153  | 1.249  | 5,718  |
| Mestresses de casa             |                        | 2.966  | 9,421  | 2.591  | 8,634  | 2.713  | 9,01   | 1.377  | 7,726  | 2.868  | 9,018  | 1.680  | 7,691  |
| Incapacitats                   |                        | 284    | 0,902  | 247    | 0,823  | 220    | 0,731  | 165    | 0,926  | 241    | 0,758  | 170    | 0,778  |
| Tamany de les vivendes         | CADASTRE (1991)        |        |        |        |        |        |        |        |        |        |        |        |        |
| < de 30 m. quadrats            |                        | 210    | 1,37   | 118    | 0,83   | 207    | 1,42   | 110    | 1,13   | 194    | 1,07   | 125    | 1,05   |
| entre 30 i 50 m. quadrats      |                        | 1.232  | 8,05   | 1.118  | 7,85   | 902    | 6,21   | 637    | 6,54   | 1.016  | 5,58   | 501    | 4,21   |
| Turismes + 16 Cvf/1000 hab.    | CENS VEHICLES (2004)   |        | 25,093 |        | 29,257 |        | 41,116 |        | 47,184 |        | 56,094 |        | 78,057 |
| Turismes - 8 Cvf/1000 hab.     |                        |        | 11,371 |        | 12,263 |        | 18,001 |        | 13,577 |        | 17,293 |        | 22,25  |
| Turismes + 9 anys/1000 hab.    |                        |        | 125,21 |        | 131,12 |        | 150,28 |        | 150,3  |        | 156,14 |        | 181,48 |
| Turismes - 1 any /1000 hab.    |                        |        | 26,14  |        | 27,79  |        | 27,67  |        | 28,22  |        | 30,72  |        | 36,08  |
| Nivell instrucció. (>=16 anys) | PADRO (2004)           |        |        |        |        |        |        |        |        |        |        |        |        |
| Primaria incompl. i analf.     |                        | 2.780  | 9,89   | 2.159  | 8,14   | 1.998  | 7,51   | 1.392  | 8,75   | 1.905  | 6,75   | 1.153  | 6      |
| Primaria completa              |                        | 7.092  | 25,24  | 5.705  | 21,51  | 5.002  | 18,79  | 3.109  | 19,54  | 4.919  | 17,43  | 2.924  | 15,21  |
| Estudis secundaris             |                        | 11.862 | 42,21  | 11.227 | 42,33  | 11.284 | 42,4   | 6.434  | 40,44  | 11.479 | 40,68  | 7.483  | 38,93  |
| Estudis mitjos i superiors     |                        | 6.129  | 21,81  | 7.129  | 26,88  | 8.054  | 30,26  | 4.843  | 30,44  | 9.661  | 34,24  | 7.473  | 38,87  |
| Naixements i taxa natalitat    | Reg. naixements (2004) | 244    | 7,75   | 252    | 8,4    | 267    | 8,87   | 171    | 9,59   | 283    | 8,9    | 177    | 8,1    |
| Naixements en dones <= 19 anys | Reg. naixements (2004) | 4      |        | 0      |        | 2      |        | 2      |        | 3      |        | 1      |        |
| Taxa fecunditat                | Reg. naixements (2004) |        | 32,35  |        | 33,2   |        | 36,05  |        | 38,58  |        | 36,33  |        | 33,62  |
| Naixements baix pes i taxa     | Reg. naixements (2004) | 19     | 77,87  | 17     | 67,46  | 20     | 74,91  | 10     | 58,48  | 21     | 74,2   | 12     | 67,8   |
| M.Perinatal/1000 naix.(Nacion) | Reg. perinatal (2004)  | 5      | 20,08  | 0      | 0      | 0      | 0      | 0      | 0      | 2      | 7,02   | 3      | 16,67  |
| M.Perinatal/1000 naix.(Inter)  | Reg. perinatal (2004)  | 3      | 12,05  | 0      | 0      | 0      | 0      | 0      | 0      | 1      | 3,51   | 1      | 5,56   |
| Naixements                     | Reg. naixements (2004) |        |        |        |        |        |        |        |        |        |        |        |        |
| Edat de la Mare < 15           |                        | 0      |        | 0      |        | 0      |        | 0      |        | 0      |        | 0      |        |
| 15 - 19                        |                        | 4      |        | 0      |        | 2      |        | 2      |        | 3      |        | 1      |        |
| 20 - 24                        |                        | 12     |        | 18     |        | 18     |        | 14     |        | 14     |        | 6      |        |
| 25 - 29                        |                        | 50     |        | 48     |        | 43     |        | 34     |        | 49     |        | 23     |        |
| 30 - 34                        |                        | 92     |        | 116    |        | 99     |        | 71     |        | 113    |        | 86     |        |
| 35 - 39                        |                        | 74     |        | 55     |        | 82     |        | 38     |        | 88     |        | 47     |        |
| 40 - 44                        |                        | 11     |        | 14     |        | 21     |        | 10     |        | 14     |        | 12     |        |
| >= 45                          |                        | 1      |        | 1      |        | 2      |        | 2      |        | 2      |        | 2      |        |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS | Font                   | ABS 2A |      | ABS 2B |      | ABS 2C |      | ABS 2D |      | ABS 2E |      | ABS 2G |      |
|----------------------------|------------------------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                            |                        | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa |
| I.V.E.                     | Reg. IVES 2004         |        |      |        |      |        |      |        |      |        |      |        |      |
| Edat de la Mare < 15       |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 15 - 19                    |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 20 - 24                    |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 25 - 29                    |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 30 - 34                    |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 35 - 39                    |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 40 - 44                    |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| >= 45                      |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| Lloc d'Origen del Pare:    | Reg. naixements (2004) |        |      |        |      |        |      |        |      |        |      |        |      |
| Resta d'Espanya            |                        | 170    |      | 177    |      | 193    |      | 124    |      | 220    |      | 134    |      |
| Resta d'Europa             |                        | 16     |      | 17     |      | 16     |      | 12     |      | 22     |      | 23     |      |
| Països Magreb              |                        | 1      |      | 8      |      | 5      |      | 3      |      | 2      |      | 0      |      |
| Resta d'Àfrica             |                        | 3      |      | 1      |      | 3      |      | 1      |      | 3      |      | 1      |      |
| Centre i Sudamer.          |                        | 32     |      | 28     |      | 29     |      | 12     |      | 23     |      | 9      |      |
| Àsia (sense Japó)          |                        | 13     |      | 15     |      | 11     |      | 14     |      | 10     |      | 2      |      |
| de la Mare:                |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| Resta d'Espanya            |                        | 175    |      | 175    |      | 208    |      | 125    |      | 223    |      | 134    |      |
| Resta d'Europa             |                        | 14     |      | 14     |      | 12     |      | 14     |      | 15     |      | 17     |      |
| Països Magreb              |                        | 1      |      | 8      |      | 6      |      | 2      |      | 2      |      | 2      |      |
| Resta d'Àfrica             |                        | 3      |      | 1      |      | 0      |      | 0      |      | 1      |      | 2      |      |
| Centre i Sudamer.          |                        | 39     |      | 36     |      | 30     |      | 16     |      | 30     |      | 18     |      |
| Àsia (sense Japó)          |                        | 11     |      | 18     |      | 11     |      | 14     |      | 11     |      | 3      |      |
| Consum de drogues Opiacis  | SIDB (2004)            |        |      |        |      |        |      |        |      |        |      |        |      |
| 0 - 14 anys                |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 15 - 19 anys               |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 20 - 24 anys               |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 25 - 29 anys               |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 30 - 34 anys               |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 35 - 39 anys               |                        |        |      |        |      |        |      |        |      |        |      |        |      |
| 40 - 49 anys               |                        |        |      |        |      |        |      |        |      |        |      |        |      |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS | Font | ABS 2A |      | ABS 2B |      | ABS 2C |      | ABS 2D |      | ABS 2E |      | ABS 2G |      |
|----------------------------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|                            |      | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa |
| Cocaïna                    |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 40 - 49 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| Alcohol                    |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| >= 40 anys                 |      |        |      |        |      |        |      |        |      |        |      |        |      |
| Altres                     |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| >= 40 anys                 |      |        |      |        |      |        |      |        |      |        |      |        |      |
| Total                      |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      |        |      |        |      |
| >= 40 anys                 |      |        |      |        |      |        |      |        |      |        |      |        |      |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS                             | Font         | ABS 2H |        | ABS 2I |        | ABS 2J |        | ABS 2K |        | EIXAMPLE |        | TOTAL BARCELONA |        |
|--|--------------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--------|-----------------|--------|
|  |              | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n        | taxa   | n               | taxa   |
| Població   | PADRO (2004) |        |        |        |        |        |        |        |        |          |        |                 |        |
| 0 - 3 anys (Homes)                                     |              | 405    |        | 336    |        | 475    |        | 423    |        | 4.169    |        | 26.990          |        |
| (Dones)  |              | 413    |        | 318    |        | 417    |        | 327    |        | 3.982    |        | 25.788          |        |
| 4 - 14 anys (Homes)                                    |              | 1.082  |        | 821    |        | 1.077  |        | 1.057  |        | 10.328   |        | 67.277          |        |
| (Dones)  |              | 1.064  |        | 805    |        | 1.062  |        | 967    |        | 9.938    |        | 64.218          |        |
| 15 - 64 anys (Homes)                                   |              | 8.110  |        | 6.841  |        | 8.755  |        | 7.856  |        | 82.952   |        | 528.076         |        |
| (Dones)  |              | 8.582  |        | 7.339  |        | 9.723  |        | 8.802  |        | 90.567   |        | 543.113         |        |
| >= 65 anys (Homes)                                     |              | 1.863  |        | 1.707  |        | 2.135  |        | 2.247  |        | 21.739   |        | 128.221         |        |
| (Dones)  |              | 3.254  |        | 2.885  |        | 3.908  |        | 3.785  |        | 38.240   |        | 202.896         |        |
| Index de dependència demogràfica                       | PADRO (2004) |        | 48,41  |        | 48,46  |        | 49,11  |        | 52,86  |          | 50,94  |                 | 48,11  |
| Index d'envelliment                                    | PADRO (2004) |        | 172,64 |        | 201,4  |        | 199,37 |        | 217,45 |          | 211,07 |                 | 179,68 |
| Index sobre-envelliment (>=75 anys / >=65anys) (Homes) | PADRO (2004) |        | 48,26  |        | 47,74  |        | 47,82  |        | 52,11  |          | 49,09  |                 | 44,21  |
| (Dones)  |              |        | 59,93  |        | 56,36  |        | 59,49  |        | 58,68  |          | 59,15  |                 | 53,94  |
| Llars unipersonals                                     | PADRO (2004) |        |        |        |        |        |        |        |        |          |        |                 |        |
| >= 65 anys (Homes)                                     |              | 248    | 13,312 | 234    | 13,708 | 293    | 13,724 | 270    | 12,016 | 2.868    | 13,193 | 15.645          | 12,202 |
| (Dones)  |              | 998    | 30,67  | 1.009  | 34,974 | 1.397  | 35,747 | 1.315  | 34,742 | 13.304   | 34,791 | 65.235          | 32,152 |
| >= 75 anys (Homes)                                     |              | 147    |        | 126    |        | 163    |        | 161    |        | 1.633    |        | 8.393           |        |
| (Dones)  |              | 698    |        | 671    |        | 970    |        | 910    |        | 9.216    |        | 42.784          |        |
| Nascuts fora Catalunya                                 | PADRO (2004) | 9.006  | 36,354 | 7.949  | 37,759 | 10.053 | 36,487 | 9.007  | 35,372 | 92.799   | 35,431 | 615.831         | 38,815 |
| Immigració estrangera (nd:5622)                        | PADRO (2004) |        |        |        |        |        |        |        |        |          |        |                 |        |
| Europa Comunitària                                     |              | 526    |        | 807    |        | 530    |        | 607    |        | 5.892    |        | 31.282          |        |
| Resta d' Europa  |              | 236    |        | 173    |        | 230    |        | 170    |        | 2.411    |        | 17.157          |        |
| Amèrica Central i Ilatina                              |              | 2.036  |        | 955    |        | 1.551  |        | 757    |        | 21.650   |        | 131.866         |        |
| EEUU i Canadà  |              | 90     |        | 145    |        | 97     |        | 92     |        | 741      |        | 3.255           |        |
| Països del Magreb                                      |              | 132    |        | 68     |        | 123    |        | 50     |        | 2.095    |        | 17.915          |        |
| Resta de països d'Àfrica                               |              | 52     |        | 27     |        | 37     |        | 33     |        | 541      |        | 4.773           |        |
| Àsia   |              | 255    |        | 373    |        | 250    |        | 112    |        | 4.001    |        | 34.336          |        |
| Oceania  |              | 3      |        | 4      |        | 2      |        | 5      |        | 44       |        | 346             |        |
| Mitjana Persones/ habitatge                            | PADRO (2004) | 2      |        | 2      |        | 2      |        | 2      |        | 2        |        | 2               |        |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS     | Font                   | ABS 2H |        | ABS 2I |        | ABS 2J |        | ABS 2K |        | EIXAMPLE |        | TOTAL BARCELONA |        |
|--------------------------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--------|-----------------|--------|
|                                |                        | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n        | taxa   | n               | taxa   |
| Situació Laboral               | PADRO (1996)           |        |        |        |        |        |        |        |        |          |        |                 |        |
| Jubilats                       |                        | 5.061  | 20,429 | 4.597  | 21,836 | 6.715  | 24,372 | 6.099  | 23,951 | 61.235   | 23,38  | 327.676         | 20,653 |
| Aturats                        |                        | 1.628  | 6,572  | 1.662  | 7,895  | 2.050  | 7,44   | 1.789  | 7,026  | 18.742   | 7,156  | 137.581         | 8,672  |
| Mestresses de casa             |                        | 2.026  | 8,178  | 1.890  | 8,978  | 2.419  | 8,78   | 2.320  | 9,111  | 22.850   | 8,724  | 160.957         | 10,145 |
| Incapacitats                   |                        | 183    | 0,739  | 223    | 1,059  | 231    | 0,838  | 203    | 0,797  | 2.167    | 0,827  | 16.297          | 1,027  |
| Tamany de les vivendes         | CADASTRE (1991)        |        |        |        |        |        |        |        |        |          |        |                 |        |
| < de 30 m. quadrats            |                        | 149    | 1,31   | 100    | 1,03   | 244    | 1,79   | 157    | 1,34   | 1.614    | 1,24   | 13.338          | 1,87   |
| entre 30 i 50 m. quadrats      |                        | 718    | 6,33   | 1.166  | 11,96  | 1.065  | 7,82   | 1.277  | 10,88  | 9.632    | 7,39   | 84.893          | 11,93  |
| Turismes + 16 Cvf/1000 hab.    | CENS VEHICLES (2004)   |        | 44,282 |        | 22,088 |        | 28,201 |        | 23,209 |          | 38,814 |                 | 29,267 |
| Turismes - 8 Cvf/1000 hab.     |                        |        | 15,339 |        | 11,448 |        | 12,667 |        | 12,842 |          | 14,673 |                 | 13,168 |
| Turismes + 9 anys/1000 hab.    |                        |        | 141,97 |        | 126,4  |        | 127,9  |        | 125,82 |          | 140,95 |                 | 134,64 |
| Turismes - 1 any /1000 hab.    |                        |        | 39,72  |        | 20,57  |        | 24,97  |        | 24,9   |          | 28,62  |                 | 28,17  |
| Nivell instrucció. (>=16 anys) | PADRO (2004)           |        |        |        |        |        |        |        |        |          |        |                 |        |
| Primaria incompl. i analf.     |                        | 1.611  | 7,45   | 1.848  | 9,95   | 1.950  | 8,03   | 2.142  | 9,52   | 18.938   | 8,18   | 168.136         | 12,1   |
| Primaria completa              |                        | 4.276  | 19,77  | 4.649  | 25,02  | 4.990  | 20,54  | 5.224  | 23,22  | 47.890   | 20,68  | 366.919         | 26,4   |
| Estudis secundaris             |                        | 9.051  | 41,86  | 7.837  | 42,18  | 10.203 | 42     | 9.649  | 42,88  | 96.509   | 41,67  | 556.776         | 40,06  |
| Estudis mitjos i superiors     |                        | 6.471  | 29,93  | 4.071  | 21,91  | 6.923  | 28,5   | 5.279  | 23,46  | 66.033   | 28,51  | 283.881         | 20,42  |
| Naixements i taxa natalitat    | Reg. naixements (2004) | 226    | 9,12   | 158    | 7,51   | 227    | 8,24   | 217    | 8,52   | 2.222    | 8,48   | 14.603          | 9,2    |
| Naixements en dones <= 19 anys | Reg. naixements (2004) | 1      |        | 6      |        | 5      |        | 1      |        | 25       |        | 242             |        |
| Taxa fecunditat                | Reg. naixements (2004) |        | 36,46  |        | 29,47  |        | 31,84  |        | 34,24  |          | 34,16  |                 | 37,18  |
| Naixements baix pes i taxa     | Reg. naixements (2004) | 13     | 57,52  | 20     | 126,58 | 10     | 44,05  | 12     | 55,3   | 154      | 69,31  | 1.029           | 70,46  |
| M.Perinatal/1000 naix.(Nacion) | Reg. perinatal (2004)  | 0      | 0      | 1      | 6,29   | 0      | 0      | 1      | 4,59   | 12       | 5,37   | 95              | 6,46   |
| M.Perinatal/1000 naix.(Inter)  | Reg. perinatal (2004)  | 0      | 0      | 1      | 6,29   | 0      | 0      | 1      | 4,59   | 7        | 3,13   | 60              | 4,08   |
| Naixements                     | Reg. naixements (2004) |        |        |        |        |        |        |        |        |          |        |                 |        |
| Edat de la Mare < 15           |                        | 0      |        | 0      |        | 0      |        | 0      |        | 0        |        | 11              |        |
| 15 - 19                        |                        | 1      |        | 6      |        | 5      |        | 1      |        | 25       |        | 231             |        |
| 20 - 24                        |                        | 11     |        | 16     |        | 15     |        | 16     |        | 140      |        | 1.104           |        |
| 25 - 29                        |                        | 35     |        | 28     |        | 44     |        | 34     |        | 388      |        | 2.886           |        |
| 30 - 34                        |                        | 101    |        | 56     |        | 92     |        | 94     |        | 920      |        | 5.984           |        |
| 35 - 39                        |                        | 62     |        | 44     |        | 61     |        | 55     |        | 606      |        | 3.661           |        |
| 40 - 44                        |                        | 16     |        | 8      |        | 10     |        | 16     |        | 132      |        | 686             |        |
| >= 45                          |                        | 0      |        | 0      |        | 0      |        | 1      |        | 11       |        | 40              |        |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS | Font                   | ABS 2H |      | ABS 2I |      | ABS 2J |      | ABS 2K |      | EIXAMPLE |       | TOTAL BARCELONA |        |
|----------------------------|------------------------|--------|------|--------|------|--------|------|--------|------|----------|-------|-----------------|--------|
|                            |                        | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n        | taxa  | n               | taxa   |
| I.V.E.                     | Reg. IVES 2004         |        |      |        |      |        |      |        |      |          |       |                 |        |
| Edat de la Mare < 15       |                        |        |      |        |      |        |      |        |      |          |       |                 | 13     |
| 15 - 19                    |                        |        |      |        |      |        |      |        |      |          |       |                 | 524    |
| 20 - 24                    |                        |        |      |        |      |        |      |        |      |          |       |                 | 1.245  |
| 25 - 29                    |                        |        |      |        |      |        |      |        |      |          |       |                 | 1.317  |
| 30 - 34                    |                        |        |      |        |      |        |      |        |      |          |       |                 | 913    |
| 35 - 39                    |                        |        |      |        |      |        |      |        |      |          |       |                 | 531    |
| 40 - 44                    |                        |        |      |        |      |        |      |        |      |          |       |                 | 196    |
| >= 45                      |                        |        |      |        |      |        |      |        |      |          |       |                 | 15     |
| Lloc d'Origen del Pare:    | Reg. naixements (2004) |        |      |        |      |        |      |        |      |          |       |                 |        |
| Resta d'Espanya            |                        | 164    |      | 113    |      | 152    |      | 169    |      | 1.616    |       |                 | 11.057 |
| Resta d'Europa             |                        | 22     |      | 5      |      | 20     |      | 8      |      | 161      |       |                 | 797    |
| Països Magreb              |                        | 2      |      | 6      |      | 5      |      | 1      |      | 33       |       |                 | 320    |
| Resta d'Àfrica             |                        | 2      |      | 1      |      | 1      |      | 1      |      | 17       |       |                 | 97     |
| Centre i Sudamer.          |                        | 19     |      | 23     |      | 27     |      | 23     |      | 225      |       |                 | 1.426  |
| Àsia (sense Japó)          |                        | 13     |      | 5      |      | 18     |      | 6      |      | 107      |       |                 | 502    |
| de la Mare:                |                        |        |      |        |      |        |      |        |      |          |       |                 |        |
| Resta d'Espanya            |                        | 174    |      | 116    |      | 160    |      | 172    |      | 1.662    |       |                 | 11.322 |
| Resta d'Europa             |                        | 16     |      | 2      |      | 12     |      | 8      |      | 124      |       |                 | 642    |
| Països Magreb              |                        | 1      |      | 6      |      | 5      |      | 1      |      | 34       |       |                 | 311    |
| Resta d'Àfrica             |                        | 0      |      | 1      |      | 1      |      | 1      |      | 10       |       |                 | 78     |
| Centre i Sudamer.          |                        | 23     |      | 28     |      | 32     |      | 29     |      | 281      |       |                 | 1.713  |
| Àsia (sense Japó)          |                        | 12     |      | 5      |      | 17     |      | 6      |      | 108      |       |                 | 510    |
| Consum de drogues Opiacis  | SIDB (2004)            |        |      |        |      |        |      |        |      |          |       |                 |        |
| 0 - 14 anys                |                        |        |      |        |      |        |      |        |      | 0        | 0     | 1               | 0,57   |
| 15 - 19 anys               |                        |        |      |        |      |        |      |        |      | 2        | 18,14 | 9               | 12,25  |
| 20 - 24 anys               |                        |        |      |        |      |        |      |        |      | 3        | 19,83 | 39              | 37,98  |
| 25 - 29 anys               |                        |        |      |        |      |        |      |        |      | 16       | 88,03 | 133             | 108,16 |
| 30 - 34 anys               |                        |        |      |        |      |        |      |        |      | 12       | 64,5  | 178             | 152,99 |
| 35 - 39 anys               |                        |        |      |        |      |        |      |        |      | 13       | 69,78 | 206             | 182,39 |
| 40 - 49 anys               |                        |        |      |        |      |        |      |        |      | 25       | 17,77 | 199             | 24,6   |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS | Font | ABS 2H |      | ABS 2I |      | ABS 2J |      | ABS 2K |      | EIXAMPLE |        | TOTAL BARCELONA |        |
|----------------------------|------|--------|------|--------|------|--------|------|--------|------|----------|--------|-----------------|--------|
|                            |      | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n        | taxa   | n               | taxa   |
| Cocaïna                    |      |        |      |        |      |        |      |        |      |          |        |                 |        |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      | 2        | 7,3    | 15              | 8,55   |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      | 4        | 36,28  | 26              | 35,4   |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      | 28       | 185,06 | 148             | 144,11 |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      | 19       | 104,53 | 242             | 196,81 |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      | 34       | 182,76 | 242             | 207,99 |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      | 26       | 139,56 | 178             | 157,6  |
| 40 - 49 anys               |      |        |      |        |      |        |      |        |      | 27       | 19,19  | 178             | 22     |
| Alcohol                    |      |        |      |        |      |        |      |        |      |          |        |                 |        |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      | 1        | 3,65   | 9               | 5,13   |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      | 1        | 9,07   | 6               | 8,17   |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      | 5        | 33,05  | 50              | 48,69  |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      | 9        | 49,52  | 100             | 81,32  |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      | 18       | 96,75  | 188             | 161,58 |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      | 35       | 187,87 | 264             | 233,74 |
| >= 40 anys                 |      |        |      |        |      |        |      |        |      | 133      | 94,52  | 1.168           | 144,37 |
| Altres                     |      |        |      |        |      |        |      |        |      |          |        |                 |        |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      | 1        | 3,65   | 4               | 2,28   |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      | 8        | 72,57  | 35              | 47,66  |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      | 7        | 46,27  | 42              | 40,9   |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      | 13       | 71,52  | 50              | 40,66  |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      | 0        | 0      | 0               | 0      |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      | 1        | 5,37   | 29              | 25,68  |
| >= 40 anys                 |      |        |      |        |      |        |      |        |      | 2        | 1,42   | 41              | 5,07   |
| Total                      |      |        |      |        |      |        |      |        |      |          |        |                 |        |
| 0 - 14 anys                |      |        |      |        |      |        |      |        |      | 4        | 14,61  | 29              | 16,52  |
| 15 - 19 anys               |      |        |      |        |      |        |      |        |      | 15       | 136,07 | 76              | 103,48 |
| 20 - 24 anys               |      |        |      |        |      |        |      |        |      | 43       | 284,2  | 279             | 271,67 |
| 25 - 29 anys               |      |        |      |        |      |        |      |        |      | 57       | 313,6  | 525             | 426,95 |
| 30 - 34 anys               |      |        |      |        |      |        |      |        |      | 64       | 344,01 | 608             | 522,56 |
| 35 - 39 anys               |      |        |      |        |      |        |      |        |      | 75       | 402,58 | 677             | 599,4  |
| >= 40 anys                 |      |        |      |        |      |        |      |        |      | 187      | 132,9  | 1.586           | 196,04 |

MDOS\_NOMINALS

| Indicadors M.D.O.<br>nominals | Grup d'edat | ABS 2A |       | ABS 2B |       | ABS 2C |       | ABS 2D |       | ABS 2E |       | ABS 2G |       | ABS 2H |       |
|-------------------------------|-------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
|                               |             | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  |
| <b>HEPATITIS A</b>            | 0 - 14 H    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 75,08 | 1      | 67,25 |
|                               | D           | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|                               | 15 - 64     | 5      | 50,75 | 2      | 20,51 | 3      | 31,35 | 4      | 68,81 | 2      | 20,76 | 1      | 14,77 | 0      | 0     |
|                               | D           | 0      | 0     | 2      | 18,99 | 0      | 0     | 0      | 0     | 1      | 9,19  | 0      | 0     | 1      | 11,65 |
|                               | > = 65 H    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|                               | D           | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
| <b>HEPATITIS B</b>            | 0 - 14 H    | 0      | 0     | 1      | 61,46 | 0      | 0     | 0      | 0     | 0      | 0     |        |       |        |       |
|                               | D           | 1      | 63,98 | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 59,07 |        |       |        |       |
|                               | 15 - 64     | 1      | 10,15 | 1      | 10,25 | 2      | 20,9  | 1      | 17,2  | 0      | 0     |        |       |        |       |
|                               | D           | 0      | 0     | 0      | 0     | 0      | 0     | 2      | 32,96 | 1      | 9,19  |        |       |        |       |
|                               | > = 65 H    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       |        |       |
|                               | D           | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       |        |       |
| <b>ALTRES HEPATITIS</b>       | 0 - 14 H    | 0      | 0     |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | D           | 0      | 0     |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | 15 - 64     | 1      | 10,15 |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | D           | 0      | 0     |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | > = 65 H    | 0      | 0     |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | D           | 0      | 0     |        |       |        |       |        |       |        |       |        |       |        |       |
| <b>AMEBIASI</b>               | 0 - 14 H    |        |       |        |       | 0      | 0     |        |       | 0      | 0     |        |       |        |       |
|                               | D           |        |       |        |       | 0      | 0     |        |       | 0      | 0     |        |       |        |       |
|                               | 15 - 64     |        |       |        |       | 1      | 10,45 |        |       | 0      | 0     |        |       |        |       |
|                               | D           |        |       |        |       | 0      | 0     |        |       | 0      | 0     |        |       |        |       |
|                               | > = 65 H    |        |       |        |       | 0      | 0     |        |       | 0      | 0     |        |       |        |       |
|                               | D           |        |       |        |       | 0      | 0     |        |       | 1      | 19,6  |        |       |        |       |
| <b>BRUCEL.LOSI</b>            | 0 - 14 H    |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | D           |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | 15 - 64     |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | D           |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | > = 65 H    |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|                               | D           |        |       |        |       |        |       |        |       |        |       |        |       |        |       |

MDOS\_NOMINALS

| Indicadors M.D.O.<br>nominals | Grup d'edat | ABS 2A |       | ABS 2B |       | ABS 2C |       | ABS 2D |        | ABS 2E |       | ABS 2G |      | ABS 2H |       |
|-------------------------------|-------------|--------|-------|--------|-------|--------|-------|--------|--------|--------|-------|--------|------|--------|-------|
|                               |             | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa   | n      | taxa  | n      | taxa | n      | taxa  |
| <b>FEB.BOTONOSA</b>           | 0 - 14 H    |        |       |        |       | 0      | 0     |        |        |        |       |        |      |        |       |
|                               | D           |        |       |        |       | 0      | 0     |        |        |        |       |        |      |        |       |
|                               | 15 - 64     |        |       |        |       | 0      | 0     |        |        |        |       |        |      |        |       |
|                               | D           |        |       |        |       | 0      | 0     |        |        |        |       |        |      |        |       |
|                               | > = 65 H    |        |       |        |       | 0      | 0     |        |        |        |       |        |      |        |       |
| D                             |             |        |       |        | 1     | 24,59  |       |        |        |        |       |        |      |        |       |
| <b>FEB.TIFOIDEA</b>           | 0 - 14 H    |        |       |        |       |        |       |        |        | 0      | 0     |        |      |        |       |
|                               | D           |        |       |        |       |        |       |        |        | 0      | 0     |        |      |        |       |
|                               | 15 - 64     |        |       |        |       |        |       |        |        | 1      | 10,38 |        |      |        |       |
|                               | D           |        |       |        |       |        |       |        |        | 0      | 0     |        |      |        |       |
|                               | > = 65 H    |        |       |        |       |        |       |        |        | 0      | 0     |        |      |        |       |
| D                             |             |        |       |        |       |        |       |        | 0      | 0      |       |        |      |        |       |
| <b>HAEMOPH.INFL.</b>          | 0 - 14 H    |        |       |        |       |        |       |        |        |        |       |        |      | 0      | 0     |
|                               | D           |        |       |        |       |        |       |        |        |        |       |        |      | 0      | 0     |
|                               | 15 - 64     |        |       |        |       |        |       |        |        |        |       |        |      | 1      | 12,33 |
|                               | D           |        |       |        |       |        |       |        |        |        |       |        |      | 0      | 0     |
|                               | > = 65 H    |        |       |        |       |        |       |        |        |        |       |        |      | 0      | 0     |
| D                             |             |        |       |        |       |        |       |        |        |        |       |        | 0    | 0      |       |
| <b>LEGIONELLA</b>             | 0 - 14 H    | 0      | 0     |        |       |        |       | 0      | 0      | 0      | 0     |        |      | 0      | 0     |
|                               | D           | 0      | 0     |        |       |        |       | 0      | 0      | 0      | 0     |        |      | 0      | 0     |
|                               | 15 - 64     | 1      | 10,15 |        |       |        |       | 1      | 17,2   | 1      | 10,38 |        |      | 3      | 36,99 |
|                               | D           | 0      | 0     |        |       |        |       | 0      | 0      | 1      | 9,19  |        |      | 0      | 0     |
|                               | > = 65 H    | 0      | 0     |        |       |        |       | 0      | 0      | 0      | 0     |        |      | 0      | 0     |
| D                             | 0           | 0      |       |        |       |        | 0     | 0      | 0      | 0      |       |        | 1    | 30,73  |       |
| <b>MAL.MENINGOCOCICA</b>      | 0 - 14 H    |        |       | 0      | 0     | 0      | 0     | 0      | 0      | 0      | 0     |        |      | 0      | 0     |
|                               | D           |        |       | 0      | 0     | 0      | 0     | 1      | 112,23 | 0      | 0     |        |      | 0      | 0     |
|                               | 15 - 64     |        |       | 1      | 10,25 | 1      | 10,45 | 0      | 0      | 0      | 0     |        |      | 1      | 12,33 |
|                               | D           |        |       | 0      | 0     | 0      | 0     | 0      | 0      | 1      | 9,19  |        |      | 0      | 0     |
|                               | > = 65 H    |        |       | 0      | 0     | 0      | 0     | 0      | 0      | 0      | 0     |        |      | 0      | 0     |
| D                             |             |        | 0     | 0      | 0     | 0      | 0     | 0      | 0      | 0      |       |        | 1    | 30,73  |       |

MDOS\_NOMINALS

| Indicadors M.D.O. nominals | Grup d'edat | ABS 2A |       | ABS 2B |      | ABS 2C |       | ABS 2D |        | ABS 2E |       | ABS 2G |       | ABS 2H |       |
|----------------------------|-------------|--------|-------|--------|------|--------|-------|--------|--------|--------|-------|--------|-------|--------|-------|
|                            |             | n      | taxa  | n      | taxa | n      | taxa  | n      | taxa   | n      | taxa  | n      | taxa  | n      | taxa  |
| <b>PALUDISME</b>           | 0 - 14 H    | 0      | 0     |        |      |        |       |        |        | 0      | 0     | 0      | 0     | 0      | 0     |
|                            | D           | 0      | 0     |        |      |        |       |        |        | 0      | 0     | 0      | 0     | 0      | 0     |
|                            | 15 - 64     | 1      | 10,15 |        |      |        |       |        |        | 1      | 10,38 | 1      | 14,77 | 0      | 0     |
|                            | D           | 1      | 9,45  |        |      |        |       |        |        | 1      | 9,19  | 0      | 0     | 1      | 11,65 |
|                            | > = 65 H    | 0      | 0     |        |      |        |       |        |        | 0      | 0     | 0      | 0     | 0      | 0     |
| D                          | 0           | 0      |       |        |      |        |       |        | 0      | 0      | 0     | 0      | 0     | 0      |       |
| <b>PAROTIDITIS</b>         | 0 - 14 H    | 1      | 62,34 | 0      | 0    | 0      | 0     | 0      | 0      | 0      | 0     | 0      | 0     | 1      | 67,25 |
|                            | D           | 0      | 0     | 0      | 0    | 1      | 61,65 | 1      | 112,23 | 0      | 0     | 0      | 0     | 0      | 0     |
|                            | 15 - 64     | 0      | 0     | 0      | 0    | 1      | 10,45 | 0      | 0      | 2      | 20,76 | 0      | 0     | 0      | 0     |
|                            | D           | 1      | 9,45  | 1      | 9,5  | 0      | 0     | 1      | 16,48  | 1      | 9,19  | 1      | 13,63 | 1      | 11,65 |
|                            | > = 65 H    | 0      | 0     | 0      | 0    | 0      | 0     | 0      | 0      | 0      | 0     | 0      | 0     | 0      | 0     |
| D                          | 0           | 0      | 0     | 0      | 0    | 0      | 0     | 0      | 2      | 39,19  | 0     | 0      | 0     | 0      |       |
| <b>LEISHMANIOSI</b>        | 0 - 14 H    |        |       |        |      |        |       |        |        |        |       |        |       |        |       |
|                            | D           |        |       |        |      |        |       |        |        |        |       |        |       |        |       |
|                            | 15 - 64     |        |       |        |      |        |       |        |        |        |       |        |       |        |       |
|                            | D           |        |       |        |      |        |       |        |        |        |       |        |       |        |       |
| <b>SHIGELLA</b>            | > = 65 H    |        |       |        |      |        |       |        |        |        |       |        |       |        |       |
|                            | D           |        |       |        |      |        |       |        |        |        |       |        |       |        |       |
|                            | 0 - 14 H    |        |       |        |      |        |       |        |        |        |       | 0      | 0     | 0      | 0     |
|                            | D           |        |       |        |      |        |       |        |        |        |       | 0      | 0     | 0      | 0     |
| <b>GASTR.E.COLI</b>        | 15 - 64     |        |       |        |      |        |       |        |        |        |       | 0      | 0     | 1      | 12,33 |
|                            | D           |        |       |        |      |        |       |        |        |        |       | 2      | 27,26 | 0      | 0     |
|                            | > = 65 H    |        |       |        |      |        |       |        |        |        |       | 0      | 0     | 0      | 0     |
|                            | D           |        |       |        |      |        |       |        |        |        |       | 0      | 0     | 0      | 0     |

MDOS\_NOMINALS

| Indicadors M.D.O. nominals | Grup d'edat | ABS 2A |       | ABS 2B |       | ABS 2C |        | ABS 2D |        | ABS 2E |        | ABS 2G |        | ABS 2H |        |
|----------------------------|-------------|--------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|                            |             | n      | taxa  | n      | taxa  | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   |
| <b>TOSFERINA</b>           | 0 - 14 H    |        |       | 1      | 61,46 | 2      | 122,17 | 1      | 110,13 | 1      | 58,38  |        |        | 1      | 67,25  |
|                            | D           |        |       | 2      | 122,4 | 0      | 0      | 0      | 0      | 2      | 118,13 |        |        | 0      | 0      |
|                            | 15 - 64     |        |       | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
|                            | D           |        |       | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
|                            | > = 65 H    |        |       | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
| D                          |             |        | 0     | 0      | 0     | 0      | 0      | 0      | 0      | 0      |        |        | 0      | 0      |        |
| <b>RUBEOLA CONGENITA</b>   | 0 - 14 H    |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | D           |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | 15 - 64     |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | D           |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | > = 65 H    |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
| D                          |             |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
| <b>TUBERCULOSIS</b>        | 0 - 14 H    | 0      | 0     | 0      | 0     | 1      | 61,09  | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|                            | D           | 0      | 0     | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|                            | 15 - 64     | 8      | 81,2  | 5      | 51,27 | 1      | 10,45  | 3      | 51,61  | 0      | 0      | 0      | 0      | 3      | 36,99  |
|                            | D           | 3      | 28,34 | 2      | 18,99 | 1      | 9,33   | 0      | 0      | 0      | 0      | 1      | 13,63  | 1      | 11,65  |
|                            | > = 65 H    | 2      | 67,43 | 2      | 84,21 | 0      | 0      | 2      | 140,25 | 0      | 0      | 2      | 114,88 | 2      | 107,35 |
| D                          | 1           | 20,35  | 0     | 0      | 0     | 0      | 0      | 0      | 2      | 39,19  | 0      | 0      | 2      | 61,46  |        |
| <b>SIDA</b>                | 0 - 14 H    | 0      | 0     | 0      | 0     | 0      | 0      |        |        | 0      | 0      | 0      | 0      | 0      | 0      |
|                            | D           | 0      | 0     | 0      | 0     | 0      | 0      |        |        | 0      | 0      | 0      | 0      | 0      | 0      |
|                            | 15 - 64     | 3      | 30,45 | 2      | 20,51 | 2      | 20,9   |        |        | 2      | 20,76  | 1      | 14,77  | 2      | 24,66  |
|                            | D           | 0      | 0     | 1      | 9,5   | 1      | 9,33   |        |        | 1      | 9,19   | 3      | 40,88  | 0      | 0      |
|                            | > = 65 H    | 1      | 33,72 | 1      | 42,11 | 0      | 0      |        |        | 0      | 0      | 1      | 57,44  | 0      | 0      |
| D                          | 0           | 0      | 0     | 0      | 0     | 0      |        |        | 0      | 0      | 0      | 0      | 0      | 0      |        |
| <b>XARAMPIO</b>            | 0 - 14 H    |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | D           |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | 15 - 64     |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | D           |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
|                            | > = 65 H    |        |       |        |       |        |        |        |        |        |        |        |        |        |        |
| D                          |             |        |       |        |       |        |        |        |        |        |        |        |        |        |        |

MDOS\_NOMINALS

| Indicadors M.D.O.<br>nominals | Grup d'edat | ABS 2I |       | ABS 2J |       | ABS 2K |      | EIXAMPLE |       | TOTAL BARCELONA |       |
|-------------------------------|-------------|--------|-------|--------|-------|--------|------|----------|-------|-----------------|-------|
|                               |             | n      | taxa  | n      | taxa  | n      | taxa | n        | taxa  | n               | taxa  |
| <b>HEPATITIS A</b>            | 0 - 14 H    | 0      | 0     | 0      | 0     |        |      | 2        | 13,8  | 9               | 9,55  |
|                               | D           | 0      | 0     | 0      | 0     |        |      | 0        | 0     | 7               | 7,78  |
|                               | 15 - 64     | 2      | 29,24 | 1      | 11,42 |        |      | 20       | 24,11 | 61              | 11,55 |
|                               | D           | 0      | 0     | 0      | 0     |        |      | 4        | 4,42  | 10              | 1,84  |
|                               | > = 65 H    | 0      | 0     | 0      | 0     |        |      | 0        | 0     | 0               | 0     |
|                               | D           | 0      | 0     | 0      | 0     |        |      | 0        | 0     | 0               | 0     |
| <b>HEPATITIS B</b>            | 0 - 14 H    |        |       | 0      | 0     |        |      | 1        | 6,9   | 14              | 14,85 |
|                               | D           |        |       | 1      | 67,61 |        |      | 3        | 21,55 | 8               | 8,89  |
|                               | 15 - 64     |        |       | 1      | 11,42 |        |      | 6        | 7,23  | 19              | 3,6   |
|                               | D           |        |       | 0      | 0     |        |      | 3        | 3,31  | 7               | 1,29  |
|                               | > = 65 H    |        |       | 0      | 0     |        |      | 0        | 0     | 1               | 0,78  |
|                               | D           |        |       | 0      | 0     |        |      | 0        | 0     | 0               | 0     |
| <b>ALTRES HEPATITIS</b>       | 0 - 14 H    | 0      | 0     |        |       |        |      | 0        | 0     | 0               | 0     |
|                               | D           | 0      | 0     |        |       |        |      | 0        | 0     | 1               | 1,11  |
|                               | 15 - 64     | 0      | 0     |        |       |        |      | 1        | 1,21  | 6               | 1,14  |
|                               | D           | 1      | 13,63 |        |       |        |      | 1        | 1,1   | 5               | 0,92  |
|                               | > = 65 H    | 0      | 0     |        |       |        |      | 0        | 0     | 0               | 0     |
|                               | D           | 0      | 0     |        |       |        |      | 0        | 0     | 0               | 0     |
| <b>AMEBIASI</b>               | 0 - 14 H    |        |       |        |       |        |      | 0        | 0     | 1               | 1,06  |
|                               | D           |        |       |        |       |        |      | 0        | 0     | 1               | 1,11  |
|                               | 15 - 64     |        |       |        |       |        |      | 1        | 1,21  | 1               | 0,19  |
|                               | D           |        |       |        |       |        |      | 0        | 0     | 0               | 0     |
|                               | > = 65 H    |        |       |        |       |        |      | 0        | 0     | 0               | 0     |
|                               | D           |        |       |        |       |        |      | 1        | 2,62  | 1               | 0,49  |
| <b>BRUCEL.LOSI</b>            | 0 - 14 H    |        |       |        |       |        |      |          |       | 0               | 0     |
|                               | D           |        |       |        |       |        |      |          |       | 0               | 0     |
|                               | 15 - 64     |        |       |        |       |        |      |          |       | 1               | 0,19  |
|                               | D           |        |       |        |       |        |      |          |       | 0               | 0     |
|                               | > = 65 H    |        |       |        |       |        |      |          |       | 0               | 0     |
|                               | D           |        |       |        |       |        |      |          |       | 1               | 0,49  |

MDOS\_NOMINALS

| Indicadors M.D.O.<br>nominals | Grup d'edat | ABS 2I |       | ABS 2J |       | ABS 2K |       | EIXAMPLE |      | TOTAL BARCELONA |       |
|-------------------------------|-------------|--------|-------|--------|-------|--------|-------|----------|------|-----------------|-------|
|                               |             | n      | taxa  | n      | taxa  | n      | taxa  | n        | taxa | n               | taxa  |
| <b>FEB.BOTONOSA</b>           | 0 - 14 H    |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
|                               | D           |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
|                               | 15 - 64     |        |       |        |       |        |       | 0        | 0    | 2               | 0,38  |
|                               | D           |        |       |        |       |        |       | 0        | 0    | 1               | 0,18  |
|                               | > = 65 H    |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
| D                             |             |        |       |        |       |        |       | 1        | 2,62 | 2               | 0,99  |
| <b>FEB.TIFOIDEA</b>           | 0 - 14 H    |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
|                               | D           |        |       |        |       |        |       | 0        | 0    | 1               | 1,11  |
|                               | 15 - 64     |        |       |        |       |        |       | 1        | 1,21 | 3               | 0,57  |
|                               | D           |        |       |        |       |        |       | 0        | 0    | 2               | 0,37  |
|                               | > = 65 H    |        |       |        |       |        |       | 0        | 0    | 1               | 0,78  |
| D                             |             |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
| <b>HAEMOPH.INFL.</b>          | 0 - 14 H    |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
|                               | D           |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
|                               | 15 - 64     |        |       |        |       |        |       | 1        | 1,21 | 2               | 0,38  |
|                               | D           |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
|                               | > = 65 H    |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
| D                             |             |        |       |        |       |        |       | 0        | 0    | 0               | 0     |
| <b>LEGIONELLA</b>             | 0 - 14 H    |        |       | 0      | 0     | 0      | 0     | 0        | 0    | 1               | 1,06  |
|                               | D           |        |       | 0      | 0     | 0      | 0     | 0        | 0    | 2               | 2,22  |
|                               | 15 - 64     |        |       | 1      | 11,42 | 1      | 12,73 | 8        | 9,64 | 37              | 7,01  |
|                               | D           |        |       | 0      | 0     | 0      | 0     | 1        | 1,1  | 5               | 0,92  |
|                               | > = 65 H    |        |       | 0      | 0     | 1      | 44,5  | 1        | 4,6  | 27              | 21,06 |
| D                             |             |        | 0     | 0      | 0     | 0      | 1     | 2,62     | 12   | 5,91            |       |
| <b>MAL.MENINGOCOCICA</b>      | 0 - 14 H    | 0      | 0     |        |       | 0      | 0     | 0        | 0    | 5               | 5,3   |
|                               | D           | 0      | 0     |        |       | 0      | 0     | 1        | 7,18 | 5               | 5,56  |
|                               | 15 - 64     | 0      | 0     |        |       | 0      | 0     | 3        | 3,62 | 11              | 2,08  |
|                               | D           | 1      | 13,63 |        |       | 0      | 0     | 2        | 2,21 | 4               | 0,74  |
|                               | > = 65 H    | 1      | 58,58 |        |       | 0      | 0     | 1        | 4,6  | 2               | 1,56  |
| D                             | 0           | 0      |       |        | 1     | 26,42  | 2     | 5,23     | 6    | 2,96            |       |

MDOS\_NOMINALS

| Indicadors M.D.O.<br>nominals | Grup d'edat | ABS 2I |      | ABS 2J |      | ABS 2K |       | EIXAMPLE |       | TOTAL BARCELONA |       |
|-------------------------------|-------------|--------|------|--------|------|--------|-------|----------|-------|-----------------|-------|
|                               |             | n      | taxa | n      | taxa | n      | taxa  | n        | taxa  | n               | taxa  |
| <b>PALUDISME</b>              | 0 - 14 H    |        |      |        |      | 0      | 0     | 0        | 0     | 1               | 1,06  |
|                               | D           |        |      |        |      | 0      | 0     | 0        | 0     | 2               | 2,22  |
|                               | 15 - 64     |        |      |        |      | 0      | 0     | 3        | 3,62  | 22              | 4,17  |
|                               | D           |        |      |        |      | 1      | 11,36 | 4        | 4,42  | 20              | 3,68  |
|                               | > = 65 H    |        |      |        |      | 0      | 0     | 0        | 0     | 1               | 0,78  |
|                               | D           |        |      |        |      | 0      | 0     | 0        | 0     | 0               | 0     |
| <b>PAROTIDITIS</b>            | 0 - 14 H    |        |      |        |      |        |       | 2        | 13,8  | 16              | 16,97 |
|                               | D           |        |      |        |      |        |       | 2        | 14,37 | 9               | 10    |
|                               | 15 - 64     |        |      |        |      |        |       | 3        | 3,62  | 10              | 1,89  |
|                               | D           |        |      |        |      |        |       | 6        | 6,62  | 15              | 2,76  |
|                               | > = 65 H    |        |      |        |      |        |       | 0        | 0     | 2               | 1,56  |
|                               | D           |        |      |        |      |        |       | 2        | 5,23  | 4               | 1,97  |
| <b>LEISHMANIOSI</b>           | 0 - 14 H    |        |      |        |      |        |       |          |       | 3               | 3,18  |
|                               | D           |        |      |        |      |        |       |          |       | 0               | 0     |
|                               | 15 - 64     |        |      |        |      |        |       |          |       | 6               | 1,14  |
|                               | D           |        |      |        |      |        |       |          |       | 1               | 0,18  |
|                               | > = 65 H    |        |      |        |      |        |       |          |       | 0               | 0     |
|                               | D           |        |      |        |      |        |       |          |       | 0               | 0     |
| <b>SHIGELLA</b>               | 0 - 14 H    |        |      |        |      |        |       | 0        | 0     | 0               | 0     |
|                               | D           |        |      |        |      |        |       | 0        | 0     | 1               | 1,11  |
|                               | 15 - 64     |        |      |        |      |        |       | 1        | 1,21  | 4               | 0,76  |
|                               | D           |        |      |        |      |        |       | 2        | 2,21  | 12              | 2,21  |
|                               | > = 65 H    |        |      |        |      |        |       | 0        | 0     | 0               | 0     |
|                               | D           |        |      |        |      |        |       | 0        | 0     | 0               | 0     |
| <b>GASTR.E.COLI</b>           | 0 - 14 H    |        |      |        |      |        |       |          |       | 1               | 1,06  |
|                               | D           |        |      |        |      |        |       |          |       | 0               | 0     |
|                               | 15 - 64     |        |      |        |      |        |       |          |       | 0               | 0     |
|                               | D           |        |      |        |      |        |       |          |       | 0               | 0     |
|                               | > = 65 H    |        |      |        |      |        |       |          |       | 0               | 0     |
|                               | D           |        |      |        |      |        |       |          |       | 0               | 0     |

MDOS\_NOMINALS

| Indicadors M.D.O.<br>nominals | Grup d'edat | ABS 2I |       | ABS 2J |       | ABS 2K |       | EIXAMPLE |       | TOTAL BARCELONA |       |
|-------------------------------|-------------|--------|-------|--------|-------|--------|-------|----------|-------|-----------------|-------|
|                               |             | n      | taxa  | n      | taxa  | n      | taxa  | n        | taxa  | n               | taxa  |
| <b>TOSFERINA</b>              | 0 - 14 H    |        |       |        |       |        |       | 6        | 41,39 | 19              | 20,16 |
|                               | D           |        |       |        |       |        |       | 4        | 28,74 | 32              | 35,55 |
|                               | 15 - 64     |        |       |        |       |        |       | 0        | 0     | 2               | 0,38  |
|                               | D           |        |       |        |       |        |       | 0        | 0     | 2               | 0,37  |
|                               | > = 65 H    |        |       |        |       |        |       | 0        | 0     | 0               | 0     |
| D                             |             |        |       |        |       |        | 0     | 0        | 1     | 0,49            |       |
| <b>RUBEOLA CONGENITA</b>      | 0 - 14 H    |        |       |        |       |        |       |          |       | 1               | 1,06  |
|                               | D           |        |       |        |       |        |       |          |       | 1               | 1,11  |
|                               | 15 - 64     |        |       |        |       |        |       |          |       | 0               | 0     |
|                               | D           |        |       |        |       |        |       |          |       | 0               | 0     |
|                               | > = 65 H    |        |       |        |       |        |       |          |       | 0               | 0     |
| D                             |             |        |       |        |       |        |       |          | 0     | 0               |       |
| <b>TUBERCULOSIS</b>           | 0 - 14 H    | 0      | 0     | 0      | 0     | 1      | 67,57 | 2        | 13,8  | 11              | 11,67 |
|                               | D           | 1      | 89,05 | 0      | 0     | 0      | 0     | 1        | 7,18  | 8               | 8,89  |
|                               | 15 - 64     | 0      | 0     | 3      | 34,27 | 1      | 12,73 | 24       | 28,93 | 207             | 39,2  |
|                               | D           | 2      | 27,25 | 6      | 61,71 | 3      | 34,08 | 19       | 20,98 | 98              | 18,04 |
|                               | > = 65 H    | 0      | 0     | 1      | 46,84 | 1      | 44,5  | 12       | 55,2  | 47              | 36,66 |
| D                             | 2           | 69,32  | 0     | 0      | 1     | 26,42  | 8     | 20,92    | 41    | 20,21           |       |
| <b>SIDA</b>                   | 0 - 14 H    | 0      | 0     | 0      | 0     |        |       | 0        | 0     | 0               | 0     |
|                               | D           | 0      | 0     | 0      | 0     |        |       | 0        | 0     | 0               | 0     |
|                               | 15 - 64     | 0      | 0     | 2      | 22,84 |        |       | 14       | 16,88 | 91              | 17,23 |
|                               | D           | 1      | 13,63 | 0      | 0     |        |       | 7        | 7,73  | 43              | 7,92  |
|                               | > = 65 H    | 0      | 0     | 0      | 0     |        |       | 3        | 13,8  | 7               | 5,46  |
| D                             | 0           | 0      | 0     | 0      |       |        | 0     | 0        | 0     | 0               |       |
| <b>XARAMPIO</b>               | 0 - 14 H    |        |       |        |       |        |       |          |       | 4               | 4,24  |
|                               | D           |        |       |        |       |        |       |          |       | 4               | 4,44  |
|                               | 15 - 64     |        |       |        |       |        |       |          |       | 2               | 0,38  |
|                               | D           |        |       |        |       |        |       |          |       | 3               | 0,55  |
|                               | > = 65 H    |        |       |        |       |        |       |          |       | 0               | 0     |
| D                             |             |        |       |        |       |        |       |          | 0     | 0               |       |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2A |       | ABS 2B |       | ABS 2C |       | ABS 2D |       | ABS 2E |       | ABS 2G |       | ABS 2H |       |
|--|----------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
|  |                | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  |
| TETANUS                                    | 0 - 14 H       |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|  | D              |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|  | 15 - 64 H      |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|  | D              |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
| TUBERCULOSI                                | >= 65 H        |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|  | D              |        |       |        |       |        |       |        |       |        |       |        |       |        |       |
|  | 0 - 14 H       | 1      | 12,47 | 2      | 24,59 | 2      | 24,43 | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 13,45 |
|  | D              | 2      | 25,59 | 1      | 12,24 | 2      | 24,66 | 1      | 22,45 | 0      | 0     | 1      | 17,48 | 1      | 13,54 |
| LEGIONELLA                                 | 15 - 64 H      | 21     | 42,63 | 19     | 38,96 | 9      | 18,81 | 10     | 34,41 | 13     | 26,99 | 8      | 23,63 | 13     | 32,06 |
|  | D              | 15     | 28,34 | 16     | 30,39 | 4      | 7,47  | 4      | 13,18 | 8      | 14,7  | 9      | 24,53 | 10     | 23,3  |
|  | >= 65 H        | 11     | 74,17 | 10     | 84,21 | 5      | 39,97 | 5      | 70,13 | 2      | 14,4  | 4      | 45,95 | 6      | 64,41 |
|  | D              | 5      | 20,35 | 9      | 44,01 | 3      | 14,76 | 2      | 14,72 | 3      | 11,76 | 1      | 5,69  | 3      | 18,44 |
| SHIGELLA                                   | 0 - 14 H       | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 2      | 30,03 | 1      | 13,45 |
|  | D              | 0      | 0     | 1      | 12,24 | 0      | 0     | 0      | 0     | 1      | 11,81 | 0      | 0     | 0      | 0     |
|  | 15 - 64 H      | 2      | 4,06  | 3      | 6,15  | 2      | 4,18  | 5      | 17,2  | 2      | 4,15  | 0      | 0     | 3      | 7,4   |
|  | D              | 0      | 0     | 1      | 1,9   | 1      | 1,87  | 1      | 3,3   | 1      | 1,84  | 0      | 0     | 0      | 0     |
| PALUDISME                                  | >= 65 H        | 2      | 13,49 | 1      | 8,42  | 1      | 7,99  | 0      | 0     | 2      | 14,4  | 2      | 22,98 | 3      | 32,21 |
|  | D              | 1      | 4,07  | 1      | 4,89  | 1      | 4,92  | 2      | 14,72 | 0      | 0     | 1      | 5,69  | 1      | 6,15  |
|  | 0 - 14 H       | 1      | 12,47 | 0      | 0     |        |       |        |       | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 1      | 12,24 |        |       |        |       | 0      | 0     | 0      | 0     | 0      | 0     |
| TUBERCULOSI                                | 15 - 64 H      | 2      | 4,06  | 1      | 2,05  |        |       |        |       | 1      | 2,08  | 0      | 0     | 1      | 2,47  |
|  | D              | 2      | 3,78  | 0      | 0     |        |       |        |       | 0      | 0     | 5      | 13,63 | 0      | 0     |
|  | >= 65 H        | 0      | 0     | 0      | 0     |        |       |        |       | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 0      | 0     |        |       |        |       | 0      | 0     | 0      | 0     | 0      | 0     |
| PALUDISME                                  | 0 - 14 H       | 0      | 0     | 0      | 0     | 1      | 12,22 | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 22,45 | 0      | 0     | 1      | 17,48 | 0      | 0     |
|  | 15 - 64 H      | 1      | 2,03  | 2      | 4,1   | 3      | 6,27  | 2      | 6,88  | 6      | 12,46 | 2      | 5,91  | 1      | 2,47  |
|  | D              | 4      | 7,56  | 0      | 0     | 3      | 5,6   | 1      | 3,3   | 1      | 1,84  | 1      | 2,73  | 3      | 6,99  |
| PALUDISME                                  | >= 65 H        | 0      | 0     | 1      | 8,42  | 0      | 0     | 0      | 0     | 1      | 7,2   | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 3,92  | 0      | 0     | 0      | 0     |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2A |       | ABS 2B |       | ABS 2C |       | ABS 2D |       | ABS 2E |       | ABS 2G |       | ABS 2H |       |
|--|----------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
|  |                | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  |
| MAL.MENINGOCOCCICA                         | 0 - 14 H       | 1      | 12,47 | 1      | 12,29 | 0      | 0     | 2      | 44,05 | 3      | 35,03 | 1      | 15,02 | 1      | 13,45 |
|  | D              | 0      | 0     | 1      | 12,24 | 2      | 24,66 | 2      | 44,89 | 0      | 0     | 0      | 0     | 1      | 13,54 |
|  | 15 - 64 H      | 0      | 0     | 2      | 4,1   | 3      | 6,27  | 0      | 0     | 1      | 2,08  | 0      | 0     | 1      | 2,47  |
|  | D              | 1      | 1,89  | 1      | 1,9   | 1      | 1,87  | 0      | 0     | 3      | 5,51  | 0      | 0     | 1      | 2,33  |
|  | >= 65 H        | 0      | 0     | 0      | 0     | 1      | 7,99  | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 3,92  | 1      | 5,69  | 1      | 6,15  |
| PAROTIDITIS                                | 0 - 14 H       | 2      | 24,94 | 1      | 12,29 | 1      | 12,22 | 0      | 0     | 2      | 23,35 | 1      | 15,02 | 1      | 13,45 |
|  | D              | 0      | 0     | 0      | 0     | 3      | 36,99 | 2      | 44,89 | 0      | 0     | 0      | 0     | 0      | 0     |
|  | 15 - 64 H      | 1      | 2,03  | 3      | 6,15  | 1      | 2,09  | 0      | 0     | 2      | 4,15  | 0      | 0     | 1      | 2,47  |
|  | D              | 1      | 1,89  | 2      | 3,8   | 1      | 1,87  | 1      | 3,3   | 1      | 1,84  | 1      | 2,73  | 1      | 2,33  |
|  | >= 65 H        | 0      | 0     | 1      | 8,42  | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 0      | 0     | 1      | 4,92  | 0      | 0     | 2      | 7,84  | 0      | 0     | 0      | 0     |
| AMEBIASI                                   | 0 - 14 H       |        |       | 1      | 12,29 | 0      | 0     |        |       | 1      | 11,68 |        |       | 0      | 0     |
|  | D              |        |       | 0      | 0     | 0      | 0     |        |       | 0      | 0     |        |       | 1      | 13,54 |
|  | 15 - 64 H      |        |       | 0      | 0     | 1      | 2,09  |        |       | 0      | 0     |        |       | 0      | 0     |
|  | D              |        |       | 0      | 0     | 1      | 1,87  |        |       | 1      | 1,84  |        |       | 1      | 2,33  |
|  | >= 65 H        |        |       | 0      | 0     | 0      | 0     |        |       | 0      | 0     |        |       | 0      | 0     |
|  | D              |        |       | 0      | 0     | 0      | 0     |        |       | 1      | 3,92  |        |       | 0      | 0     |
| ALTRES HEPATITIS                           | 0 - 14 H       | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 11,68 | 0      | 0     |        |       |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       |
|  | 15 - 64 H      | 3      | 6,09  | 1      | 2,05  | 0      | 0     | 2      | 6,88  | 1      | 2,08  | 0      | 0     |        |       |
|  | D              | 2      | 3,78  | 0      | 0     | 1      | 1,87  | 1      | 3,3   | 0      | 0     | 0      | 0     |        |       |
|  | >= 65 H        | 0      | 0     | 0      | 0     | 1      | 7,99  | 0      | 0     | 1      | 7,2   | 0      | 0     |        |       |
|  | D              | 1      | 4,07  | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 3,92  | 1      | 5,69  |        |       |
| BRUCEL.LOSI                                | 0 - 14 H       |        |       | 0      | 0     |        |       |        |       |        |       |        |       |        |       |
|  | D              |        |       | 0      | 0     |        |       |        |       |        |       |        |       |        |       |
|  | 15 - 64 H      |        |       | 1      | 2,05  |        |       |        |       |        |       |        |       |        |       |
|  | D              |        |       | 0      | 0     |        |       |        |       |        |       |        |       |        |       |
|  | >= 65 H        |        |       | 0      | 0     |        |       |        |       |        |       |        |       |        |       |
|  | D              |        |       | 0      | 0     |        |       |        |       |        |       |        |       |        |       |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2A |       | ABS 2B |       | ABS 2C |       | ABS 2D |       | ABS 2E |       | ABS 2G |       | ABS 2H |       |
|--|----------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
|  |                | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  |
| FEBRE TIFOIDEA                             | 0 - 14 H       |        |       | 0      | 0     |        |       | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
|  | D              |        |       | 0      | 0     |        |       | 0      | 0     | 0      | 0     |        |       | 1      | 13,54 |
|  | 15 - 64 H      |        |       | 0      | 0     |        |       | 1      | 3,44  | 1      | 2,08  |        |       | 0      | 0     |
|  | D              |        |       | 1      | 1,9   |        |       | 1      | 3,3   | 1      | 1,84  |        |       | 1      | 2,33  |
|  | >= 65 H        |        |       | 0      | 0     |        |       | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
|  | D              |        |       | 0      | 0     |        |       | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
| HEPATITIS A                                | 0 - 14 H       | 1      | 12,47 | 2      | 24,59 | 1      | 12,22 | 0      | 0     | 1      | 11,68 | 2      | 30,03 | 2      | 26,9  |
|  | D              | 1      | 12,8  | 0      | 0     | 0      | 0     | 2      | 44,89 | 0      | 0     | 0      | 0     | 0      | 0     |
|  | 15 - 64 H      | 6      | 12,18 | 7      | 14,35 | 7      | 14,63 | 10     | 34,41 | 9      | 18,68 | 2      | 5,91  | 8      | 19,73 |
|  | D              | 0      | 0     | 3      | 5,7   | 0      | 0     | 1      | 3,3   | 2      | 3,68  | 0      | 0     | 1      | 2,33  |
|  | >= 65 H        | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
| HEPATITIS B                                | 0 - 14 H       | 0      | 0     | 1      | 12,29 | 1      | 12,22 | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 1      | 12,8  | 0      | 0     | 0      | 0     | 0      | 0     | 1      | 11,81 | 0      | 0     | 1      | 13,54 |
|  | 15 - 64 H      | 2      | 4,06  | 4      | 8,2   | 2      | 4,18  | 2      | 6,88  | 0      | 0     | 1      | 2,95  | 2      | 4,93  |
|  | D              | 0      | 0     | 1      | 1,9   | 0      | 0     | 2      | 6,59  | 2      | 3,68  | 0      | 0     | 0      | 0     |
|  | >= 65 H        | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 1      | 4,07  | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |
| HAEMOPHILUS INFL.                          | 0 - 14 H       |        |       |        |       |        |       |        |       |        |       |        |       | 0      | 0     |
|  | D              |        |       |        |       |        |       |        |       |        |       |        |       | 0      | 0     |
|  | 15 - 64 H      |        |       |        |       |        |       |        |       |        |       |        |       | 1      | 2,47  |
|  | D              |        |       |        |       |        |       |        |       |        |       |        |       | 0      | 0     |
|  | >= 65 H        |        |       |        |       |        |       |        |       |        |       |        |       | 0      | 0     |
| D  |                |        |       |        |       |        |       |        |       |        |       |        | 0     | 0      |       |
| GASTROENT. E.COLI                          | 0 - 14 H       |        |       |        |       | 1      | 12,22 |        |       |        |       |        |       |        |       |
|  | D              |        |       |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | 15 - 64 H      |        |       |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | D              |        |       |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | >= 65 H        |        |       |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
| D  |                |        |       |        | 0     | 0      |       |        |       |        |       |        |       |        |       |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2A |      | ABS 2B |       | ABS 2C |       | ABS 2D |       | ABS 2E |       | ABS 2G |       | ABS 2H |       |
|--|----------------|--------|------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
|  |                | n      | taxa | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa  |
| TOSFERINA                                  | 0 - 14 H       | 0      | 0    | 1      | 12,29 | 2      | 24,43 | 1      | 22,03 | 1      | 11,68 |        |       | 1      | 13,45 |
|  | D              | 1      | 12,8 | 3      | 36,72 | 0      | 0     | 1      | 22,45 | 4      | 47,25 |        |       | 1      | 13,54 |
|  | 15 - 64 H      | 0      | 0    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
|  | D              | 0      | 0    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
|  | >= 65 H        | 0      | 0    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
|  | D              | 0      | 0    | 0      | 0     | 0      | 0     | 0      | 0     | 0      | 0     |        |       | 0      | 0     |
| XARAMPIO                                   | 0 - 14 H       |        |      | 1      | 12,29 | 1      | 12,22 |        |       |        |       |        |       | 0      | 0     |
|  | D              |        |      | 0      | 0     | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
|  | 15 - 64 H      |        |      | 0      | 0     | 0      | 0     |        |       |        |       |        |       | 1      | 2,47  |
|  | D              |        |      | 0      | 0     | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
|  | >= 65 H        |        |      | 0      | 0     | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
|  | D              |        |      | 0      | 0     | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
| FEBRE BOTONOSA                             | 0 - 14 H       | 0      | 0    |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | D              | 0      | 0    |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | 15 - 64 H      | 0      | 0    |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | D              | 1      | 1,89 |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | >= 65 H        | 0      | 0    |        |       | 0      | 0     |        |       |        |       |        |       |        |       |
|  | D              | 0      | 0    |        |       | 1      | 4,92  |        |       |        |       |        |       |        |       |
| LEISHMANIOSI                               | 0 - 14 H       |        |      |        |       | 0      | 0     |        |       |        |       |        |       | 1      | 13,45 |
|  | D              |        |      |        |       | 0      | 0     |        |       |        |       |        |       | 1      | 13,54 |
|  | 15 - 64 H      |        |      |        |       | 2      | 4,18  |        |       |        |       |        |       | 0      | 0     |
|  | D              |        |      |        |       | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
|  | >= 65 H        |        |      |        |       | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
|  | D              |        |      |        |       | 0      | 0     |        |       |        |       |        |       | 0      | 0     |
| SIDA                                       | 0 - 14 H       | 0      | 0    | 0      | 0     | 0      | 0     |        |       | 0      | 0     | 0      | 0     | 0      | 0     |
|  | D              | 0      | 0    | 0      | 0     | 0      | 0     |        |       | 0      | 0     | 0      | 0     | 0      | 0     |
|  | 15 - 64 H      | 3      | 6,09 | 2      | 4,1   | 2      | 4,18  |        |       | 2      | 4,15  | 1      | 2,95  | 2      | 4,93  |
|  | D              | 0      | 0    | 1      | 1,9   | 1      | 1,87  |        |       | 1      | 1,84  | 3      | 8,18  | 0      | 0     |
|  | >= 65 H        | 1      | 6,74 | 1      | 8,42  | 0      | 0     |        |       | 0      | 0     | 1      | 11,49 | 0      | 0     |
|  | D              | 0      | 0    | 0      | 0     | 0      | 0     |        |       | 0      | 0     | 0      | 0     | 0      | 0     |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2I |       | ABS 2J |       | ABS 2K |       | EIXAMPLE |       | TOTAL BARCELONA |       |
|--|----------------|--------|-------|--------|-------|--------|-------|----------|-------|-----------------|-------|
|  |                | n      | taxa  | n      | taxa  | n      | taxa  | n        | taxa  | n               | taxa  |
| TETANUS                                    | 0 - 14 H       |        |       |        |       |        |       |          |       | 0               | 0     |
|  | D              |        |       |        |       |        |       |          |       | 1               | 0,22  |
|  | 15 - 64 H      |        |       |        |       |        |       |          |       | 0               | 0     |
|  | D              |        |       |        |       |        |       |          |       | 0               | 0     |
|  | >= 65 H        |        |       |        |       |        |       |          |       | 0               | 0     |
| D  |                |        |       |        |       |        |       |          |       | 3               | 0,3   |
| TUBERCULOSI                                | 0 - 14 H       | 0      | 0     | 0      | 0     | 1      | 13,51 | 7        | 9,66  | 61              | 12,94 |
|  | D              | 2      | 35,62 | 0      | 0     | 1      | 15,46 | 11       | 15,8  | 62              | 13,78 |
|  | 15 - 64 H      | 16     | 46,78 | 11     | 25,13 | 10     | 25,46 | 130      | 31,34 | 1247            | 47,23 |
|  | D              | 13     | 35,43 | 9      | 18,51 | 10     | 22,72 | 98       | 21,64 | 628             | 23,13 |
|  | >= 65 H        | 2      | 23,43 | 4      | 37,47 | 7      | 62,31 | 56       | 51,52 | 298             | 46,48 |
| D  | 3              | 20,8   | 3     | 15,35  | 3     | 15,85  | 35    | 18,31    | 174   | 17,15           |       |
| LEGIONELLA                                 | 0 - 14 H       | 0      | 0     | 1      | 12,89 | 0      | 0     | 4        | 5,52  | 62              | 13,15 |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 2        | 2,87  | 31              | 6,89  |
|  | 15 - 64 H      | 0      | 0     | 3      | 6,85  | 2      | 5,09  | 22       | 5,3   | 127             | 4,81  |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 4        | 0,88  | 22              | 0,81  |
|  | >= 65 H        | 3      | 35,15 | 1      | 9,37  | 2      | 17,8  | 17       | 15,64 | 103             | 16,07 |
| D  | 0              | 0      | 0     | 0      | 0     | 0      | 7     | 3,66     | 46    | 4,53            |       |
| SHIGELLA                                   | 0 - 14 H       |        |       | 0      | 0     | 0      | 0     | 1        | 1,38  | 15              | 3,18  |
|  | D              |        |       | 0      | 0     | 1      | 15,46 | 2        | 2,87  | 13              | 2,89  |
|  | 15 - 64 H      |        |       | 0      | 0     | 1      | 2,55  | 6        | 1,45  | 28              | 1,06  |
|  | D              |        |       | 3      | 6,17  | 0      | 0     | 10       | 2,21  | 32              | 1,18  |
|  | >= 65 H        |        |       | 0      | 0     | 0      | 0     | 0        | 0     | 2               | 0,31  |
| D  |                |        | 1     | 5,12   | 0     | 0      | 1     | 0,52     | 2     | 0,2             |       |
| PALUDISME                                  | 0 - 14 H       |        |       | 0      | 0     | 1      | 13,51 | 2        | 2,76  | 36              | 7,64  |
|  | D              |        |       | 0      | 0     | 0      | 0     | 2        | 2,87  | 34              | 7,55  |
|  | 15 - 64 H      |        |       | 2      | 4,57  | 0      | 0     | 19       | 4,58  | 122             | 4,62  |
|  | D              |        |       | 0      | 0     | 2      | 4,54  | 15       | 3,31  | 102             | 3,76  |
|  | >= 65 H        |        |       | 0      | 0     | 0      | 0     | 2        | 1,84  | 4               | 0,62  |
| D  |                |        | 0     | 0      | 0     | 0      | 1     | 0,52     | 4     | 0,39            |       |

MDOS\_QUINQUENALS\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2I |       | ABS 2J |      | ABS 2K |      | EIXAMPLE |       | TOTAL BARCELONA |       |
|--|----------------|--------|-------|--------|------|--------|------|----------|-------|-----------------|-------|
|  |                | n      | taxa  | n      | taxa | n      | taxa | n        | taxa  | n               | taxa  |
| MAL.MENINGOCOCCICA                         | 0 - 14 H       | 0      | 0     |        |      | 0      | 0    | 9        | 12,42 | 52              | 11,03 |
|  | D              | 2      | 35,62 |        |      | 0      | 0    | 8        | 11,49 | 49              | 10,89 |
|  | 15 - 64 H      | 1      | 2,92  |        |      | 0      | 0    | 8        | 1,93  | 28              | 1,06  |
|  | D              | 1      | 2,73  |        |      | 0      | 0    | 8        | 1,77  | 31              | 1,14  |
|  | >= 65 H        | 1      | 11,72 |        |      | 0      | 0    | 2        | 1,84  | 7               | 1,09  |
|  | D              | 0      | 0     |        |      | 1      | 5,28 | 4        | 2,09  | 13              | 1,28  |
| PAROTIDITIS                                | 0 - 14 H       |        |       | 0      | 0    |        |      | 8        | 11,04 | 72              | 15,28 |
|  | D              |        |       | 0      | 0    |        |      | 5        | 7,18  | 51              | 11,33 |
|  | 15 - 64 H      |        |       | 0      | 0    |        |      | 8        | 1,93  | 52              | 1,97  |
|  | D              |        |       | 1      | 2,06 |        |      | 9        | 1,99  | 47              | 1,73  |
|  | >= 65 H        |        |       | 0      | 0    |        |      | 1        | 0,92  | 8               | 1,25  |
|  | D              |        |       | 0      | 0    |        |      | 3        | 1,57  | 9               | 0,89  |
| AMEBIASI                                   | 0 - 14 H       |        |       |        |      |        |      | 2        | 2,76  | 11              | 2,33  |
|  | D              |        |       |        |      |        |      | 1        | 1,44  | 3               | 0,67  |
|  | 15 - 64 H      |        |       |        |      |        |      | 1        | 0,24  | 8               | 0,3   |
|  | D              |        |       |        |      |        |      | 3        | 0,66  | 7               | 0,26  |
|  | >= 65 H        |        |       |        |      |        |      | 0        | 0     | 1               | 0,16  |
|  | D              |        |       |        |      |        |      | 1        | 0,52  | 1               | 0,1   |
| ALTRES HEPATITIS                           | 0 - 14 H       | 0      | 0     | 0      | 0    |        |      | 1        | 1,38  | 4               | 0,85  |
|  | D              | 0      | 0     | 0      | 0    |        |      | 0        | 0     | 1               | 0,22  |
|  | 15 - 64 H      | 1      | 2,92  | 0      | 0    |        |      | 8        | 1,93  | 42              | 1,59  |
|  | D              | 1      | 2,73  | 1      | 2,06 |        |      | 6        | 1,32  | 38              | 1,4   |
|  | >= 65 H        | 0      | 0     | 1      | 9,37 |        |      | 3        | 2,76  | 11              | 1,72  |
|  | D              | 0      | 0     | 0      | 0    |        |      | 3        | 1,57  | 19              | 1,87  |
| BRUCEL.LOSI                                | 0 - 14 H       |        |       |        |      | 0      | 0    | 0        | 0     | 1               | 0,21  |
|  | D              |        |       |        |      | 0      | 0    | 0        | 0     | 2               | 0,44  |
|  | 15 - 64 H      |        |       |        |      | 1      | 2,55 | 2        | 0,48  | 9               | 0,34  |
|  | D              |        |       |        |      | 0      | 0    | 0        | 0     | 1               | 0,04  |
|  | >= 65 H        |        |       |        |      | 0      | 0    | 0        | 0     | 0               | 0     |
|  | D              |        |       |        |      | 0      | 0    | 0        | 0     | 3               | 0,3   |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2I |       | ABS 2J |       | ABS 2K |       | EIXAMPLE |       | TOTAL BARCELONA |       |
|--|----------------|--------|-------|--------|-------|--------|-------|----------|-------|-----------------|-------|
|  |                | n      | taxa  | n      | taxa  | n      | taxa  | n        | taxa  | n               | taxa  |
| FEBRE TIFOIDEA                             | 0 - 14 H       | 0      | 0     |        |       |        |       | 0        | 0     | 6               | 1,27  |
|  | D              | 0      | 0     |        |       |        |       | 1        | 1,44  | 8               | 1,78  |
|  | 15 - 64 H      | 0      | 0     |        |       |        |       | 2        | 0,48  | 15              | 0,57  |
|  | D              | 1      | 2,73  |        |       |        |       | 5        | 1,1   | 18              | 0,66  |
|  | >= 65 H        | 0      | 0     |        |       |        |       | 0        | 0     | 3               | 0,47  |
|  | D              | 0      | 0     |        |       |        |       | 0        | 0     | 3               | 0,3   |
| HEPATITIS A                                | 0 - 14 H       | 1      | 17,29 | 0      | 0     | 1      | 13,51 | 11       | 15,18 | 85              | 18,03 |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 3        | 4,31  | 53              | 11,78 |
|  | 15 - 64 H      | 6      | 17,54 | 2      | 4,57  | 1      | 2,55  | 58       | 13,98 | 204             | 7,73  |
|  | D              | 0      | 0     | 1      | 2,06  | 2      | 4,54  | 10       | 2,21  | 38              | 1,4   |
|  | >= 65 H        | 0      | 0     | 0      | 0     | 0      | 0     | 0        | 0     | 1               | 0,16  |
|  | D              | 0      | 0     | 0      | 0     | 0      | 0     | 0        | 0     | 0               | 0     |
| HEPATITIS B                                | 0 - 14 H       |        |       | 0      | 0     |        |       | 2        | 2,76  | 39              | 8,27  |
|  | D              |        |       | 2      | 27,05 |        |       | 5        | 7,18  | 18              | 4     |
|  | 15 - 64 H      |        |       | 2      | 4,57  |        |       | 15       | 3,62  | 66              | 2,5   |
|  | D              |        |       | 0      | 0     |        |       | 5        | 1,1   | 19              | 0,7   |
|  | >= 65 H        |        |       | 0      | 0     |        |       | 0        | 0     | 1               | 0,16  |
|  | D              |        |       | 0      | 0     |        |       | 1        | 0,52  | 4               | 0,39  |
| HAEMOPHILUS INFL.                          | 0 - 14 H       |        |       |        |       |        |       | 0        | 0     | 2               | 0,42  |
|  | D              |        |       |        |       |        |       | 0        | 0     | 1               | 0,22  |
|  | 15 - 64 H      |        |       |        |       |        |       | 1        | 0,24  | 2               | 0,08  |
|  | D              |        |       |        |       |        |       | 0        | 0     | 0               | 0     |
|  | >= 65 H        |        |       |        |       |        |       | 0        | 0     | 2               | 0,31  |
|  | D              |        |       |        |       |        |       | 0        | 0     | 0               | 0     |
| GASTROENT. E.COLI                          | 0 - 14 H       |        |       |        |       |        |       | 1        | 1,38  | 3               | 0,64  |
|  | D              |        |       |        |       |        |       | 0        | 0     | 0               | 0     |
|  | 15 - 64 H      |        |       |        |       |        |       | 0        | 0     | 1               | 0,04  |
|  | D              |        |       |        |       |        |       | 0        | 0     | 0               | 0     |
|  | >= 65 H        |        |       |        |       |        |       | 0        | 0     | 0               | 0     |
|  | D              |        |       |        |       |        |       | 0        | 0     | 0               | 0     |

MDOS\_QUINQUENALES\_NOMINALES

| INDICADORS M.D.O.s<br>Quinquenals NOMINALS | Grup<br>d'edat | ABS 2I |       | ABS 2J |      | ABS 2K |       | EIXAMPLE |      | TOTAL BARCELONA |       |
|--|----------------|--------|-------|--------|------|--------|-------|----------|------|-----------------|-------|
|  |                | n      | taxa  | n      | taxa | n      | taxa  | n        | taxa | n               | taxa  |
| TOSFERINA                                  | 0 - 14 H       | 0      | 0     |        |      | 1      | 13,51 | 7        | 9,66 | 56              | 11,88 |
|  | D              | 1      | 17,81 |        |      | 0      | 0     | 11       | 15,8 | 79              | 17,55 |
|  | 15 - 64 H      | 0      | 0     |        |      | 0      | 0     | 0        | 0    | 3               | 0,11  |
|  | D              | 0      | 0     |        |      | 0      | 0     | 0        | 0    | 5               | 0,18  |
|  | >= 65 H        | 0      | 0     |        |      | 0      | 0     | 0        | 0    | 0               | 0     |
|  | D              | 0      | 0     |        |      | 0      | 0     | 0        | 0    | 1               | 0,1   |
| XARAMPIO                                   | 0 - 14 H       |        |       |        |      |        |       | 2        | 2,76 | 10              | 2,12  |
|  | D              |        |       |        |      |        |       | 0        | 0    | 12              | 2,67  |
|  | 15 - 64 H      |        |       |        |      |        |       | 1        | 0,24 | 3               | 0,11  |
|  | D              |        |       |        |      |        |       | 0        | 0    | 5               | 0,18  |
|  | >= 65 H        |        |       |        |      |        |       | 0        | 0    | 0               | 0     |
|  | D              |        |       |        |      |        |       | 0        | 0    | 0               | 0     |
| FEBRE BOTONOSA                             | 0 - 14 H       |        |       |        |      |        |       | 0        | 0    | 5               | 1,06  |
|  | D              |        |       |        |      |        |       | 0        | 0    | 1               | 0,22  |
|  | 15 - 64 H      |        |       |        |      |        |       | 0        | 0    | 13              | 0,49  |
|  | D              |        |       |        |      |        |       | 1        | 0,22 | 11              | 0,41  |
|  | >= 65 H        |        |       |        |      |        |       | 0        | 0    | 1               | 0,16  |
|  | D              |        |       |        |      |        |       | 1        | 0,52 | 4               | 0,39  |
| LEISHMANIOSI                               | 0 - 14 H       |        |       |        |      |        |       | 1        | 1,38 | 18              | 3,82  |
|  | D              |        |       |        |      |        |       | 1        | 1,44 | 2               | 0,44  |
|  | 15 - 64 H      |        |       |        |      |        |       | 2        | 0,48 | 17              | 0,64  |
|  | D              |        |       |        |      |        |       | 0        | 0    | 5               | 0,18  |
|  | >= 65 H        |        |       |        |      |        |       | 0        | 0    | 0               | 0     |
|  | D              |        |       |        |      |        |       | 0        | 0    | 1               | 0,1   |
| SIDA                                       | 0 - 14 H       | 0      | 0     | 0      | 0    |        |       |          |      |                 |       |
|  | D              | 0      | 0     | 0      | 0    |        |       |          |      |                 |       |
|  | 15 - 64 H      | 0      | 0     | 2      | 4,57 |        |       |          |      |                 |       |
|  | D              | 1      | 2,73  | 0      | 0    |        |       |          |      |                 |       |
|  | >= 65 H        | 0      | 0     | 0      | 0    |        |       |          |      |                 |       |
|  | D              | 0      | 0     | 0      | 0    |        |       |          |      |                 |       |

## MORTALITAT\_GLOBAL

| Indicadors mortalitat acumulada                       | Reg.Mortalitat 2004    | ABS 2A   |       |         | ABS 2B   |       |         | ABS 2C   |       |         | ABS 2D   |       |          |
|---|------------------------|----------|-------|---------|----------|-------|---------|----------|-------|---------|----------|-------|----------|
|   |                        | n        | II    | IS      | n        | II    | IS      | n        | II    | IS      | n        | II    | IS       |
| 'ESPERANÇA DE VIDA                                    | Homes                  | 77,99    |       |         | 78,05    |       |         | 78,59    |       |         | 76,49    |       |          |
|   | Dones                  | 83,57    |       |         | 84,03    |       |         | 83,83    |       |         | 82,71    |       |          |
|   | TOTAL                  | 81,08    |       |         | 81,41    |       |         | 81,47    |       |         | 80,03    |       |          |
| TAXA MORTALITAT ESTANDARITZADA (per 100.000 )         | Homes                  | 1.035,62 |       |         | 1.037,28 |       |         | 976,57   |       |         | 1.107,88 |       |          |
|   | Dones                  | 982,85   |       |         | 932,20   |       |         | 1.046,38 |       |         | 1.058,90 |       |          |
|   | TOTAL                  | 1.006,77 |       |         | 969,23   |       |         | 1.011,27 |       |         | 1.062,83 |       |          |
| 'R.M.C.   | Homes                  | 91,01    | 85,25 | 97,15   | 91,15    | 84,85 | 97,92   | 85,82    | 79,77 | 92,32   | 97,36    | 89,06 | 106,43   |
|   | Dones                  | 94,41    | 88,98 | 100,18  | 89,55    | 84,03 | 95,43   | 100,52   | 94,32 | 107,12  | 101,72   | 94,52 | 109,47   |
|   | TOTAL                  | 92,67    | 88,59 | 96,94   | 89,22    | 84,94 | 93,71   | 93,09    | 88,59 | 97,81   | 97,83    | 92,31 | 103,69   |
| TAXA D'ANYS POTENCIALS DE VIDA PERDUTS ( per 1.000 )  | Homes                  | 43,92    |       |         | 43,11    |       |         | 40,02    |       |         | 51,61    |       |          |
|   | Dones                  | 25,28    |       |         | 23,93    |       |         | 20,85    |       |         | 34,29    |       |          |
|   | TOTAL                  | 34,18    |       |         | 33,07    |       |         | 29,91    |       |         | 42,61    |       |          |
| TAXA ESTANDARITZADA D'ANYS POTENCIALS DE VIDA PERDUTS | Homes                  | 43,21    |       |         | 42,83    |       |         | 39,04    |       |         | 51,35    |       |          |
|   | Dones                  | 25,12    |       |         | 23,79    |       |         | 20,45    |       |         | 33,06    |       |          |
|   | TOTAL                  | 33,72    |       |         | 32,84    |       |         | 29,23    |       |         | 41,78    |       |          |
| R.A.P.V.P.  | Homes                  | 74,99    | 60,15 | 89,84   | 74,33    | 58,82 | 89,83   | 67,76    | 53,72 | 81,79   | 89,13    | 65,58 | 112,67   |
|   | Dones                  | 94,22    | 69,9  | 118,54  | 89,24    | 63,93 | 114,56  | 76,70    | 56,73 | 96,66   | 123,99   | 85,98 | 161,99   |
|   | TOTAL                  | 80,79    | 68,09 | 93,48   | 78,68    | 65,43 | 91,92   | 70,02    | 58,67 | 81,38   | 100,10   | 80,06 | 120,13   |
| <b>MORT. GLOBAL (N,%,Tx.100000)</b>                   |                        |          |       |         |          |       |         |          |       |         |          |       |          |
|   | Reg. mortalitat (2004) | n        | II    | IS      | n        | II    | IS      | n        | II    | IS      | n        | II    | IS       |
| 0 - 1 any   | Homes                  | 1,00     | 0,57  | 781,25  | 0,00     | 0     | 0       | 0,00     | 0     | 0       | 1,00     | 1,16  | 1204,82  |
|   | Dones                  | 2,00     | 1,1   | 1709,4  | 1,00     | 0,65  | 763,36  | 0,00     | 0     | 0       | 0,00     | 0     | 0        |
|   | TOTAL                  | 3,00     | 0,84  | 1224,49 | 1,00     | 0,33  | 377,36  | 0,00     | 0     | 0       | 1,00     | 0,44  | 602,41   |
| 1 -14 anys  | Homes                  | 0,00     | 0     | 0       | 0,00     | 0     | 0       | 0,00     | 0     | 0       | 0,00     | 0     | 0        |
|   | Dones                  | 1,00     | 0,55  | 69,16   | 1,00     | 0,65  | 66,53   | 0,00     | 0     | 0       | 0,00     | 0     | 0        |
|   | TOTAL                  | 1,00     | 0,28  | 34,22   | 1,00     | 0,33  | 33,38   | 0,00     | 0     | 0       | 0,00     | 0     | 0        |
| 15 - 34 anys  | Homes                  | 1,00     | 0,57  | 24,84   | 2,00     | 1,39  | 48,02   | 1,00     | 0,74  | 24,97   | 0,00     | 0     | 0        |
|   | Dones                  | 0,00     | 0     | 0       | 1,00     | 0,65  | 24,74   | 0,00     | 0     | 0       | 0,00     | 0     | 0        |
|   | TOTAL                  | 1,00     | 0,28  | 12,43   | 3,00     | 1     | 36,55   | 1,00     | 0,34  | 12,37   | 0,00     | 0     | 0        |
| 35 - 54 anys  | Homes                  | 10,00    | 5,68  | 239,64  | 10,00    | 6,94  | 250,63  | 10,00    | 7,41  | 260,35  | 3,00     | 3,49  | 122,15   |
|   | Dones                  | 10,00    | 5,49  | 220,75  | 6,00     | 3,87  | 130,49  | 1,00     | 0,62  | 22,04   | 6,00     | 4,29  | 229,45   |
|   | TOTAL                  | 20,00    | 5,59  | 229,81  | 16,00    | 5,35  | 186,31  | 11,00    | 3,7   | 131,28  | 9,00     | 3,98  | 177,48   |
| 55 - 74 anys  | Homes                  | 50,00    | 28,41 | 1576,29 | 35,00    | 24,31 | 1236,75 | 37,00    | 27,41 | 1206,78 | 24,00    | 27,91 | 1519,95  |
|   | Dones                  | 22,00    | 12,09 | 527,96  | 21,00    | 13,55 | 587,08  | 27,00    | 16,67 | 689,66  | 13,00    | 9,29  | 620,82   |
|   | TOTAL                  | 72,00    | 20,11 | 981,06  | 56,00    | 18,73 | 874,04  | 64,00    | 21,55 | 916,77  | 37,00    | 16,37 | 1007,35  |
| >= 75 anys  | Homes                  | 114,00   | 64,77 | 7878,37 | 97,00    | 67,36 | 8486,44 | 87,00    | 64,44 | 7512,95 | 58,00    | 67,44 | 8203,68  |
|   | Dones                  | 147,00   | 80,77 | 5285,87 | 125,00   | 80,65 | 5199,67 | 134,00   | 82,72 | 5966,16 | 121,00   | 86,43 | 7130,23  |
|   | TOTAL                  | 261,00   | 72,91 | 6173,13 | 222,00   | 74,25 | 6258,81 | 221,00   | 74,41 | 6492,36 | 179,00   | 79,2  | 7445,92  |
| TOTAL   | Homes                  | 176,00   | 100   | 1220,36 | 144,00   | 100   | 1046,89 | 135,00   | 100   | 984,9   | 86,00    | 100   | 1055,6   |
|   | Dones                  | 182,00   | 100   | 1066,76 | 155,00   | 100   | 953,55  | 162,00   | 100   | 987,62  | 140,00   | 100   | 1446,73  |
|   | TOTAL                  | 358,00   | 100   | 1137,12 | 299,00   | 100   | 996,33  | 297,00   | 100   | 986,38  | 226,00   | 100   | 1267,95  |
| T. Estand.  | Homes                  |          |       | 1009,37 |          |       | 986,931 |          |       | 902,988 |          |       | 984,762  |
|   | Dones                  |          |       | 894,564 |          |       | 870,722 |          |       | 945,889 |          |       | 1139,186 |
|   | TOTAL                  |          |       | 944,968 |          |       | 917,409 |          |       | 922,266 |          |       | 1056,832 |

MORTALITAT\_GLOBAL

| Indicadors mortalitat acumulada                       | Reg.Mortalitat 2004 | ABS 2E   |           |           | ABS 2G   |           |           | ABS 2H   |           |           | ABS 2I   |           |           |
|---|---------------------|----------|-----------|-----------|----------|-----------|-----------|----------|-----------|-----------|----------|-----------|-----------|
|   |                     | n        | II        | IS        | n        | II        | IS        | n        | II        | IS        | n        | II        | IS        |
| 'ESPERANÇA DE VIDA                                    | Homes               | 77,47    |           |           | 76,44    |           |           | 78,13    |           |           | 73,70    |           |           |
|   | Dones               | 84,10    |           |           | 82,74    |           |           | 83,22    |           |           | 80,31    |           |           |
|   | TOTAL               | 81,22    |           |           | 79,98    |           |           | 80,92    |           |           | 77,23    |           |           |
| TAXA MORTALITAT ESTANDARITZADA (per 100.000 )         | Homes               | 1.041,23 |           |           | 1.146,41 |           |           | 1.034,81 |           |           | 1.513,77 |           |           |
|   | Dones               | 952,10   |           |           | 1.138,98 |           |           | 1.099,53 |           |           | 1.646,30 |           |           |
|   | TOTAL               | 976,13   |           |           | 1.118,71 |           |           | 1.063,90 |           |           | 1.576,89 |           |           |
| 'R.M.C.   | Homes               | 91,50    | 85,64     | 97,76     | 100,74   | 93,19     | 108,9     | 90,93    | 83,85     | 98,62     | 133,02   | 123,96    | 142,74    |
|   | Dones               | 91,46    | 86,53     | 96,67     | 109,41   | 103,04    | 116,18    | 105,62   | 98,78     | 112,94    | 158,15   | 148,9     | 167,96    |
|   | TOTAL               | 89,85    | 86        | 93,87     | 102,98   | 98,04     | 108,16    | 97,93    | 92,87     | 103,27    | 145,15   | 138,36    | 152,27    |
| TAXA D'ANYS POTENCIALS DE VIDA PERDUTS ( per 1.000 )  | Homes               | 54,16    |           |           | 54,32    |           |           | 38,46    |           |           | 69,12    |           |           |
|   | Dones               | 26,37    |           |           | 26,41    |           |           | 23,62    |           |           | 34,53    |           |           |
|   | TOTAL               | 39,37    |           |           | 39,66    |           |           | 30,80    |           |           | 51,03    |           |           |
| TAXA ESTANDARITZADA D'ANYS POTENCIALS DE VIDA PERDUTS | Homes               | 52,84    |           |           | 53,79    |           |           | 37,93    |           |           | 69,64    |           |           |
|   | Dones               | 25,80    |           |           | 25,85    |           |           | 23,05    |           |           | 33,43    |           |           |
|   | TOTAL               | 38,36    |           |           | 38,94    |           |           | 30,22    |           |           | 50,50    |           |           |
| R.A.P.V.P.  | Homes               | 91,70    | 74,3      | 109,09    | 93,35    | 72,19     | 114,52    | 65,82    | 51,83     | 79,82     | 120,85   | 96,38     | 145,32    |
|   | Dones               | 96,76    | 72,02     | 121,51    | 96,97    | 66,89     | 127,06    | 86,46    | 61,62     | 111,31    | 125,38   | 91,95     | 158,81    |
|   | TOTAL               | 91,89    | 77,89     | 105,89    | 93,28    | 76,21     | 110,36    | 72,39    | 59,97     | 84,81     | 120,98   | 101,46    | 140,49    |
| <b>MORT. GLOBAL (N,%,Tx.100000)</b>                   |                     |          |           |           |          |           |           |          |           |           |          |           |           |
| Reg. mortalitat (2004)                                |                     | <b>n</b> | <b>II</b> | <b>IS</b> | <b>n</b> | <b>II</b> | <b>IS</b> | <b>n</b> | <b>II</b> | <b>IS</b> | <b>n</b> | <b>II</b> | <b>IS</b> |
| 0 - 1 any   | Homes               | 1,00     | 0,6       | 675,68    | 1,00     | 0,78      | 990,1     | 0,00     | 0         | 0         | 0,00     | 0         | 0         |
|   | Dones               | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         |
|   | TOTAL               | 1,00     | 0,25      | 337,84    | 1,00     | 0,3       | 546,45    | 0,00     | 0         | 0         | 0,00     | 0         | 0         |
| 1 -14 anys  | Homes               | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         |
|   | Dones               | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         |
|   | TOTAL               | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         | 0,00     | 0         | 0         |
| 15 - 34 anys  | Homes               | 2,00     | 1,2       | 50,57     | 1,00     | 0,78      | 36,67     | 0,00     | 0         | 0         | 1,00     | 0,92      | 34,94     |
|   | Dones               | 1,00     | 0,42      | 23,93     | 2,00     | 0,99      | 73,31     | 1,00     | 0,58      | 30,56     | 0,00     | 0         | 0         |
|   | TOTAL               | 3,00     | 0,74      | 36,89     | 3,00     | 0,91      | 55        | 1,00     | 0,34      | 15,31     | 1,00     | 0,44      | 17,64     |
| 35 - 54 anys  | Homes               | 11,00    | 6,63      | 268,16    | 14,00    | 10,94     | 485,44    | 6,00     | 4,84      | 169,64    | 15,00    | 13,76     | 510,03    |
|   | Dones               | 9,00     | 3,75      | 193,92    | 1,00     | 0,5       | 30,99     | 4,00     | 2,31      | 105,74    | 4,00     | 3,45      | 122,36    |
|   | TOTAL               | 20,00    | 4,93      | 228,75    | 15,00    | 4,55      | 245,46    | 10,00    | 3,37      | 136,61    | 19,00    | 8,44      | 305,96    |
| 55 - 74 anys  | Homes               | 45,00    | 27,11     | 1536,89   | 26,00    | 20,31     | 1289,68   | 32,00    | 25,81     | 1405,36   | 33,00    | 30,28     | 1709,84   |
|   | Dones               | 27,00    | 11,25     | 668,48    | 21,00    | 10,4      | 789,18    | 24,00    | 13,87     | 847,76    | 22,00    | 18,97     | 871,98    |
|   | TOTAL               | 72,00    | 17,73     | 1033,44   | 47,00    | 14,24     | 1004,92   | 56,00    | 18,86     | 1096,32   | 55,00    | 24,44     | 1235,12   |
| >= 75 anys  | Homes               | 107,00   | 64,46     | 7503,51   | 86,00    | 67,19     | 9728,51   | 86,00    | 69,35     | 9566,18   | 60,00    | 55,05     | 7361,96   |
|   | Dones               | 203,00   | 84,58     | 6487,7    | 178,00   | 88,12     | 7946,43   | 144,00   | 83,24     | 7384,62   | 90,00    | 77,59     | 5535,06   |
|   | TOTAL               | 310,00   | 76,35     | 6805,71   | 264,00   | 80        | 8450,7    | 230,00   | 77,44     | 8073,01   | 150,00   | 66,67     | 6145,02   |
| TOTAL   | Homes               | 166,00   | 100       | 1175,3    | 128,00   | 100       | 1300,42   | 124,00   | 100       | 1082,02   | 109,00   | 100       | 1123,13   |
|   | Dones               | 240,00   | 100       | 1357,47   | 202,00   | 100       | 1683,33   | 173,00   | 100       | 1299,48   | 116,00   | 100       | 1022,3    |
|   | TOTAL               | 406,00   | 100       | 1276,57   | 330,00   | 100       | 1510,78   | 297,00   | 100       | 1198,89   | 225,00   | 100       | 1068,78   |
| T. Estand.  | Homes               |          |           | 987,772   |          |           | 1165,414  |          |           | 1066,027  |          |           | 1072,017  |
|   | Dones               |          |           | 1062,491  |          |           | 1249,36   |          |           | 1198,765  |          |           | 958,911   |
|   | TOTAL               |          |           | 1017,901  |          |           | 1195,384  |          |           | 1129,684  |          |           | 1006,587  |

## MORTALITAT\_GLOBAL

| Indicadors mortalitat acumulada                       | Reg.Mortalitat 2004    | ABS 2J |       |          | ABS 2K   |       |         | EIXAMPLE |       |          | TOTAL BARCELONA |       |          |
|---|------------------------|--------|-------|----------|----------|-------|---------|----------|-------|----------|-----------------|-------|----------|
|   |                        | n      | II    | IS       | n        | II    | IS      | n        | II    | IS       | n               | II    | IS       |
| 'ESPERANÇA DE VIDA                                    | Homes                  | 79,42  |       |          | 77,17    |       |         | 77,54    |       |          | 76,36           |       |          |
|   | Dones                  | 85,31  |       |          | 84,75    |       |         | 83,69    |       |          | 83,26           |       |          |
|   | TOTAL                  | 82,77  |       |          | 81,23    |       |         | 80,94    |       |          | 80,01           |       |          |
| TAXA MORTALITAT ESTANDARITZADA (per 100.000 )         | Homes                  | 877,60 |       |          | 1.049,90 |       |         | 1.058,45 |       |          | 1.137,95        |       |          |
|   | Dones                  | 802,08 |       |          | 959,44   |       |         | 1.007,64 |       |          | 1.040,95        |       |          |
|   | TOTAL                  | 824,95 |       |          | 998,22   |       |         | 1.022,29 |       |          | 1.086,33        |       |          |
| 'R.M.C.   | Homes                  | 77,12  | 71,16 | 83,58    | 92,26    | 85,67 | 99,35   | 93,01    | 90,86 | 95,22    | 100,00          | 99,04 | 100,97   |
|   | Dones                  | 77,05  | 71,86 | 82,62    | 92,17    | 86,07 | 98,69   | 96,80    | 94,86 | 98,77    | 100,00          | 99,09 | 100,92   |
|   | TOTAL                  | 75,94  | 71,93 | 80,17    | 91,89    | 87,24 | 96,78   | 94,10    | 92,63 | 95,6     | 100,00          | 99,32 | 100,69   |
| TAXA D'ANYS POTENCIALS DE VIDA PERDUTS ( per 1.000 )  | Homes                  | 44,37  |       |          | 54,27    |       |         | 47,67    |       |          | 57,60           |       |          |
|   | Dones                  | 23,82  |       |          | 18,17    |       |         | 24,69    |       |          | 26,62           |       |          |
|   | TOTAL                  | 33,45  |       |          | 35,38    |       |         | 35,61    |       |          | 41,71           |       |          |
| TAXA ESTANDARITZADA D'ANYS POTENCIALS DE VIDA PERDUTS | Homes                  | 43,25  |       |          | 53,87    |       |         | 47,01    |       |          | 57,60           |       |          |
|   | Dones                  | 23,95  |       |          | 17,96    |       |         | 24,30    |       |          | 26,62           |       |          |
|   | TOTAL                  | 33,00  |       |          | 34,98    |       |         | 35,04    |       |          | 41,71           |       |          |
| R.A.P.V.P.  | Homes                  | 75,07  | 57,79 | 92,34    | 93,48    | 74,86 | 112,11  | 81,62    | 76,18 | 87,06    | 100,00          | 100   | 100      |
|   | Dones                  | 89,82  | 64,88 | 114,75   | 67,35    | 46,81 | 87,89   | 91,29    | 83,15 | 99,42    | 100,00          | 100   | 100      |
|   | TOTAL                  | 79,04  | 65,01 | 93,07    | 83,79    | 69,79 | 97,8    | 84,00    | 79,51 | 88,48    | 100,00          | 100   | 100      |
| <b>MORT. GLOBAL (N,%,Tx.100000)</b>                   |                        |        |       |          |          |       |         |          |       |          |                 |       |          |
|   | Reg. mortalitat (2004) | n      | II    | IS       | n        | II    | IS      | n        | II    | IS       | n               | II    | IS       |
| 0 - 1 any   | Homes                  | 0,00   | 0     | 0        | 1,00     | 0,74  | 952,38  | 5,00     | 0,37  | 444,84   | 35,00           | 0,46  | 496,59   |
|   | Dones                  | 0,00   | 0     | 0        | 0,00     | 0     | 0       | 3,00     | 0,18  | 288,46   | 34,00           | 0,43  | 507,69   |
|   | TOTAL                  | 0,00   | 0     | 0        | 1,00     | 0,35  | 505,05  | 8,00     | 0,26  | 369,69   | 69,00           | 0,44  | 502      |
| 1 -14 anys  | Homes                  | 0,00   | 0     | 0        | 0,00     | 0     | 0       | 0,00     | 0     | 0        | 12,00           | 0,16  | 13,76    |
|   | Dones                  | 1,00   | 0,62  | 72,15    | 0,00     | 0     | 0       | 3,00     | 0,18  | 23,29    | 11,00           | 0,14  | 13,2     |
|   | TOTAL                  | 1,00   | 0,31  | 35,52    | 0,00     | 0     | 0       | 3,00     | 0,1   | 11,43    | 23,00           | 0,15  | 13,49    |
| 15 - 34 anys  | Homes                  | 3,00   | 1,86  | 80,41    | 1,00     | 0,74  | 30,65   | 12,00    | 0,88  | 34,79    | 127,00          | 1,65  | 56,22    |
|   | Dones                  | 0,00   | 0     | 0        | 0,00     | 0     | 0       | 5,00     | 0,3   | 14,41    | 51,00           | 0,65  | 23,7     |
|   | TOTAL                  | 3,00   | 0,93  | 39,62    | 1,00     | 0,35  | 15,14   | 17,00    | 0,56  | 24,57    | 178,00          | 1,14  | 40,36    |
| 35 - 54 anys  | Homes                  | 6,00   | 3,73  | 164,43   | 8,00     | 5,88  | 239,95  | 93,00    | 6,81  | 266,42   | 625,00          | 8,13  | 288,84   |
|   | Dones                  | 2,00   | 1,24  | 47,9     | 1,00     | 0,68  | 25,72   | 44,00    | 2,62  | 112,06   | 283,00          | 3,59  | 123,67   |
|   | TOTAL                  | 8,00   | 2,48  | 102,25   | 9,00     | 3,18  | 124,62  | 137,00   | 4,5   | 184,71   | 908,00          | 5,83  | 203,95   |
| 55 - 74 anys  | Homes                  | 59,00  | 36,65 | 2370,43  | 46,00    | 33,82 | 1970,02 | 387,00   | 28,35 | 1571,77  | 2.480,00        | 32,26 | 1576,23  |
|   | Dones                  | 17,00  | 10,56 | 516,72   | 15,00    | 10,2  | 478,62  | 209,00   | 12,46 | 648,44   | 1.202,00        | 15,26 | 624,19   |
|   | TOTAL                  | 76,00  | 23,6  | 1315,11  | 61,00    | 21,55 | 1115,38 | 596,00   | 19,59 | 1048,32  | 3.682,00        | 23,66 | 1052,28  |
| >= 75 anys  | Homes                  | 93,00  | 57,76 | 9108,72  | 80,00    | 58,82 | 6831,77 | 868,00   | 63,59 | 8134,2   | 4.409,00        | 57,35 | 7777,25  |
|   | Dones                  | 141,00 | 87,58 | 6064,52  | 131,00   | 89,12 | 5898,24 | 1.414,00 | 84,27 | 6251,38  | 6.296,00        | 79,93 | 5752,92  |
|   | TOTAL                  | 234,00 | 72,67 | 6993,42  | 211,00   | 74,56 | 6220,52 | 2.282,00 | 74,99 | 6854,91  | 10.705,00       | 68,78 | 6443,71  |
| TOTAL   | Homes                  | 161,00 | 100   | 1294     | 136,00   | 100   | 1174,13 | 1.365,00 | 100   | 1145,25  | 7.688,00        | 100   | 1024,28  |
|   | Dones                  | 161,00 | 100   | 1065,52  | 147,00   | 100   | 1059    | 1.678,00 | 100   | 1175,67  | 7.877,00        | 100   | 942,2    |
|   | TOTAL                  | 322,00 | 100   | 1168,7   | 283,00   | 100   | 1111,37 | 3.043,00 | 100   | 1161,83  | 15.565,00       | 100   | 981,03   |
| T. Estand.  | Homes                  |        |       | 1256,473 |          |       | 1016,3  |          |       | 1035,302 |                 |       | 1024,276 |
|   | Dones                  |        |       | 933,199  |          |       | 889,397 |          |       | 1006,715 |                 |       | 942,197  |
|   | TOTAL                  |        |       | 1065,828 |          |       | 940,877 |          |       | 1012,055 |                 |       | 981,026  |

MORTALITAT\_GRANS\_GRUPS

| Indicadors mortalitat grand grups (CIM-9) | Reg. mortalitat (2004) | ABS 2A |         | ABS 2B |         | ABS 2C |         | ABS 2D |         | ABS 2E |         | ABS 2G |         |
|---|------------------------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
|   |                        | n      | taxa    | n      | taxa    | n      | taxa    | n      | taxa    | n      | taxa    | n      | taxa    |
| MALALTIES TRANSMISIBLES                   | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15 - 64 H              | 1      | 10,15   | 0      | 0       | 1      | 10,45   | 1      | 17,2    | 1      | 10,38   | 1      | 14,77   |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 1      | 9,19    | 0      | 0       |
|   | >= 65 H                | 2      | 67,43   | 2      | 84,21   | 3      | 119,9   | 1      | 70,13   | 3      | 108,03  | 2      | 114,88  |
|   | D                      | 2      | 40,71   | 4      | 97,8    | 1      | 24,59   | 2      | 73,58   | 4      | 78,39   | 4      | 113,7   |
|   | TOTAL/T.STD H          | 3      | 18,41   | 2      | 13,216  | 4      | 26,774  | 2      | 23,976  | 4      | 24,913  | 3      | 29,268  |
|   | TOTAL/T.STD D          | 2      | 9,414   | 4      | 21,781  | 1      | 6,142   | 2      | 15,428  | 5      | 22,697  | 4      | 23,376  |
| TUMORS                                    | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15 - 64 H              | 10     | 101,5   | 7      | 71,77   | 12     | 125,42  | 5      | 86,01   | 8      | 83,04   | 11     | 162,48  |
|   | D                      | 11     | 103,92  | 8      | 75,97   | 7      | 65,33   | 8      | 131,84  | 12     | 110,25  | 5      | 68,14   |
|   | >= 65 H                | 45     | 1517,19 | 32     | 1347,37 | 33     | 1318,94 | 28     | 1963,53 | 44     | 1584,44 | 31     | 1780,59 |
|   | D                      | 30     | 610,62  | 22     | 537,9   | 38     | 934,58  | 18     | 662,25  | 46     | 901,43  | 33     | 938,03  |
|   | TOTAL/T.STD H          | 55     | 317,204 | 39     | 267,523 | 45     | 302,875 | 33     | 383,097 | 52     | 308,652 | 42     | 400,227 |
|   | TOTAL/T.STD D          | 41     | 210,571 | 30     | 171,146 | 45     | 265,438 | 26     | 237,887 | 58     | 274,186 | 38     | 261,317 |
| MALALTIES APARELL CIRCULATORI             | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15 - 64 H              | 3      | 30,45   | 6      | 61,52   | 6      | 62,71   | 2      | 34,41   | 5      | 51,9    | 4      | 59,08   |
|   | D                      | 3      | 28,34   | 2      | 18,99   | 0      | 0       | 0      | 0       | 1      | 9,19    | 1      | 13,63   |
|   | >= 65 H                | 39     | 1314,9  | 45     | 1894,74 | 36     | 1438,85 | 26     | 1823,28 | 49     | 1764,49 | 39     | 2240,09 |
|   | D                      | 62     | 1261,96 | 53     | 1295,84 | 51     | 1254,3  | 49     | 1802,8  | 89     | 1744,07 | 77     | 2188,74 |
|   | TOTAL/T.STD H          | 42     | 236,103 | 51     | 355,687 | 42     | 281,76  | 28     | 312,062 | 54     | 321,774 | 43     | 386,234 |
|   | TOTAL/T.STD D          | 65     | 309,86  | 55     | 308,25  | 51     | 298,816 | 49     | 384,452 | 90     | 384     | 78     | 467,268 |
| MALALTIES APARELL RESPIRATORI             | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15 - 64 H              | 1      | 10,15   | 0      | 0       | 3      | 31,35   | 1      | 17,2    | 2      | 20,76   | 0      | 0       |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 1      | 9,19    | 0      | 0       |
|   | >= 65 H                | 26     | 876,6   | 21     | 884,21  | 11     | 439,65  | 7      | 490,88  | 16     | 576,16  | 14     | 804,14  |
|   | D                      | 17     | 346,02  | 17     | 415,65  | 12     | 295,13  | 9      | 331,13  | 20     | 391,93  | 13     | 369,53  |
|   | TOTAL/T.STD H          | 27     | 146,941 | 21     | 141,023 | 14     | 92,666  | 8      | 94,427  | 18     | 100,601 | 14     | 122,193 |
|   | TOTAL/T.STD D          | 17     | 80,557  | 17     | 92,57   | 12     | 69,94   | 9      | 69,425  | 21     | 90,893  | 13     | 75,972  |

MORTALITAT\_GRANS\_GRUPS

| Indicadors mortalitat grand grups (CIM-9) | Reg. mortalitat (2004) | ABS 2A |          | ABS 2B |         | ABS 2C |         | ABS 2D |          | ABS 2E |          | ABS 2G |          |
|---|------------------------|--------|----------|--------|---------|--------|---------|--------|----------|--------|----------|--------|----------|
|   |                        | n      | taxa     | n      | taxa    | n      | taxa    | n      | taxa     | n      | taxa     | n      | taxa     |
| MALALTIES APARELL DIGESTIU                | 0 - 14 H               | 0      | 0        | 0      | 0       | 0      | 0       | 0      | 0        | 0      | 0        | 0      | 0        |
|   | D                      | 0      | 0        | 0      | 0       | 0      | 0       | 0      | 0        | 0      | 0        | 0      | 0        |
|   | 15 - 64 H              | 1      | 10,15    | 3      | 30,76   | 1      | 10,45   | 2      | 34,41    | 2      | 20,76    | 0      | 0        |
|   | D                      | 0      | 0        | 3      | 28,49   | 0      | 0       | 0      | 0        | 0      | 0        | 1      | 13,63    |
|   | >= 65 H                | 10     | 337,15   | 4      | 168,42  | 7      | 279,78  | 4      | 280,5    | 7      | 252,07   | 1      | 57,44    |
|   | D                      | 8      | 162,83   | 10     | 244,5   | 10     | 245,94  | 6      | 220,75   | 9      | 176,37   | 10     | 284,25   |
|   | TOTAL/T.STD H          | 11     | 66,492   | 7      | 48,546  | 8      | 53,867  | 6      | 71,89    | 9      | 55,106   | 1      | 8,544    |
|   | TOTAL/T.STD D          | 8      | 38,729   | 13     | 75,436  | 10     | 58,284  | 6      | 46,284   | 9      | 40,611   | 11     | 69,915   |
| CAUSES EXTERNES                           | 0 - 14 H               | 0      | 0        | 0      | 0       | 0      | 0       | 0      | 0        | 0      | 0        | 0      | 0        |
|   | D                      | 0      | 0        | 0      | 0       | 0      | 0       | 0      | 0        | 0      | 0        | 0      | 0        |
|   | 15 - 64 H              | 2      | 20,3     | 4      | 41,01   | 1      | 10,45   | 0      | 0        | 4      | 41,52    | 5      | 73,86    |
|   | D                      | 1      | 9,45     | 3      | 28,49   | 1      | 9,33    | 3      | 49,44    | 2      | 18,38    | 2      | 27,26    |
|   | >= 65 H                | 6      | 202,29   | 2      | 84,21   | 1      | 39,97   | 4      | 280,5    | 2      | 72,02    | 0      | 0        |
|   | D                      | 6      | 122,12   | 2      | 48,9    | 6      | 147,57  | 6      | 220,75   | 8      | 156,77   | 8      | 227,4    |
|   | TOTAL/T.STD H          | 8      | 47,266   | 6      | 42,585  | 2      | 14,194  | 4      | 45,304   | 6      | 43,075   | 5      | 51,73    |
|   | TOTAL/T.STD D          | 7      | 34,774   | 5      | 29,009  | 7      | 40,943  | 9      | 78,518   | 10     | 45,395   | 10     | 65,507   |
| TOTES LES CAUSES                          | 0 - 14 H               | 1      | 62,34    | 0      | 0       | 0      | 0       | 1      | 110,13   | 1      | 58,38    | 1      | 75,08    |
|   | D                      | 3      | 191,94   | 2      | 122,4   | 0      | 0       | 0      | 0        | 0      | 0        | 0      | 0        |
|   | 15 - 64 H              | 22     | 223,3    | 21     | 215,32  | 24     | 250,84  | 11     | 189,23   | 23     | 238,74   | 21     | 310,19   |
|   | D                      | 16     | 151,16   | 16     | 151,93  | 9      | 83,99   | 11     | 181,28   | 20     | 183,76   | 9      | 122,65   |
|   | >= 65 H                | 153    | 5158,46  | 123    | 5178,95 | 111    | 4436,45 | 74     | 5189,34  | 142    | 5113,43  | 106    | 6088,45  |
|   | D                      | 163    | 3317,73  | 137    | 3349,63 | 153    | 3762,91 | 129    | 4746,14  | 220    | 4311,19  | 193    | 5486,07  |
|   | TOTAL/T.STD H          | 176    | 1000,984 | 144    | 990,324 | 135    | 903,153 | 86     | 984,802  | 166    | 987,33   | 128    | 1177,558 |
|   | TOTAL/T.STD D          | 182    | 892,27   | 155    | 870,397 | 162    | 949,529 | 140    | 1139,306 | 240    | 1062,143 | 202    | 1249,672 |

MORTALITAT\_GRANS\_GRUPS

| Indicadors mortalitat grand grups (CIM-9) | Reg. mortalitat (2004) | ABS 2H |         | ABS 2I |         | ABS 2J |         | ABS 2K |         | EIXAMPLE |         | TOTAL BARCELONA |         |
|---|------------------------|--------|---------|--------|---------|--------|---------|--------|---------|----------|---------|-----------------|---------|
|   |                        | n      | taxa    | n      | taxa    | n      | taxa    | n      | taxa    | n        | taxa    | n               | taxa    |
| MALALTIES TRANSMISIBLES                   | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 1               | 1,06    |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | 15 - 64 H              | 0      | 0       | 3      | 43,85   | 1      | 11,42   | 3      | 38,19   | 12       | 14,47   | 68              | 12,88   |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 1        | 1,1     | 31              | 5,71    |
|   | >= 65 H                | 1      | 53,68   | 2      | 117,16  | 2      | 93,68   | 4      | 178,02  | 22       | 101,2   | 100             | 77,99   |
|   | D                      | 2      | 61,46   | 4      | 138,65  | 2      | 51,18   | 1      | 26,42   | 26       | 67,99   | 139             | 68,51   |
|   | TOTAL/T.STD H          | 1      | 8,402   | 5      | 50,415  | 3      | 24,267  | 7      | 56,94   | 34       | 26,805  | 169             | 22,516  |
|   | TOTAL/T.STD D          | 2      | 13,426  | 4      | 33,86   | 2      | 11,261  | 1      | 5,894   | 27       | 16,14   | 170             | 20,334  |
| TUMORS                                    | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 3               | 3,18    |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 1               | 1,11    |
|   | 15 - 64 H              | 12     | 147,97  | 5      | 73,09   | 15     | 171,33  | 12     | 152,75  | 97       | 116,94  | 693             | 131,23  |
|   | D                      | 10     | 116,52  | 5      | 68,13   | 5      | 51,42   | 6      | 68,17   | 77       | 85,02   | 399             | 73,46   |
|   | >= 65 H                | 32     | 1717,66 | 32     | 1874,63 | 42     | 1967,21 | 34     | 1513,13 | 353      | 1623,81 | 1998            | 1558,25 |
|   | D                      | 30     | 921,94  | 24     | 831,89  | 32     | 818,83  | 31     | 819,02  | 304      | 794,98  | 1425            | 702,33  |
|   | TOTAL/T.STD H          | 44     | 382,756 | 37     | 369,662 | 57     | 459,673 | 46     | 350,64  | 450      | 347,576 | 2694            | 358,923 |
|   | TOTAL/T.STD D          | 40     | 295,883 | 29     | 245,207 | 37     | 221,835 | 37     | 234,849 | 381      | 239,963 | 1825            | 218,295 |
| MALALTIES APARELL CIRCULATORI             | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 2               | 2,22    |
|   | 15 - 64 H              | 0      | 0       | 6      | 87,71   | 6      | 68,53   | 10     | 127,29  | 48       | 57,86   | 306             | 57,94   |
|   | D                      | 0      | 0       | 1      | 13,63   | 1      | 10,28   | 0      | 0       | 9        | 9,94    | 64              | 11,78   |
|   | >= 65 H                | 27     | 1449,28 | 30     | 1757,47 | 39     | 1826,7  | 27     | 1201,6  | 357      | 1642,21 | 1867            | 1456,08 |
|   | D                      | 68     | 2089,74 | 33     | 1143,85 | 52     | 1330,6  | 54     | 1426,68 | 588      | 1537,66 | 2673            | 1317,42 |
|   | TOTAL/T.STD H          | 27     | 232,778 | 36     | 347,449 | 45     | 349,084 | 37     | 285,059 | 405      | 306,185 | 2173            | 289,51  |
|   | TOTAL/T.STD D          | 68     | 456,49  | 34     | 277,186 | 53     | 308,311 | 54     | 322,035 | 597      | 351,146 | 2739            | 327,622 |
| MALALTIES APARELL RESPIRATORI             | 0 - 14 H               | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 1               | 1,06    |
|   | D                      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | 15 - 64 H              | 0      | 0       | 1      | 14,62   | 1      | 11,42   | 0      | 0       | 9        | 10,85   | 68              | 12,88   |
|   | D                      | 1      | 11,65   | 1      | 13,63   | 0      | 0       | 1      | 11,36   | 4        | 4,42    | 29              | 5,34    |
|   | >= 65 H                | 18     | 966,18  | 8      | 468,66  | 18     | 843,09  | 12     | 534,05  | 151      | 694,6   | 762             | 594,29  |
|   | D                      | 6      | 184,39  | 9      | 311,96  | 20     | 511,77  | 14     | 369,88  | 137      | 358,26  | 644             | 317,4   |
|   | TOTAL/T.STD H          | 18     | 157,165 | 9      | 84,041  | 19     | 143,786 | 12     | 77,4    | 160      | 117,086 | 831             | 110,715 |
|   | TOTAL/T.STD D          | 7      | 47,648  | 10     | 81,836  | 20     | 112,607 | 15     | 90,067  | 141      | 82,413  | 673             | 80,5    |

MORTALITAT\_GRANS\_GRUPS

| Indicadors mortalitat grand grups (CIM-9) | Reg. mortalitat (2004) | ABS 2H |          | ABS 2I |          | ABS 2J |          | ABS 2K |          | EIXAMPLE |          | TOTAL BARCELONA |          |
|---|------------------------|--------|----------|--------|----------|--------|----------|--------|----------|----------|----------|-----------------|----------|
|   |                        | n      | taxa     | n      | taxa     | n      | taxa     | n      | taxa     | n        | taxa     | n               | taxa     |
| MALALTIES APARELL DIGESTIU                | 0 - 14 H               | 0      | 0        | 0      | 0        | 0      | 0        | 0      | 0        | 0        | 0        | 0               | 0        |
|   | D                      | 0      | 0        | 0      | 0        | 0      | 0        | 0      | 0        | 0        | 0        | 1               | 1,11     |
|   | 15 - 64 H              | 2      | 24,66    | 1      | 14,62    | 0      | 0        | 0      | 0        | 12       | 14,47    | 118             | 22,34    |
|   | D                      | 1      | 11,65    | 0      | 0        | 0      | 0        | 0      | 0        | 5        | 5,52     | 39              | 7,18     |
|   | >= 65 H                | 5      | 268,38   | 5      | 292,91   | 8      | 374,71   | 6      | 267,02   | 57       | 262,2    | 281             | 219,15   |
|   | D                      | 8      | 245,85   | 6      | 207,97   | 12     | 307,06   | 6      | 158,52   | 85       | 222,28   | 348             | 171,52   |
|   | TOTAL/T.STD H          | 7      | 59,865   | 6      | 57,479   | 8      | 60,338   | 6      | 43,514   | 69       | 53,083   | 399             | 53,159   |
|   | TOTAL/T.STD D          | 9      | 65,188   | 6      | 49,133   | 12     | 67,564   | 6      | 35,364   | 90       | 54,205   | 388             | 46,41    |
| CAUSES EXTERNES                           | 0 - 14 H               | 0      | 0        | 0      | 0        | 0      | 0        | 0      | 0        | 0        | 0        | 8               | 8,49     |
|   | D                      | 0      | 0        | 0      | 0        | 1      | 67,61    | 0      | 0        | 1        | 7,18     | 4               | 4,44     |
|   | 15 - 64 H              | 0      | 0        | 2      | 29,24    | 4      | 45,69    | 2      | 25,46    | 24       | 28,93    | 196             | 37,12    |
|   | D                      | 1      | 11,65    | 0      | 0        | 0      | 0        | 0      | 0        | 13       | 14,35    | 71              | 13,07    |
|   | >= 65 H                | 5      | 268,38   | 2      | 117,16   | 4      | 187,35   | 3      | 133,51   | 29       | 133,4    | 170             | 132,58   |
|   | D                      | 5      | 153,66   | 4      | 138,65   | 7      | 179,12   | 7      | 184,94   | 59       | 154,29   | 210             | 103,5    |
|   | TOTAL/T.STD H          | 5      | 44,976   | 4      | 39,297   | 8      | 62,258   | 5      | 37,279   | 53       | 41,863   | 374             | 49,828   |
|   | TOTAL/T.STD D          | 6      | 43,67    | 4      | 32,203   | 8      | 46,625   | 7      | 41,258   | 73       | 44,603   | 285             | 34,09    |
| TOTES LES CAUSES                          | 0 - 14 H               | 0      | 0        | 0      | 0        | 0      | 0        | 1      | 67,57    | 5        | 34,49    | 47              | 49,86    |
|   | D                      | 0      | 0        | 0      | 0        | 1      | 67,61    | 0      | 0        | 6        | 43,1     | 45              | 50       |
|   | 15 - 64 H              | 14     | 172,63   | 21     | 306,97   | 29     | 331,24   | 30     | 381,87   | 216      | 260,39   | 1562            | 295,78   |
|   | D                      | 14     | 163,13   | 9      | 122,63   | 6      | 61,71    | 7      | 79,53    | 117      | 129,19   | 689             | 126,86   |
|   | >= 65 H                | 110    | 5904,46  | 88     | 5155,24  | 132    | 6182,67  | 105    | 4672,9   | 1144     | 5262,43  | 6079            | 4741,03  |
|   | D                      | 159    | 4886,29  | 107    | 3708,84  | 154    | 3940,63  | 140    | 3698,81  | 1555     | 4066,42  | 7143            | 3520,51  |
|   | TOTAL/T.STD H          | 124    | 1078,197 | 109    | 1066,637 | 161    | 1260,059 | 136    | 1014,379 | 1365     | 1036,541 | 7688            | 1024,276 |
|   | TOTAL/T.STD D          | 173    | 1202,311 | 116    | 955,2    | 161    | 934,345  | 147    | 888,604  | 1678     | 1006,467 | 7877            | 942,197  |

MORTALITAT\_EVITABLE

| INDICADORS MORTALITAT EVITABLE        |          | ABS 2A |      | ABS 2B |      | ABS 2C |       | ABS 2D |        | ABS 2E |       | ABS 2G |      | ABS 2H |      |
|---------------------------------------|----------|--------|------|--------|------|--------|-------|--------|--------|--------|-------|--------|------|--------|------|
|                                       |          | n      | taxa | n      | taxa | n      | taxa  | n      | taxa   | n      | taxa  | n      | taxa | n      | taxa |
| TUBERCULOSI                           | 5 - 64 H | 0      | 0    |        |      |        |       | 0      | 0      | 0      | 0     | 0      | 0    |        |      |
|                                       | 5 - 64 D | 0      | 0    |        |      |        |       | 0      | 0      | 0      | 0     | 0      | 0    |        |      |
|                                       | T.STD H  |        | 0    |        |      |        |       |        | 0      |        | 0     |        | 0    |        |      |
|                                       | T.STD D  |        | 0    |        |      |        |       |        | 0      |        | 0     |        | 0    |        |      |
| TUMOR MALIGN DE<br>COLL D'UTER        | 15 - 64  |        |      |        |      |        |       |        |        |        |       |        |      | 0      | 0    |
|                                       | TX.STD.  |        |      |        |      |        |       |        |        |        |       |        |      |        | 0    |
| TUMOR MALIGN DE<br>COLL I COS D'UTER  | 15 - 54  |        |      |        |      | 0      | 0     | 1      | 20,02  | 0      | 0     | 0      | 0    | 0      | 0    |
|                                       | TX.STD.  |        |      |        |      |        | 0     |        | 19,503 |        | 0     |        | 0    | 0      | 0    |
| MALALTIA DE<br>HODGKING               | 5 - 64 H |        |      |        |      | 1      | 9,43  | 1      | 15,62  | 0      | 0     |        |      |        |      |
|                                       | 5 - 64 D |        |      |        |      | 0      | 0     | 0      | 0      | 1      | 8,37  |        |      |        |      |
|                                       | T.STD H  |        |      |        |      |        | 9,013 |        | 14,766 |        | 0     |        |      |        |      |
|                                       | T.STD D  |        |      |        |      |        | 0     |        | 0      |        | 8,018 |        |      |        |      |
| MALALTIA REUMATICA<br>CRONICA DEL COR | 5-44 H   |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
|                                       | 5-44 D   |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
|                                       | T.STD H  |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
|                                       | T.STD D  |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
| MALALTIES DEL<br>APARELL RESPIRATORI  | 1- 4 H   | 0      | 0    | 0      | 0    | 0      | 0     | 0      | 0      | 0      | 0     | 0      | 0    | 0      | 0    |
|                                       | 1- 4 D   | 0      | 0    | 0      | 0    | 0      | 0     | 0      | 0      | 0      | 0     | 0      | 0    | 0      | 0    |
|                                       | T.STD H  |        | 0    |        | 0    |        | 0     |        | 0      |        | 0     |        | 0    |        | 0    |
|                                       | T.STD D  |        | 0    |        | 0    |        | 0     |        | 0      |        | 0     |        | 0    |        | 0    |
| ASMA                                  | 5-44 H   | 0      | 0    |        |      |        |       | 0      | 0      | 0      | 0     |        |      | 0      | 0    |
|                                       | 5-44 D   | 0      | 0    |        |      |        |       | 0      | 0      | 0      | 0     |        |      | 0      | 0    |
|                                       | T.STD H  |        | 0    |        |      |        |       |        | 0      |        | 0     |        |      |        | 0    |
|                                       | T.STD D  |        | 0    |        |      |        |       |        | 0      |        | 0     |        |      |        | 0    |
| APENDICITIS                           | 5 - 64 H |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
|                                       | 5 - 64 D |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
|                                       | T.STD H  |        |      |        |      |        |       |        |        |        |       |        |      |        |      |
|                                       | T.STD D  |        |      |        |      |        |       |        |        |        |       |        |      |        |      |

MORTALITAT\_EVITABLE

| INDICADORS MORTALITAT EVITABLE            |          | ABS 2A |       | ABS 2B |        | ABS 2C |        | ABS 2D |      | ABS 2E |      | ABS 2G |       | ABS 2H |      |
|---|----------|--------|-------|--------|--------|--------|--------|--------|------|--------|------|--------|-------|--------|------|
|   |          | n      | taxa  | n      | taxa   | n      | taxa   | n      | taxa | n      | taxa | n      | taxa  | n      | taxa |
| HERNIA ABDOMINAL                          | 5 - 64 H |        |       |        |        | 0      | 0      | 0      | 0    |        |      |        |       |        |      |
|   | 5 - 64 D |        |       |        |        | 0      | 0      | 0      | 0    |        |      |        |       |        |      |
|   | T.STD H  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T.STD D  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
| COLELITIASI I<br>COLECISTITIS             | 5 - 64 H | 0      | 0     |        |        | 0      | 0      |        |      |        |      | 0      | 0     |        |      |
|   | 5 - 64 D | 0      | 0     |        |        | 0      | 0      |        |      |        |      | 0      | 0     |        |      |
|   | T.STD H  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T.STD D  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
| HIPERTENSIO I<br>MALALTIA CEREBROV.       | 35-64 H  | 0      | 0     | 1      | 17,9   | 1      | 17,98  | 0      | 0    | 0      | 0    | 0      | 0     | 0      | 0    |
|   | 35-64 D  | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0    | 0      | 0    | 0      | 0     | 0      | 0    |
|   | T.STD H  |        |       |        | 17,769 |        | 17,568 |        |      |        |      |        |       |        |      |
|   | T.STD D  |        |       |        | 0      |        | 0      |        |      |        |      |        |       |        |      |
| COMPLICACIONS EMBARAÇ,<br>PART I PUERPERI | TX.STD.  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
| CERTES COMPLIC. DEL (Nacional)            |          | 5      | 20,08 | 0      | 0      | 0      | 0      | 0      | 0    | 2      | 7,02 | 3      | 16,67 | 0      | 0    |
| PERIODE PERINATAL (Internac)              |          | 3      | 12,05 | 0      | 0      | 0      | 0      | 0      | 0    | 1      | 3,51 | 1      | 5,56  | 0      | 0    |
| FEBRE TIFOIDEA                            | 5 - 64 H |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | 5 - 64 D |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T.STD H  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T.STD D  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
| TOSFERINA                                 | 0-14 H   |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | 0-14 D   |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T.STD H  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T.STD D  |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
| TETANUS                                   | 0-64 H   |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | 0-64 D   |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T. STD H |        |       |        |        |        |        |        |      |        |      |        |       |        |      |
|   | T. STD D |        |       |        |        |        |        |        |      |        |      |        |       |        |      |

MORTALITAT\_EVITABLE

| INDICADORS MORTALITAT EVITABLE              |          | ABS 2A |        | ABS 2B |        | ABS 2C |        | ABS 2D |        | ABS 2E |        | ABS 2G |        | ABS 2H |        |
|---|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|   |          | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   |
| XARAMPIO                                    | 1-14 H   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | 1-14 D   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | T.STD H  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | T.STD D  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| OSTEOMIELITIS                               | 1-64 H   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | 1-64 D   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | T.STD H  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | T.STD D  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| TM TRAQUEA, BRONQUIS<br>I PULMO             | 5 - 64 H | 4      | 36,68  | 4      | 36,98  | 4      | 37,7   | 2      | 31,24  | 2      | 18,66  | 4      | 52,21  | 6      | 66,08  |
|   | 5 - 64 D | 4      | 34,56  | 2      | 17,24  | 1      | 8,51   | 1      | 15,12  | 1      | 8,37   | 1      | 12,38  | 3      | 31,43  |
|   | T.STD H  |        | 35,493 |        | 35,251 |        | 34,391 |        | 33,877 |        | 18,496 |        | 49,944 |        | 66,255 |
|   | T.STD D  |        | 33,537 |        | 17,518 |        | 7,87   |        | 14,406 |        | 8,293  |        | 11,922 |        | 30,516 |
| CIRROSI I ALTRES MAL.<br>CRONIQUES DE FETGE | 15-74 H  | 6      | 52,77  | 1      | 9,1    | 1      | 9,16   | 2      | 30,62  | 3      | 27,31  | 0      | 0      | 3      | 33,06  |
|   | 15-74 D  | 1      | 7,86   | 4      | 32,74  | 0      | 0      | 0      | 0      | 1      | 7,78   | 1      | 11,61  | 1      | 10,12  |
|   | T.STD H  |        | 47,924 |        | 8,955  |        | 8,876  |        | 33,231 |        | 26,999 |        | 0      |        | 32,869 |
|   | T.STD D  |        | 6,886  |        | 32,977 |        | 0      |        | 0      |        | 7,437  |        | 11,488 |        | 10,196 |
| ACCIDENTS DE<br>VEHICLES A MOTOR            | TOTS H   | 3      | 20,8   | 1      | 7,27   | 1      | 7,3    |        |        | 1      | 7,08   | 1      | 10,16  | 0      | 0      |
|   | TOTS D   | 0      | 0      | 0      | 0      | 3      | 18,29  |        |        | 1      | 5,66   | 1      | 8,33   | 1      | 7,51   |
|   | T.STD H  |        | 16,713 |        | 7,735  |        | 7,671  |        |        |        | 6,849  |        | 9,864  |        | 0      |
|   | T.STD D  |        | 0      |        | 0      |        | 17,629 |        |        |        | 5,963  |        | 5,844  |        | 6,713  |

## MORTALITAT\_EVITABLE

| INDICADORS MORTALITAT EVITABLE        |          | ABS 2I |      | ABS 2J |      | ABS 2K |      | EIXAMPLE |       | TOTAL BARCELONA |       |
|---------------------------------------|----------|--------|------|--------|------|--------|------|----------|-------|-----------------|-------|
|                                       |          | n      | taxa | n      | taxa | n      | taxa | n        | taxa  | n               | taxa  |
| TUBERCULOSI                           | 5 - 64 H |        |      | 0      | 0    | 0      | 0    | 0        | 0     | 4               | 0,68  |
|                                       | 5 - 64 D |        |      | 0      | 0    | 0      | 0    | 0        | 0     | 1               | 0,17  |
|                                       | T.STD H  |        |      |        |      |        |      |          |       |                 | 0,679 |
|                                       | T.STD D  |        |      |        |      |        |      |          |       |                 | 0,166 |
| TUMOR MALIGN DE<br>COLL D'UTER        | 15 - 64  |        |      |        |      |        |      | 0        | 0     | 9               | 1,66  |
|                                       | TX.STD.  |        |      |        |      |        |      |          | 0     |                 | 1,657 |
| TUMOR MALIGN DE<br>COLL I COS D'UTER  | 15 - 54  | 0      | 0    | 0      | 0    |        |      | 1        | 1,35  | 9               | 2,03  |
|                                       | TX.STD.  |        | 0    |        | 0    |        |      |          | 1,338 |                 | 2,027 |
| MALALTIA DE<br>HODGKING               | 5 - 64 H |        |      |        |      |        |      | 2        | 2,17  | 4               | 0,68  |
|                                       | 5 - 64 D |        |      |        |      |        |      | 1        | 1     | 2               | 0,33  |
|                                       | T.STD H  |        |      |        |      |        |      |          | 2,101 |                 | 0,679 |
|                                       | T.STD D  |        |      |        |      |        |      |          | 1,014 |                 | 0,333 |
| MALALTIA REUMATICA<br>CRONICA DEL COR | 5-44 H   |        |      |        |      |        |      |          |       |                 |       |
|                                       | 5-44 D   |        |      |        |      |        |      |          |       |                 |       |
|                                       | T.STD H  |        |      |        |      |        |      |          |       |                 |       |
|                                       | T.STD D  |        |      |        |      |        |      |          |       |                 |       |
| MALALTIES DEL<br>APARELL RESPIRATORI  | 1- 4 H   | 0      | 0    | 0      | 0    | 0      | 0    | 0        | 0     | 0               | 0     |
|                                       | 1- 4 D   | 0      | 0    | 0      | 0    | 0      | 0    | 0        | 0     | 0               | 0     |
|                                       | T.STD H  |        |      |        |      |        |      |          |       |                 | 0     |
|                                       | T.STD D  |        |      |        |      |        |      |          |       |                 | 0     |
| ASMA                                  | 5-44 H   |        |      |        |      | 0      | 0    | 0        | 0     | 0               | 0     |
|                                       | 5-44 D   |        |      |        |      | 0      | 0    | 0        | 0     | 1               | 0,25  |
|                                       | T.STD H  |        |      |        |      |        |      |          |       |                 | 0     |
|                                       | T.STD D  |        |      |        |      |        |      |          |       |                 | 0,253 |
| APENDICITIS                           | 5 - 64 H |        |      |        |      |        |      |          |       | 0               | 0     |
|                                       | 5 - 64 D |        |      |        |      |        |      |          |       | 0               | 0     |
|                                       | T.STD H  |        |      |        |      |        |      |          |       |                 | 0     |
|                                       | T.STD D  |        |      |        |      |        |      |          |       |                 | 0     |

## MORTALITAT\_EVITABLE

| INDICADORS MORTALITAT EVITABLE            |          | ABS 2I |        | ABS 2J |        | ABS 2K |        | EIXAMPLE |       | TOTAL BARCELONA |              |
|---|----------|--------|--------|--------|--------|--------|--------|----------|-------|-----------------|--------------|
|   |          | n      | taxa   | n      | taxa   | n      | taxa   | n        | taxa  | n               | taxa         |
| HERNIA ABDOMINAL                          | 5 - 64 H |        |        | 0      | 0      |        |        | 0        | 0     | 1               | 0,17         |
|   | 5 - 64 D |        |        | 0      | 0      |        |        | 0        | 0     | 0               | 0            |
|   | T.STD H  |        |        |        |        |        |        |          |       |                 | 0,17         |
|   | T.STD D  |        |        |        |        |        |        |          |       |                 | 0            |
| COLELITIASI I<br>COLECISTITIS             | 5 - 64 H |        |        | 0      | 0      |        |        | 0        | 0     | 1               | 0,17         |
|   | 5 - 64 D |        |        | 0      | 0      |        |        | 0        | 0     | 1               | 0,17         |
|   | T.STD H  |        |        |        |        |        |        |          |       |                 | 0,17         |
|   | T.STD D  |        |        |        |        |        |        |          |       |                 | 0,166        |
| HIPERTENSIO I<br>MALALTIA CEREBROV.       | 35-64 H  | 1      | 25,13  | 0      | 0      | 2      | 43,54  | 5        | 10,32 | 56              | 18,53        |
|   | 35-64 D  | 1      | 22,06  | 1      | 17     | 0      | 0      | 2        | 3,58  | 19              | 5,79         |
|   | T.STD H  |        | 24,155 |        | 0      |        | 45,107 |          | 10,38 |                 | 18,531       |
|   | T.STD D  |        | 20,9   |        | 17,705 |        | 0      |          | 3,559 |                 | 5,794        |
| COMPLICACIONS EMBARAÇ,<br>PART I PUERPERI | TX.STD.  |        |        |        |        |        |        |          |       | 1               | 0,12<br>0,12 |
| CERTES COMPLIC. DEL (Nacional)            |          | 1      | 6,29   | 0      | 0      | 1      | 4,59   | 12       | 5,37  | 95              | 6,46         |
| PERIODE PERINATAL (Internac)              |          | 1      | 6,29   | 0      | 0      | 1      | 4,59   | 7        | 3,13  | 60              | 4,08         |
| FEBRE TIFOIDEA                            | 5 - 64 H |        |        |        |        |        |        |          |       |                 |              |
|   | 5 - 64 D |        |        |        |        |        |        |          |       |                 |              |
|   | T.STD H  |        |        |        |        |        |        |          |       |                 |              |
|   | T.STD D  |        |        |        |        |        |        |          |       |                 |              |
| TOSFERINA                                 | 0-14 H   |        |        |        |        |        |        |          |       |                 |              |
|   | 0-14 D   |        |        |        |        |        |        |          |       |                 |              |
|   | T.STD H  |        |        |        |        |        |        |          |       |                 |              |
|   | T.STD D  |        |        |        |        |        |        |          |       |                 |              |
| TETANUS                                   | 0-64 H   |        |        |        |        |        |        |          |       |                 |              |
|   | 0-64 D   |        |        |        |        |        |        |          |       |                 |              |
|   | T. STD H |        |        |        |        |        |        |          |       |                 |              |
|   | T. STD D |        |        |        |        |        |        |          |       |                 |              |

## MORTALITAT\_EVITABLE

| INDICADORS MORTALITAT EVITABLE              |          | ABS 2I |        | ABS 2J |        | ABS 2K |        | EIXAMPLE |        | TOTAL BARCELONA |        |
|---|----------|--------|--------|--------|--------|--------|--------|----------|--------|-----------------|--------|
|   |          | n      | taxa   | n      | taxa   | n      | taxa   | n        | taxa   | n               | taxa   |
| XARAMPIO                                    | 1-14 H   |        |        |        |        |        |        |          |        |                 |        |
|   | 1-14 D   |        |        |        |        |        |        |          |        |                 |        |
|   | T.STD H  |        |        |        |        |        |        |          |        |                 |        |
|   | T.STD D  |        |        |        |        |        |        |          |        |                 |        |
| OSTEOMIELITIS                               | 1-64 H   |        |        |        |        |        |        |          |        | 0               | 0      |
|   | 1-64 D   |        |        |        |        |        |        |          |        | 0               | 0      |
|   | T.STD H  |        |        |        |        |        |        |          |        |                 | 0      |
|   | T.STD D  |        |        |        |        |        |        |          |        |                 | 0      |
| TM TRAQUEA, BRONQUIS<br>I PULMO             | 5 - 64 H | 1      | 13,16  | 5      | 51,37  | 3      | 34,05  | 35       | 37,9   | 216             | 36,67  |
|   | 5 - 64 D | 0      | 0      | 1      | 9,36   | 1      | 10,33  | 15       | 15,07  | 58              | 9,65   |
|   | T.STD H  |        | 12,616 |        | 52,972 |        | 33,546 |          | 37,207 |                 | 36,67  |
|   | T.STD D  |        | 0      |        | 9,508  |        | 10,502 |          | 14,576 |                 | 9,649  |
| CIRROSI I ALTRES MAL.<br>CRONIQUES DE FETGE | 15-74 H  | 1      | 12,93  | 0      | 0      | 1      | 11,2   | 18       | 19,14  | 122             | 20,35  |
|   | 15-74 D  | 0      | 0      | 0      | 0      | 0      | 0      | 8        | 7,53   | 43              | 6,75   |
|   | T.STD H  |        | 12,173 |        | 0      |        | 11,087 |          | 19,134 |                 | 20,346 |
|   | T.STD D  |        | 0      |        | 0      |        | 0      |          | 7,47   |                 | 6,755  |
| ACCIDENTS DE<br>VEHICLES A MOTOR            | TOTS H   |        |        | 3      | 24,11  | 1      | 8,63   | 11       | 9,23   | 67              | 8,93   |
|   | TOTS D   |        |        | 2      | 13,24  | 1      | 7,2    | 9        | 6,31   | 29              | 3,47   |
|   | T.STD H  |        |        |        | 24,671 |        | 9,627  |          | 9,057  |                 | 8,926  |
|   | T.STD D  |        |        |        | 11,261 |        | 5,894  |          | 5,584  |                 | 3,469  |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2A |       | ABS 2B |      | ABS 2C |      | ABS 2D |       | ABS 2E |      | ABS 2G |       | ABS 2H |      |
|---|---------------|--------|-------|--------|------|--------|------|--------|-------|--------|------|--------|-------|--------|------|
|   |               | n      | taxa  | n      | taxa | n      | taxa | n      | taxa  | n      | taxa | n      | taxa  | n      | taxa |
| TUBERCULOSI   | 0-14 H        | 0      | 0     |        |      |        |      | 0      | 0     | 0      | 0    | 0      | 0     |        |      |
|   | D             | 0      | 0     |        |      |        |      | 0      | 0     | 0      | 0    | 0      | 0     |        |      |
|   | 15-64 H       | 0      | 0     |        |      |        |      | 0      | 0     | 0      | 0    | 0      | 0     |        |      |
|   | D             | 0      | 0     |        |      |        |      | 0      | 0     | 0      | 0    | 0      | 0     |        |      |
|   | >= 65 H       | 0      | 0     |        |      |        |      | 0      | 0     | 0      | 0    | 1      | 57,44 |        |      |
|   | D             | 1      | 20,35 |        |      |        |      | 1      | 36,79 | 1      | 19,6 | 0      | 0     |        |      |
|   | TOTAL/T.STD H | 0      | 0     |        |      |        |      | 0      | 0     | 0      | 0    | 1      | 8,544 |        |      |
| TOTAL/T.STD D   | 1             | 4,707  |       |        |      |        | 1    | 7,714  | 1     | 4,184  | 0    | 0      |       |        |      |
| SIDA  | 0-14 H        |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | 15-64 H       |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | >= 65 H       |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOTAL/T.STD H   |               |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOTAL/T.STD D   |               |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| DIFTERIA  | 0-14 H        |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | 15-64 H       |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | >= 65 H       |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOTAL/T.STD H   |               |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOTAL/T.STD D   |               |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOSFERINA   | 0-14 H        |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | 15-64 H       |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | >= 65 H       |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
|   | D             |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOTAL/T.STD H   |               |        |       |        |      |        |      |        |       |        |      |        |       |        |      |
| TOTAL/T.STD D   |               |        |       |        |      |        |      |        |       |        |      |        |       |        |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |         | ABS 2A |      | ABS 2B |      | ABS 2C |      | ABS 2D |      | ABS 2E |      | ABS 2G |      | ABS 2H |      |
|---|---------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|   |         | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa |
| TETANUS   | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| POLIOMELITIS<br>AGUDA   | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| XARAMPIO  | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| RUBEOLA   | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |         | ABS 2A |      | ABS 2B |      | ABS 2C |      | ABS 2D |      | ABS 2E |      | ABS 2G |      | ABS 2H |      |
|---|---------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
|   |         | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa | n      | taxa |
| GALTERES  | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| SIFILIS<br>TEMPRANA   | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| COMPLICACIONES<br>PRINCIPALES<br>DE LA SIFILIS                      | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| INFECCIO<br>GONOCOCICA  | 0-14 H  |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | 15-64 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | >= 65 H |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
|   | D       |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D   |         |        |      |        |      |        |      |        |      |        |      |        |      |        |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes centinelles. Reg. Mortalitat (2004) |         | ABS 2A |       | ABS 2B |       | ABS 2C |       | ABS 2D |      | ABS 2E |      | ABS 2G |      | ABS 2H |      |
|--|---------|--------|-------|--------|-------|--------|-------|--------|------|--------|------|--------|------|--------|------|
|  |         | n      | taxa  | n      | taxa  | n      | taxa  | n      | taxa | n      | taxa | n      | taxa | n      | taxa |
| HEPATITIS A  | 0-14 H  |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | 15-64 H |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | >= 65 H |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H  |         |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D  |         |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| HEPATITIS B  | 0-14 H  |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | 15-64 H |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | >= 65 H |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H  |         |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D  |         |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| NEOPLASIA MALIGNA LLABI  | 0-14 H  |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | 15-64 H |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | >= 65 H |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
|  | D       |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H  |         |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D  |         |        |       |        |       |        |       |        |      |        |      |        |      |        |      |
| NEOPLASIA MALIGNA LLENGUA BOCA I MUCOSA ORAL                     | 0-14 H  | 0      | 0     | 0      | 0     | 0      | 0     |        |      |        |      |        |      |        |      |
|  | D       | 0      | 0     | 0      | 0     | 0      | 0     |        |      |        |      |        |      |        |      |
|  | 15-64 H | 1      | 10,15 | 0      | 0     | 0      | 0     |        |      |        |      |        |      |        |      |
|  | D       | 0      | 0     | 0      | 0     | 0      | 0     |        |      |        |      |        |      |        |      |
|  | >= 65 H | 0      | 0     | 1      | 42,11 | 0      | 0     |        |      |        |      |        |      |        |      |
|  | D       | 0      | 0     | 0      | 0     | 1      | 24,59 |        |      |        |      |        |      |        |      |
| TOTAL/T.STD H  | 1       | 6,916  | 1     | 6,608  | 0     | 0      |       |        |      |        |      |        |      |        |      |
| TOTAL/T.STD D  | 0       | 0      | 0     | 0      | 1     | 5,828  |       |        |      |        |      |        |      |        |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2A |        | ABS 2B |        | ABS 2C |        | ABS 2D |         | ABS 2E |        | ABS 2G |         | ABS 2H |         |
|---|---------------|--------|--------|--------|--------|--------|--------|--------|---------|--------|--------|--------|---------|--------|---------|
|   |               | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa    | n      | taxa   | n      | taxa    | n      | taxa    |
| NEOPLASIA MALIGNA<br>LARINGE  | 0-14 H        | 0      | 0      |        |        |        |        | 0      | 0       | 0      | 0      |        |         | 0      | 0       |
|   | D             | 0      | 0      |        |        |        |        | 0      | 0       | 0      | 0      |        |         | 0      | 0       |
|   | 15-64 H       | 0      | 0      |        |        |        |        | 0      | 0       | 1      | 10,38  |        |         | 1      | 12,33   |
|   | D             | 0      | 0      |        |        |        |        | 0      | 0       | 0      | 0      |        |         | 0      | 0       |
|   | >= 65 H       | 2      | 67,43  |        |        |        |        | 1      | 70,13   | 0      | 0      |        |         | 0      | 0       |
|   | D             | 1      | 20,35  |        |        |        |        | 0      | 0       | 0      | 0      |        |         | 0      | 0       |
|   | TOTAL/T.STD H | 2      | 10,439 |        |        |        |        | 1      | 10,683  | 1      | 7,266  |        |         | 1      | 8,707   |
| TOTAL/T.STD D   | 1             | 4,707  |        |        |        |        | 0      | 0      | 0       | 0      |        |        | 0       | 0      |         |
| NEOPLASIA MALIGNA<br>TRAQUEA, BRONQUIOS<br>PULMO                    | 0-14 H        | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       |
|   | 15-64 H       | 4      | 40,6   | 4      | 41,01  | 4      | 41,81  | 2      | 34,41   | 2      | 20,76  | 4      | 59,08   | 6      | 73,98   |
|   | D             | 4      | 37,79  | 2      | 18,99  | 1      | 9,33   | 1      | 16,48   | 1      | 9,19   | 1      | 13,63   | 3      | 34,96   |
|   | >= 65 H       | 10     | 337,15 | 6      | 252,63 | 7      | 279,78 | 10     | 701,26  | 13     | 468,13 | 7      | 402,07  | 6      | 322,06  |
|   | D             | 5      | 101,77 | 2      | 48,9   | 5      | 122,97 | 1      | 36,79   | 3      | 58,79  | 2      | 56,85   | 0      | 0       |
|   | TOTAL/T.STD H | 14     | 83,214 | 10     | 69,567 | 11     | 73,783 | 12     | 141,132 | 15     | 95,673 | 11     | 111,884 | 12     | 105,374 |
| TOTAL/T.STD D   | 9             | 48,186 | 4      | 23,487 | 6      | 35,428 | 2      | 21,307 | 4       | 19,993 | 3      | 20,26  | 3       | 21,942 |         |
| NEOPLASIA MALIGNA<br>BUFETA URINARIA                                | 0-14 H        | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       |
|   | 15-64 H       | 1      | 10,15  | 0      | 0      | 0      | 0      | 1      | 17,2    | 1      | 10,38  | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0      | 0      | 0      | 1      | 9,33   | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       |
|   | >= 65 H       | 4      | 134,86 | 5      | 210,53 | 2      | 79,94  | 2      | 140,25  | 1      | 36,01  | 4      | 229,75  | 1      | 53,68   |
|   | D             | 0      | 0      | 1      | 24,45  | 1      | 24,59  | 0      | 0       | 1      | 19,6   | 0      | 0       | 1      | 30,73   |
|   | TOTAL/T.STD H | 5      | 27,795 | 5      | 34,167 | 2      | 13,613 | 3      | 34,659  | 2      | 12,546 | 4      | 36,752  | 1      | 8,402   |
| TOTAL/T.STD D   | 0             | 0      | 1      | 5,445  | 2      | 11,487 | 0      | 0      | 1       | 4,184  | 0      | 0      | 1       | 8,573  |         |
| NEOPLASIA MALIGNA<br>CERVIX UTERI                                   | 0-14 D        |        |        |        |        |        |        |        |         |        |        |        |         | 0      | 0       |
|   | 15-64 D       |        |        |        |        |        |        |        |         |        |        |        |         | 0      | 0       |
|   | >=65 D        |        |        |        |        |        |        |        |         |        |        |        |         | 2      | 61,46   |
|   | TOTAL/T.STD D |        |        |        |        |        |        |        |         |        |        |        |         | 2      | 13,426  |
| NEOPLASIA MALIGNA<br>COS DE L'UTER                                  | 0-14 D        |        |        |        |        | 0      | 0      | 0      | 0       | 0      | 0      | 0      | 0       |        |         |
|   | 15-64 D       |        |        |        |        | 0      | 0      | 1      | 16,48   | 0      | 0      | 0      | 0       |        |         |
|   | >=65 D        |        |        |        |        | 1      | 24,59  | 1      | 36,79   | 1      | 19,6   | 2      | 56,85   |        |         |
|   | TOTAL/T.STD D |        |        |        |        | 1      | 5,828  | 2      | 18,072  | 1      | 4,184  | 2      | 11,688  |        |         |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2A |        | ABS 2B |        | ABS 2C |        | ABS 2D |        | ABS 2E |        | ABS 2G |        | ABS 2H |        |
|---|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|   |               | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   |
| NEOPLASIA MALIGNA<br>DE MAMA  | 0-14 D        | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|   | 15-64 D       | 2      | 18,89  | 1      | 9,5    | 3      | 28     | 0      | 0      | 1      | 9,19   | 1      | 13,63  | 2      | 23,3   |
|   | >=65 D        | 5      | 101,77 | 4      | 97,8   | 1      | 24,59  | 3      | 110,38 | 4      | 78,39  | 4      | 113,7  | 3      | 92,19  |
|   | TOTAL/T.STD D | 7      | 35,994 | 5      | 29,236 | 4      | 22,805 | 3      | 26,377 | 5      | 23,955 | 5      | 37,754 | 5      | 37,132 |
|   |               |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| FEBRE REUMATICA<br>AGUDA  | 0-14 H<br>D   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | 15-64 H<br>D  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | >= 65 H<br>D  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | TOTAL/T.STD H |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | TOTAL/T.STD D |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| MALALTIA CRONICA<br>PULMONAR  | 0-14 H        | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|   | 15-64 H       | 0      | 0      | 0      | 0      | 1      | 10,45  | 0      | 0      | 1      | 10,38  | 0      | 0      | 0      | 0      |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|   | >= 65 H       | 12     | 404,59 | 6      | 252,63 | 4      | 159,87 | 3      | 210,38 | 6      | 216,06 | 2      | 114,88 | 7      | 375,74 |
|   | D             | 4      | 81,42  | 0      | 0      | 1      | 24,59  | 1      | 36,79  | 2      | 39,19  | 2      | 56,85  | 0      | 0      |
|   | TOTAL/T.STD H | 12     | 65,799 | 6      | 41,903 | 5      | 33,297 | 3      | 37,192 | 7      | 39,029 | 2      | 19,664 | 7      | 58,811 |
| TOTAL/T.STD D   | 4             | 18,829 | 0      | 0      | 1      | 5,828  | 1      | 7,714  | 2      | 8,367  | 2      | 11,688 | 0      | 0      |        |
| GRIP  | 0-14 H<br>D   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | 15-64 H<br>D  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | >= 65 H<br>D  |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | TOTAL/T.STD H |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|   | TOTAL/T.STD D |        |        |        |        |        |        |        |        |        |        |        |        |        |        |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes centinelles. Reg. Mortalitat (2004) |               | ABS 2A |        | ABS 2B |       | ABS 2C |        | ABS 2D |        | ABS 2E |        | ABS 2G |        | ABS 2H |        |
|--|---------------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|  |               | n      | taxa   | n      | taxa  | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   | n      | taxa   |
| ASMA   | 0-14 H        | 0      | 0      |        |       |        |        | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
|  | D             | 0      | 0      |        |       |        |        | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
|  | 15-64 H       | 0      | 0      |        |       |        |        | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
|  | D             | 0      | 0      |        |       |        |        | 0      | 0      | 1      | 9,19   |        |        | 0      | 0      |
|  | >= 65 H       | 0      | 0      |        |       |        |        | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
|  | D             | 1      | 20,35  |        |       |        |        | 1      | 36,79  | 1      | 19,6   |        |        | 1      | 30,73  |
|  | TOTAL/T.STD H | 0      | 0      |        |       |        |        | 0      | 0      | 0      | 0      |        |        | 0      | 0      |
| TOTAL/T.STD D  | 1             | 4,707  |        |        |       |        | 1      | 7,714  | 2      | 9,925  |        |        | 1      | 6,713  |        |
| INFECCIONS PELL I TEIXIT SUBCUTANI                               | 0-14 H        |        |        | 0      | 0     |        |        |        |        |        |        |        |        |        |        |
|  | D             |        |        | 0      | 0     |        |        |        |        |        |        |        |        |        |        |
|  | 15-64 H       |        |        | 0      | 0     |        |        |        |        |        |        |        |        |        |        |
|  | D             |        |        | 0      | 0     |        |        |        |        |        |        |        |        |        |        |
|  | >= 65 H       |        |        | 0      | 0     |        |        |        |        |        |        |        |        |        |        |
|  | D             |        |        | 2      | 48,9  |        |        |        |        |        |        |        |        |        |        |
|  | TOTAL/T.STD H |        |        | 0      | 0     |        |        |        |        |        |        |        |        |        |        |
| TOTAL/T.STD D  |               |        | 2      | 10,891 |       |        |        |        |        |        |        |        |        |        |        |
| DIABETES MELLITUS AMB ACIDOSI O COMA                             | 0-14 H        | 0      | 0      |        |       | 0      | 0      |        |        |        |        |        |        |        |        |
|  | D             | 0      | 0      |        |       | 0      | 0      |        |        |        |        |        |        |        |        |
|  | 15-64 H       | 0      | 0      |        |       | 0      | 0      |        |        |        |        |        |        |        |        |
|  | D             | 0      | 0      |        |       | 0      | 0      |        |        |        |        |        |        |        |        |
|  | >= 65 H       | 1      | 33,72  |        |       | 1      | 39,97  |        |        |        |        |        |        |        |        |
|  | D             | 0      | 0      |        |       | 0      | 0      |        |        |        |        |        |        |        |        |
|  | TOTAL/T.STD H | 1      | 5,22   |        |       | 1      | 6,522  |        |        |        |        |        |        |        |        |
| TOTAL/T.STD D  | 0             | 0      |        |        | 0     | 0      |        |        |        |        |        |        |        |        |        |
| MALALTIA HIPERTENSIVA  | 0-14 H        | 0      | 0      | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|  | D             | 0      | 0      | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|  | 15-64 H       | 0      | 0      | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|  | D             | 0      | 0      | 0      | 0     | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
|  | >= 65 H       | 2      | 67,43  | 1      | 42,11 | 5      | 199,84 | 0      | 0      | 3      | 108,03 | 3      | 172,31 | 2      | 107,35 |
|  | D             | 4      | 81,42  | 6      | 146,7 | 4      | 98,38  | 6      | 220,75 | 2      | 39,19  | 5      | 142,13 | 6      | 184,39 |
|  | TOTAL/T.STD H | 2      | 10,439 | 1      | 6,608 | 5      | 33,18  | 0      | 0      | 3      | 15,89  | 3      | 28,208 | 2      | 16,803 |
| TOTAL/T.STD D  | 4             | 18,829 | 6      | 32,672 | 4     | 23,627 | 6      | 46,284 | 2      | 8,367  | 5      | 29,22  | 6      | 40,279 |        |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2A |         | ABS 2B |         | ABS 2C |        | ABS 2D |         | ABS 2E |         | ABS 2G |         | ABS 2H |         |
|---|---------------|--------|---------|--------|---------|--------|--------|--------|---------|--------|---------|--------|---------|--------|---------|
|   |               | n      | taxa    | n      | taxa    | n      | taxa   | n      | taxa    | n      | taxa    | n      | taxa    | n      | taxa    |
| MALALTIA VASCULAR<br>CEREBRAL                                       | 0-14 H        | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15-64 H       | 0      | 0       | 1      | 10,25   | 1      | 10,45  | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | >= 65 H       | 8      | 269,72  | 16     | 673,68  | 6      | 239,81 | 9      | 631,14  | 8      | 288,08  | 10     | 574,38  | 7      | 375,74  |
|   | D             | 20     | 407,08  | 10     | 244,5   | 13     | 319,72 | 14     | 515,08  | 26     | 509,5   | 20     | 568,5   | 20     | 614,63  |
|   | TOTAL/T.STD H | 8      | 41,758  | 17     | 117,392 | 7      | 47,344 | 9      | 96,148  | 8      | 47,645  | 10     | 85,441  | 7      | 60,295  |
|   | TOTAL/T.STD D | 20     | 94,143  | 10     | 56,823  | 13     | 76,083 | 14     | 111,23  | 26     | 108,774 | 20     | 119,783 | 20     | 134,262 |
| CARDIOPATIA<br>ISQUEMICA  | 0-14 H        | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15-64 H       | 3      | 30,45   | 2      | 20,51   | 1      | 10,45  | 2      | 34,41   | 1      | 10,38   | 0      | 0       | 0      | 0       |
|   | D             | 1      | 9,45    | 1      | 9,5     | 0      | 0      | 0      | 0       | 0      | 0       | 1      | 13,63   | 0      | 0       |
|   | >= 65 H       | 14     | 472,02  | 11     | 463,16  | 13     | 519,58 | 7      | 490,88  | 24     | 864,24  | 18     | 1033,89 | 10     | 536,77  |
|   | D             | 13     | 264,6   | 14     | 342,3   | 11     | 270,54 | 17     | 625,46  | 19     | 372,33  | 21     | 596,93  | 9      | 276,58  |
|   | TOTAL/T.STD H | 17     | 100,339 | 13     | 93,284  | 14     | 93,704 | 9      | 106,511 | 25     | 148,427 | 18     | 158,946 | 10     | 85,5    |
|   | TOTAL/T.STD D | 14     | 67,018  | 15     | 86,059  | 11     | 65,053 | 17     | 134,371 | 19     | 79,489  | 22     | 137,102 | 9      | 60,418  |
| EFECTES INDESITJ.<br>EN MEDICAMENTS                                 | 0-14 H        |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
|   | D             |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
|   | 15-64 H       |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
|   | D             |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
|   | >= 65 H       |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
|   | D             |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
| TOTAL/T.STD H   |               |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
| TOTAL/T.STD D   |               |        |         |        |         |        |        |        |         |        |         |        |         |        |         |
| CIRROSI I ALTRES<br>MALALTIES CRONIQUES<br>FETGE                    | 0-14 H        | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 0      | 0       |
|   | 15-64 H       | 1      | 10,15   | 1      | 10,25   | 0      | 0      | 1      | 17,2    | 2      | 20,76   | 0      | 0       | 2      | 24,66   |
|   | D             | 0      | 0       | 2      | 18,99   | 0      | 0      | 0      | 0       | 0      | 0       | 0      | 0       | 1      | 11,65   |
|   | >= 65 H       | 6      | 202,29  | 1      | 42,11   | 1      | 39,97  | 2      | 140,25  | 4      | 144,04  | 1      | 57,44   | 2      | 107,35  |
|   | D             | 2      | 40,71   | 3      | 73,35   | 2      | 49,19  | 0      | 0       | 2      | 39,19   | 2      | 56,85   | 2      | 61,46   |
|   | TOTAL/T.STD H | 7      | 43,505  | 2      | 13,762  | 1      | 7,091  | 3      | 37,231  | 6      | 37,459  | 1      | 8,544   | 4      | 34,66   |
|   | TOTAL/T.STD D | 2      | 9,95    | 5      | 30,555  | 2      | 11,657 | 0      | 0       | 2      | 9,847   | 2      | 14,591  | 3      | 21,19   |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2A |      | ABS 2B |      | ABS 2C |      | ABS 2D |        | ABS 2E |      | ABS 2G |       | ABS 2H |      |
|---|---------------|--------|------|--------|------|--------|------|--------|--------|--------|------|--------|-------|--------|------|
|   |               | n      | taxa | n      | taxa | n      | taxa | n      | taxa   | n      | taxa | n      | taxa  | n      | taxa |
| ACCIDENTS INFANTILS EN<br>MENORS DE 14 ANYS                         | 0-3 H         | 0      |      | 0      |      | 0      |      | 0      |        | 0      |      | 0      |       | 0      |      |
|   | D             | 0      |      | 0      |      | 0      |      | 0      |        | 0      |      | 0      |       | 0      |      |
|   | 4-14 H        | 0      |      | 0      |      | 0      |      | 0      |        | 0      |      | 0      |       | 0      |      |
|   | D             | 0      |      | 0      |      | 0      |      | 0      |        | 0      |      | 0      |       | 0      |      |
| INFECCIONS RESP.<br>AGUDES, NEUMONIA                                | 0-14 H        | 0      | 0    | 0      | 0    | 0      | 0    | 0      | 0      | 0      | 0    | 0      | 0     | 0      | 0    |
|   | D             | 0      | 0    | 0      | 0    | 0      | 0    | 0      | 0      | 0      | 0    | 0      | 0     | 0      | 0    |
|   | 15-50 H       | 0      | 0    | 0      | 0    | 0      | 0    | 1      | 21,92  | 0      | 0    | 0      | 0     | 0      | 0    |
|   | D             | 0      | 0    | 0      | 0    | 0      | 0    | 0      | 0      | 0      | 0    | 0      | 0     | 0      | 0    |
|   | TOTAL/T.STD H | 0      | 0    | 0      | 0    | 0      | 0    | 1      | 17,553 | 0      | 0    | 0      | 0     | 0      | 0    |
| TOTAL/T.STD D   | 0             | 0      | 0    | 0      | 0    | 0      | 0    | 0      | 0      | 0      | 0    | 0      | 0     | 0      |      |
| SOBREDOSIS<br>DROGUES   | 0-14 H        |        |      | 0      | 0    |        |      |        |        | 0      | 0    | 0      | 0     |        |      |
|   | D             |        |      | 0      | 0    |        |      |        |        | 0      | 0    | 0      | 0     |        |      |
|   | 15-64 H       |        |      | 0      | 0    |        |      |        |        | 0      | 0    | 1      | 14,77 |        |      |
|   | D             |        |      | 1      | 9,5  |        |      |        |        | 1      | 9,19 | 0      | 0     |        |      |
|   | >= 65 H       |        |      | 0      | 0    |        |      |        |        | 0      | 0    | 0      | 0     |        |      |
|   | D             |        |      | 0      | 0    |        |      |        |        | 0      | 0    | 0      | 0     |        |      |
| TOTAL/T.STD H   |               |        | 0    | 0      |      |        |      |        | 0      | 0      | 1    | 11,596 |       |        |      |
| TOTAL/T.STD D   |               |        | 1    | 5,579  |      |        |      |        | 1      | 5,963  | 0    | 0      |       |        |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |        | ABS 2J |       | ABS 2K |        | EIXAMPLE |       | TOTAL BARCELONA |       |
|---|---------------|--------|--------|--------|-------|--------|--------|----------|-------|-----------------|-------|
|   |               | n      | taxa   | n      | taxa  | n      | taxa   | n        | taxa  | n               | taxa  |
| TUBERCULOSI   | 0-14 H        |        |        | 0      | 0     | 0      | 0      | 0        | 0     | 0               | 0     |
|   | D             |        |        | 0      | 0     | 0      | 0      | 0        | 0     | 0               | 0     |
|   | 15-64 H       |        |        | 0      | 0     | 0      | 0      | 0        | 0     | 4               | 0,76  |
|   | D             |        |        | 0      | 0     | 0      | 0      | 0        | 0     | 1               | 0,18  |
|   | >= 65 H       |        |        | 1      | 46,84 | 1      | 44,5   | 3        | 13,8  | 9               | 7,02  |
|   | D             |        |        | 0      | 0     | 0      | 0      | 3        | 7,85  | 6               | 2,96  |
|   | TOTAL/T.STD H |        |        | 1      | 8,555 | 1      | 6,45   | 3        | 2,277 | 13              | 1,732 |
| TOTAL/T.STD D   |               |        | 0      | 0      | 0     | 0      | 3      | 1,736    | 7     | 0,837           |       |
| SIDA  | 0-14 H        | 0      | 0      |        |       | 0      | 0      | 0        | 0     | 0               | 0     |
|   | D             | 0      | 0      |        |       | 0      | 0      | 0        | 0     | 0               | 0     |
|   | 15-64 H       | 1      | 14,62  |        |       | 1      | 12,73  | 2        | 2,41  | 39              | 7,39  |
|   | D             | 0      | 0      |        |       | 0      | 0      | 0        | 0     | 9               | 1,66  |
|   | >= 65 H       | 0      | 0      |        |       | 1      | 44,5   | 1        | 4,6   | 3               | 2,34  |
|   | D             | 0      | 0      |        |       | 0      | 0      | 0        | 0     | 0               | 0     |
|   | TOTAL/T.STD H | 1      | 11,014 |        |       | 2      | 15,393 | 3        | 2,391 | 42              | 5,596 |
| TOTAL/T.STD D   | 0             | 0      |        |        | 0     | 0      | 0      | 0        | 9     | 1,077           |       |
| DIFTERIA  | 0-14 H        |        |        |        |       |        |        |          |       |                 |       |
|   | D             |        |        |        |       |        |        |          |       |                 |       |
|   | 15-64 H       |        |        |        |       |        |        |          |       |                 |       |
|   | D             |        |        |        |       |        |        |          |       |                 |       |
|   | >= 65 H       |        |        |        |       |        |        |          |       |                 |       |
|   | D             |        |        |        |       |        |        |          |       |                 |       |
| TOTAL/T.STD H   |               |        |        |        |       |        |        |          |       |                 |       |
| TOTAL/T.STD D   |               |        |        |        |       |        |        |          |       |                 |       |
| TOSFERINA   | 0-14 H        |        |        |        |       |        |        |          |       |                 |       |
|   | D             |        |        |        |       |        |        |          |       |                 |       |
|   | 15-64 H       |        |        |        |       |        |        |          |       |                 |       |
|   | D             |        |        |        |       |        |        |          |       |                 |       |
|   | >= 65 H       |        |        |        |       |        |        |          |       |                 |       |
|   | D             |        |        |        |       |        |        |          |       |                 |       |
| TOTAL/T.STD H   |               |        |        |        |       |        |        |          |       |                 |       |
| TOTAL/T.STD D   |               |        |        |        |       |        |        |          |       |                 |       |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |   | ABS 2I |      | ABS 2J |      | ABS 2K |      | EIXAMPLE |      | TOTAL BARCELONA |      |
|---|---|--------|------|--------|------|--------|------|----------|------|-----------------|------|
|   |   | n      | taxa | n      | taxa | n      | taxa | n        | taxa | n               | taxa |
| TETANUS   | 0-14 H<br>D<br>15-64 H<br>D<br>>= 65 H<br>D<br>TOTAL/T.STD H<br>TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |
| POLIOMELITIS<br>AGUDA   | 0-14 H<br>D<br>15-64 H<br>D<br>>= 65 H<br>D<br>TOTAL/T.STD H<br>TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |
| XARAMPIO  | 0-14 H<br>D<br>15-64 H<br>D<br>>= 65 H<br>D<br>TOTAL/T.STD H<br>TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |
| RUBEOLA   | 0-14 H<br>D<br>15-64 H<br>D<br>>= 65 H<br>D<br>TOTAL/T.STD H<br>TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |      | ABS 2J |      | ABS 2K |      | EIXAMPLE |      | TOTAL BARCELONA |      |
|---|---------------|--------|------|--------|------|--------|------|----------|------|-----------------|------|
|   |               | n      | taxa | n      | taxa | n      | taxa | n        | taxa | n               | taxa |
| GALTERES  | 0-14 H        |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | 15-64 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | >= 65 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD H |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |
| SIFILIS<br>TEMPRANA   | 0-14 H        |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | 15-64 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | >= 65 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD H |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |
| COMPLICACIONES<br>PRINCIPALES<br>DE LA SIFILIS                      | 0-14 H        |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | 15-64 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | >= 65 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD H |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |
| INFECCIO<br>GONOCOCICA  | 0-14 H        |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | 15-64 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | >= 65 H       |        |      |        |      |        |      |          |      |                 |      |
|   | D             |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD H |        |      |        |      |        |      |          |      |                 |      |
|   | TOTAL/T.STD D |        |      |        |      |        |      |          |      |                 |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes centinelles. Reg. Mortalitat (2004) |         | ABS 2I |       | ABS 2J |       | ABS 2K |      | EIXAMPLE |      | TOTAL BARCELONA |      |
|--|---------|--------|-------|--------|-------|--------|------|----------|------|-----------------|------|
|  |         | n      | taxa  | n      | taxa  | n      | taxa | n        | taxa | n               | taxa |
| HEPATITIS A  | 0-14 H  |        |       |        |       |        |      |          |      |                 |      |
|  | D       |        |       |        |       |        |      |          |      |                 |      |
|  | 15-64 H |        |       |        |       |        |      |          |      |                 |      |
|  | D       |        |       |        |       |        |      |          |      |                 |      |
|  | >= 65 H |        |       |        |       |        |      |          |      |                 |      |
|  | D       |        |       |        |       |        |      |          |      |                 |      |
| TOTAL/T.STD H  |         |        |       |        |       |        |      |          |      |                 |      |
| TOTAL/T.STD D  |         |        |       |        |       |        |      |          |      |                 |      |
| HEPATITIS B  | 0-14 H  |        |       |        |       |        |      |          |      |                 |      |
|  | D       |        |       |        |       |        |      |          |      |                 |      |
|  | 15-64 H |        |       |        |       |        |      |          |      |                 |      |
|  | D       |        |       |        |       |        |      |          |      |                 |      |
|  | >= 65 H |        |       |        |       |        |      |          |      |                 |      |
|  | D       |        |       |        |       |        |      |          |      |                 |      |
| TOTAL/T.STD H  |         |        |       |        |       |        |      |          |      |                 |      |
| TOTAL/T.STD D  |         |        |       |        |       |        |      |          |      |                 |      |
| NEOPLASIA MALIGNA LLABI  | 0-14 H  |        |       |        |       |        |      |          |      | 0               | 0    |
|  | D       |        |       |        |       |        |      |          |      | 0               | 0    |
|  | 15-64 H |        |       |        |       |        |      |          |      | 0               | 0    |
|  | D       |        |       |        |       |        |      |          |      | 0               | 0    |
|  | >= 65 H |        |       |        |       |        |      |          |      | 1               | 0,78 |
|  | D       |        |       |        |       |        |      |          |      | 1               | 0,49 |
| TOTAL/T.STD H  |         |        |       |        |       |        |      |          | 1    | 0,133           |      |
| TOTAL/T.STD D  |         |        |       |        |       |        |      |          | 1    | 0,12            |      |
| NEOPLASIA MALIGNA LLENGUA BOCA I MUCOSA ORAL                     | 0-14 H  | 0      | 0     | 0      | 0     |        |      | 0        | 0    | 0               | 0    |
|  | D       | 0      | 0     | 0      | 0     |        |      | 0        | 0    | 0               | 0    |
|  | 15-64 H | 1      | 14,62 | 1      | 11,42 |        |      | 3        | 3,62 | 6               | 1,14 |
|  | D       | 0      | 0     | 0      | 0     |        |      | 0        | 0    | 1               | 0,18 |
|  | >= 65 H | 0      | 0     | 1      | 46,84 |        |      | 2        | 9,2  | 5               | 3,9  |
|  | D       | 0      | 0     | 0      | 0     |        |      | 1        | 2,62 | 7               | 3,45 |
| TOTAL/T.STD H  | 1       | 9,901  | 2     | 16,551 |       |        | 5    | 4,03     | 11   | 1,466           |      |
| TOTAL/T.STD D  | 0       | 0      | 0     | 0      |       |        | 1    | 0,579    | 8    | 0,957           |      |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |        | ABS 2J |        | ABS 2K |        | EIXAMPLE |        | TOTAL BARCELONA |        |
|---|---------------|--------|--------|--------|--------|--------|--------|----------|--------|-----------------|--------|
|   |               | n      | taxa   | n      | taxa   | n      | taxa   | n        | taxa   | n               | taxa   |
| NEOPLASIA MALIGNA<br>LARINGE  | 0-14 H        |        |        |        |        | 0      | 0      | 0        | 0      | 0               | 0      |
|   | D             |        |        |        |        | 0      | 0      | 0        | 0      | 0               | 0      |
|   | 15-64 H       |        |        |        |        | 0      | 0      | 2        | 2,41   | 15              | 2,84   |
|   | D             |        |        |        |        | 0      | 0      | 0        | 0      | 1               | 0,18   |
|   | >= 65 H       |        |        |        |        | 1      | 44,5   | 4        | 18,4   | 30              | 23,4   |
|   | D             |        |        |        |        | 0      | 0      | 1        | 2,62   | 2               | 0,99   |
|   | TOTAL/T.STD H |        |        |        |        | 1      | 6,45   | 6        | 4,484  | 45              | 5,995  |
| TOTAL/T.STD D   |               |        |        |        | 0      | 0      | 1      | 0,579    | 3      | 0,359           |        |
| NEOPLASIA MALIGNA<br>TRAQUEA, BRONQUIOS<br>PULMO                    | 0-14 H        | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | 15-64 H       | 1      | 14,62  | 5      | 57,11  | 3      | 38,19  | 35       | 42,19  | 216             | 40,9   |
|   | D             | 0      | 0      | 1      | 10,28  | 1      | 11,36  | 15       | 16,56  | 58              | 10,68  |
|   | >= 65 H       | 8      | 468,66 | 3      | 140,52 | 8      | 356,03 | 78       | 358,8  | 482             | 375,91 |
|   | D             | 0      | 0      | 2      | 51,18  | 4      | 105,68 | 24       | 62,76  | 108             | 53,23  |
|   | TOTAL/T.STD H | 9      | 92,539 | 8      | 64,921 | 11     | 80,333 | 113      | 89,311 | 698             | 92,995 |
| TOTAL/T.STD D   | 0             | 0      | 3      | 18,097 | 5      | 31,127 | 39     | 25,054   | 166    | 19,856          |        |
| NEOPLASIA MALIGNA<br>BUFETA URINARIA                                | 0-14 H        | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | 15-64 H       | 0      | 0      | 1      | 11,42  | 0      | 0      | 4        | 4,82   | 23              | 4,36   |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 1        | 1,1    | 2               | 0,37   |
|   | >= 65 H       | 1      | 58,58  | 4      | 187,35 | 2      | 89,01  | 26       | 119,6  | 139             | 108,41 |
|   | D             | 3      | 103,99 | 3      | 76,77  | 1      | 26,42  | 11       | 28,77  | 50              | 24,64  |
|   | TOTAL/T.STD H | 1      | 10,684 | 5      | 40,219 | 2      | 15,307 | 30       | 22,849 | 162             | 21,583 |
| TOTAL/T.STD D   | 3             | 24,152 | 3      | 16,891 | 1      | 7,148  | 12     | 7,354    | 52     | 6,22            |        |
| NEOPLASIA MALIGNA<br>CERVIX UTERI                                   | 0-14 D        |        |        |        |        |        |        | 0        | 0      | 0               | 0      |
|   | 15-64 D       |        |        |        |        |        |        | 0        | 0      | 9               | 1,66   |
|   | >=65 D        |        |        |        |        |        |        | 2        | 5,23   | 13              | 6,41   |
|   | TOTAL/T.STD D |        |        |        |        |        |        | 2        | 1,157  | 22              | 2,632  |
| NEOPLASIA MALIGNA<br>COS DE L'UTER                                  | 0-14 D        | 0      | 0      | 0      | 0      |        |        | 0        | 0      | 0               | 0      |
|   | 15-64 D       | 0      | 0      | 0      | 0      |        |        | 1        | 1,1    | 5               | 0,92   |
|   | >=65 D        | 1      | 34,66  | 1      | 25,59  |        |        | 7        | 18,31  | 23              | 11,34  |
|   | TOTAL/T.STD D | 1      | 8,051  | 1      | 5,63   |        |        | 8        | 4,762  | 28              | 3,349  |

## MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |        | ABS 2J |        | ABS 2K |        | EIXAMPLE |        | TOTAL BARCELONA |        |
|---|---------------|--------|--------|--------|--------|--------|--------|----------|--------|-----------------|--------|
|   |               | n      | taxa   | n      | taxa   | n      | taxa   | n        | taxa   | n               | taxa   |
| NEOPLASIA MALIGNA<br>DE MAMA  | 0-14 D        | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | 15-64 D       | 2      | 27,25  | 2      | 20,57  | 1      | 11,36  | 15       | 16,56  | 102             | 18,78  |
|   | >=65 D        | 3      | 103,99 | 2      | 51,18  | 2      | 52,84  | 31       | 81,07  | 185             | 91,18  |
|   | TOTAL/T.STD D | 5      | 45,396 | 4      | 25,151 | 3      | 20,593 | 46       | 30,118 | 287             | 34,329 |
|   |               |        |        |        |        |        |        |          |        |                 |        |
| FEBRE REUMATICA<br>AGUDA  | 0-14 H<br>D   |        |        |        |        |        |        |          |        |                 |        |
|   | 15-64 H<br>D  |        |        |        |        |        |        |          |        |                 |        |
|   | >= 65 H<br>D  |        |        |        |        |        |        |          |        |                 |        |
|   | TOTAL/T.STD H |        |        |        |        |        |        |          |        |                 |        |
|   | TOTAL/T.STD D |        |        |        |        |        |        |          |        |                 |        |
| MALALTIA CRONICA<br>PULMONAR  | 0-14 H        | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 0               | 0      |
|   | 15-64 H       | 0      | 0      | 1      | 11,42  | 0      | 0      | 3        | 3,62   | 20              | 3,79   |
|   | D             | 0      | 0      | 0      | 0      | 0      | 0      | 0        | 0      | 3               | 0,55   |
|   | >= 65 H       | 3      | 175,75 | 7      | 327,87 | 4      | 178,02 | 54       | 248,4  | 341             | 265,95 |
|   | D             | 2      | 69,32  | 6      | 153,53 | 2      | 52,84  | 20       | 52,3   | 106             | 52,24  |
|   | TOTAL/T.STD H | 3      | 27,802 | 8      | 60,098 | 4      | 25,8   | 57       | 42,131 | 361             | 48,096 |
| TOTAL/T.STD D   | 2             | 16,101 | 6      | 33,782 | 2      | 11,788 | 20     | 11,575   | 109    | 13,038          |        |
| GRIP  | 0-14 H        |        |        |        |        |        |        |          |        | 0               | 0      |
|   | D             |        |        |        |        |        |        |          |        | 0               | 0      |
|   | 15-64 H       |        |        |        |        |        |        |          |        | 0               | 0      |
|   | D             |        |        |        |        |        |        |          |        | 0               | 0      |
|   | >= 65 H       |        |        |        |        |        |        |          |        | 1               | 0,78   |
|   | D             |        |        |        |        |        |        |          |        | 1               | 0,49   |
|   | TOTAL/T.STD H |        |        |        |        |        |        |          |        | 1               | 0,133  |
| TOTAL/T.STD D   |               |        |        |        |        |        |        |          | 1      | 0,12            |        |

## MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |       | ABS 2J |        | ABS 2K |       | EIXAMPLE |        | TOTAL BARCELONA |        |
|---|---------------|--------|-------|--------|--------|--------|-------|----------|--------|-----------------|--------|
|   |               | n      | taxa  | n      | taxa   | n      | taxa  | n        | taxa   | n               | taxa   |
| ASMA  | 0-14 H        |        |       |        |        | 0      | 0     | 0        | 0      | 0               | 0      |
|   | D             |        |       |        |        | 0      | 0     | 0        | 0      | 0               | 0      |
|   | 15-64 H       |        |       |        |        | 0      | 0     | 0        | 0      | 3               | 0,57   |
|   | D             |        |       |        |        | 0      | 0     | 1        | 1,1    | 4               | 0,74   |
|   | >= 65 H       |        |       |        |        | 0      | 0     | 0        | 0      | 6               | 4,68   |
|   | D             |        |       |        |        | 1      | 26,42 | 5        | 13,08  | 21              | 10,35  |
|   | TOTAL/T.STD H |        |       |        |        | 0      | 0     | 0        | 0      | 9               | 1,199  |
| TOTAL/T.STD D   |               |        |       |        | 1      | 5,894  | 6     | 3,607    | 25     | 2,99            |        |
| INFECCIONS PELL<br>I TEIXIT SUBCUTANI                               | 0-14 H        |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | D             |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | 15-64 H       |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | D             |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | >= 65 H       |        |       |        |        |        |       | 0        | 0      | 2               | 1,56   |
|   | D             |        |       |        |        |        |       | 2        | 5,23   | 4               | 1,97   |
|   | TOTAL/T.STD H |        |       |        |        |        |       | 0        | 0      | 2               | 0,266  |
| TOTAL/T.STD D   |               |        |       |        |        |        | 2     | 1,157    | 4      | 0,478           |        |
| DIABETES MELLITUS<br>AMB ACIDOSI O COMA                             | 0-14 H        |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | D             |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | 15-64 H       |        |       |        |        |        |       | 0        | 0      | 1               | 0,19   |
|   | D             |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | >= 65 H       |        |       |        |        |        |       | 2        | 9,2    | 3               | 2,34   |
|   | D             |        |       |        |        |        |       | 0        | 0      | 0               | 0      |
|   | TOTAL/T.STD H |        |       |        |        |        |       | 2        | 1,416  | 4               | 0,533  |
| TOTAL/T.STD D   |               |        |       |        |        |        | 0     | 0        | 0      | 0               |        |
| MALALTIA<br>HIPERTENSIVA  | 0-14 H        | 0      | 0     | 0      | 0      | 0      | 0     | 0        | 0      | 0               | 0      |
|   | D             | 0      | 0     | 0      | 0      | 0      | 0     | 0        | 0      | 0               | 0      |
|   | 15-64 H       | 0      | 0     | 0      | 0      | 1      | 12,73 | 1        | 1,21   | 7               | 1,33   |
|   | D             | 0      | 0     | 0      | 0      | 0      | 0     | 0        | 0      | 3               | 0,55   |
|   | >= 65 H       | 1      | 58,58 | 3      | 140,52 | 1      | 44,5  | 21       | 96,6   | 97              | 75,65  |
|   | D             | 0      | 0     | 4      | 102,35 | 2      | 52,84 | 39       | 101,99 | 176             | 86,74  |
|   | TOTAL/T.STD H | 1      | 9,267 | 3      | 22,193 | 2      | 15,53 | 22       | 16,014 | 104             | 13,856 |
| TOTAL/T.STD D   | 0             | 0      | 4     | 22,521 | 2      | 11,788 | 39    | 22,708   | 179    | 21,411          |        |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |         | ABS 2J |         | ABS 2K |         | EIXAMPLE |         | TOTAL BARCELONA |         |
|---|---------------|--------|---------|--------|---------|--------|---------|----------|---------|-----------------|---------|
|   |               | n      | taxa    | n      | taxa    | n      | taxa    | n        | taxa    | n               | taxa    |
| MALALTIA VASCULAR<br>CEREBRAL                                       | 0-14 H        | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 1               | 1,11    |
|   | 15-64 H       | 1      | 14,62   | 0      | 0       | 1      | 12,73   | 4        | 4,82    | 50              | 9,47    |
|   | D             | 1      | 13,63   | 1      | 10,28   | 0      | 0       | 2        | 2,21    | 16              | 2,95    |
|   | >= 65 H       | 6      | 351,49  | 6      | 281,03  | 9      | 400,53  | 85       | 391     | 482             | 375,91  |
|   | D             | 12     | 415,94  | 14     | 358,24  | 17     | 449,14  | 166      | 434,1   | 781             | 384,92  |
|   | TOTAL/T.STD H | 7      | 68,162  | 6      | 45,543  | 10     | 69,537  | 89       | 65,644  | 532             | 70,879  |
|   | TOTAL/T.STD D | 13     | 105,635 | 15     | 90,064  | 17     | 101,451 | 168      | 98,836  | 798             | 95,452  |
| CARDIOPATIA<br>ISQUEMICA  | 0-14 H        | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | 15-64 H       | 2      | 29,24   | 2      | 22,84   | 5      | 63,65   | 18       | 21,7    | 140             | 26,51   |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0       | 3        | 3,31    | 14              | 2,58    |
|   | >= 65 H       | 11     | 644,41  | 16     | 749,41  | 6      | 267,02  | 130      | 598     | 661             | 515,52  |
|   | D             | 8      | 277,3   | 9      | 230,3   | 19     | 501,98  | 140      | 366,11  | 621             | 306,07  |
|   | TOTAL/T.STD H | 13     | 124,097 | 18     | 140,776 | 11     | 90,544  | 148      | 112,878 | 801             | 106,718 |
|   | TOTAL/T.STD D | 8      | 66,063  | 9      | 52,104  | 19     | 113,239 | 143      | 84,944  | 635             | 75,955  |
| EFECTES INDESITJ.<br>EN MEDICAMENTS                                 | 0-14 H        |        |         |        |         |        |         |          |         | 0               | 0       |
|   | D             |        |         |        |         |        |         |          |         | 0               | 0       |
|   | 15-64 H       |        |         |        |         |        |         |          |         | 0               | 0       |
|   | D             |        |         |        |         |        |         |          |         | 0               | 0       |
|   | >= 65 H       |        |         |        |         |        |         |          |         | 1               | 0,78    |
|   | D             |        |         |        |         |        |         |          |         | 4               | 1,97    |
| TOTAL/T.STD H   |               |        |         |        |         |        |         |          | 1       | 0,133           |         |
| TOTAL/T.STD D   |               |        |         |        |         |        |         |          | 4       | 0,478           |         |
| CIRROSI I ALTRES<br>MALALTIES CRONIQUES<br>FETGE                    | 0-14 H        | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0       | 0        | 0       | 0               | 0       |
|   | 15-64 H       | 1      | 14,62   | 0      | 0       | 0      | 0       | 8        | 9,64    | 73              | 13,82   |
|   | D             | 0      | 0       | 0      | 0       | 0      | 0       | 3        | 3,31    | 24              | 4,42    |
|   | >= 65 H       | 3      | 175,75  | 1      | 46,84   | 2      | 89,01   | 23       | 105,8   | 97              | 75,65   |
|   | D             | 0      | 0       | 0      | 0       | 1      | 26,42   | 14       | 36,61   | 74              | 36,47   |
|   | TOTAL/T.STD H | 4      | 37,527  | 1      | 7,398   | 2      | 15,307  | 31       | 24,487  | 170             | 22,649  |
|   | TOTAL/T.STD D | 0      | 0       | 0      | 0       | 1      | 5,894   | 17       | 10,897  | 98              | 11,722  |

MORTALITAT\_CENTINELLES

| Indicadors mortalitat causes<br>centinelles. Reg. Mortalitat (2004) |               | ABS 2I |      | ABS 2J |      | ABS 2K |      | EIXAMPLE |       | TOTAL BARCELONA |       |
|---|---------------|--------|------|--------|------|--------|------|----------|-------|-----------------|-------|
|   |               | n      | taxa | n      | taxa | n      | taxa | n        | taxa  | n               | taxa  |
| ACCIDENTS INFANTILS EN<br>MENORS DE 14 ANYS                         | 0-3 H         | 0      |      | 0      |      | 0      |      | 0        |       | 1               |       |
|   | D             | 0      |      | 0      |      | 0      |      | 0        |       | 2               |       |
|   | 4-14 H        | 0      |      | 0      |      | 0      |      | 0        |       | 5               |       |
|   | D             | 0      |      | 0      |      | 0      |      | 0        |       | 0               |       |
| INFECCIONS RESP.<br>AGUDES, NEUMONIA                                | 0-14 H        | 0      | 0    | 0      | 0    | 0      | 0    | 0        | 0     | 1               | 1,06  |
|   | D             | 0      | 0    | 0      | 0    | 0      | 0    | 0        | 0     | 0               | 0     |
|   | 15-50 H       | 0      | 0    | 0      | 0    | 0      | 0    | 1        | 1,58  | 4               | 0,98  |
|   | D             | 0      | 0    | 0      | 0    | 0      | 0    | 0        | 0     | 3               | 0,74  |
|   | TOTAL/T.STD H | 0      | 0    | 0      | 0    | 0      | 0    | 1        | 1,213 | 5               | 0,999 |
| TOTAL/T.STD D   | 0             | 0      | 0    | 0      | 0    | 0      | 0    | 0        | 3     | 0,609           |       |
| SOBREDOSIS<br>DROGUES   | 0-14 H        |        |      |        |      |        |      | 0        | 0     | 0               | 0     |
|   | D             |        |      |        |      |        |      | 0        | 0     | 0               | 0     |
|   | 15-64 H       |        |      |        |      |        |      | 1        | 1,21  | 45              | 8,52  |
|   | D             |        |      |        |      |        |      | 2        | 2,21  | 11              | 2,03  |
|   | >= 65 H       |        |      |        |      |        |      | 0        | 0     | 1               | 0,78  |
|   | D             |        |      |        |      |        |      | 0        | 0     | 2               | 0,99  |
| TOTAL/T.STD H   |               |        |      |        |      |        | 1    | 0,874    | 46    | 6,129           |       |
| TOTAL/T.STD D   |               |        |      |        |      |        | 2    | 1,365    | 13    | 1,555           |       |