

SOCIOECONOMICS

| | | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|-----------------|--------|
| INDICADORS SOCIO-ECONOMICS | FONT | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| POBLACIO | PADRÓ (2005) | | | | | | | | | | | | | | | | |
| 0 - 3 anys (Homes) | | 502 | | 473 | | 462 | | 331 | | 195 | | 440 | | 2.403 | | 26.990 | |
| (Dones) | | 494 | | 476 | | 409 | | 324 | | 195 | | 466 | | 2.364 | | 25.788 | |
| 4 - 14 anys (Homes) | | 1.339 | | 1.293 | | 1.152 | | 713 | | 489 | | 1.068 | | 6.054 | | 67.277 | |
| (Dones) | | 1.347 | | 1.337 | | 1.095 | | 617 | | 434 | | 1.004 | | 5.834 | | 64.218 | |
| 15 - 64 anys (Homes) | | 11.317 | | 10.436 | | 9.574 | | 4.761 | | 3.538 | | 8.501 | | 48.127 | | 528.076 | |
| (Dones) | | 12.145 | | 11.107 | | 9.843 | | 4.539 | | 3.121 | | 8.760 | | 49.515 | | 543.113 | |
| >= 65 anys (Homes) | | 2.185 | | 3.359 | | 2.090 | | 1.020 | | 581 | | 1.546 | | 10.781 | | 128.221 | |
| (Dones) | | 3.180 | | 5.245 | | 3.291 | | 1.472 | | 793 | | 2.370 | | 16.351 | | 202.896 | |
| Index de dependència demogràfica | PADRÓ (2005) | | 38,56 | | 56,55 | | 43,77 | | 48,14 | | 40,35 | | 39,94 | | 44,84 | | 48,11 |
| Index d'envelliment | PADRÓ (2005) | | 145,71 | | 240,4 | | 172,58 | | 125,54 | | 104,65 | | 131,5 | | 162,91 | | 179,68 |
| Index sobre-envelliment (>=75 anys / >=65anys) (Homes) | PADRÓ (2005) | | 43,2 | | 48,23 | | 46,65 | | 42,06 | | 39,24 | | 40,88 | | 44,78 | | 45,44 |
| (Dones) | | | 52,89 | | 54,57 | | 55,79 | | 48,44 | | 44,39 | | 51,6 | | 53,01 | | 54,86 |
| Llars unipersonals | PADRÓ (2005) | | | | | | | | | | | | | | | | |
| >= 65 anys (Homes) | | 247 | 11,304 | 363 | 10,807 | 239 | 11,435 | 129 | 12,647 | 62 | 10,671 | 159 | 10,285 | 1.199 | 11,121 | 15.981 | 12,464 |
| (Dones) | | 799 | 25,126 | 1.549 | 29,533 | 914 | 27,773 | 353 | 23,981 | 205 | 25,851 | 609 | 25,696 | 4.429 | 27,087 | 56.740 | 27,965 |
| >= 75 anys (Homes) | | 129 | | 225 | | 147 | | 65 | | 34 | | 82 | | 682 | | 8.727 | |
| (Dones) | | 357 | | 684 | | 438 | | 122 | | 88 | | 250 | | 1.939 | | 27.131 | |
| Nascuts fora Catalunya | PADRÓ (2005) | 12.446 | 38,285 | 13.276 | 39,364 | 9.760 | 34,962 | 5.079 | 36,866 | 5.669 | 60,657 | 8.548 | 35,388 | 54.778 | 38,732 | 650.961 | 41,029 |
| Immigració estrangera (nd:5622) | PADRÓ (2005) | | | | | | | | | | | | | | | | |
| Europa Comunitària | | 280 | | 351 | | 291 | | 62 | | 67 | | 162 | | 1.213 | | 38.526 | |
| Reste d' Europa | | 252 | | 366 | | 235 | | 105 | | 154 | | 166 | | 1.278 | | 19.309 | |
| Amèrica Central i llatina | | 2.315 | | 2.569 | | 1.549 | | 817 | | 1.118 | | 894 | | 9.262 | | 122.477 | |
| EEUU i Canadà | | 20 | | 23 | | 10 | | 2 | | 2 | | 12 | | 69 | | 3.531 | |
| Països del Magreb | | 156 | | 155 | | 127 | | 190 | | 641 | | 96 | | 1.365 | | 17.388 | |
| Reste de països d'Àfrica | | 83 | | 62 | | 73 | | 59 | | 94 | | 21 | | 392 | | 4.474 | |
| Àsia | | 291 | | 289 | | 258 | | 226 | | 627 | | 203 | | 1.894 | | 41.984 | |
| Oceania | | 0 | | 5 | | 2 | | 0 | | 0 | | 1 | | 8 | | 371 | |
| Mitjana Persones/ habitatge | PADRÓ (2005) | 3 | | 2 | | 2 | | 3 | | 3 | | 3 | | 3 | | 2 | |
| Situació Laboral: | PADRÓ (2005) | | | | | | | | | | | | | | | | |
| Jubilats | | 4.904 | 14,534 | 8.143 | 22,967 | 5.531 | 19,914 | 2.692 | 22,013 | 1.404 | 16,875 | 3.548 | 15,978 | 26.222 | 18,761 | 327.676 | 21,658 |
| Aturats | | 2.923 | 8,57 | 2.931 | 8,257 | 2.548 | 9,174 | 1.715 | 14,024 | 1.032 | 12,404 | 2.025 | 9,119 | 13.174 | 9,432 | 137.581 | 9,093 |
| Mestresses de casa | | 3.257 | 9,658 | 3.996 | 11,305 | 2.945 | 10,603 | 1.573 | 12,863 | 977 | 11,743 | 2.476 | 11,15 | 15.224 | 10,917 | 160.957 | 10,638 |
| Incapacitats | | 315 | 0,941 | 361 | 1,027 | 253 | 0,911 | 205 | 1,676 | 117 | 1,406 | 218 | 0,982 | 1.469 | 1,057 | 16.297 | 1,077 |
| Turismes + 16 Cvf/1000 hab. | Cens de vehicles (2005) | | 15,996 | | 14,321 | | 14,4 | | 21,921 | | 9,737 | | 13,372 | | 14,997 | | 29,267 |
| Turismes - 8 Cvf/1000 hab. | | | 9,597 | | 11,742 | | 9,708 | | 8,275 | | 8,453 | | 7,203 | | 9,517 | | 13,168 |
| Turismes + 9 anys/1000 hab. | | | 120,83 | | 134,38 | | 114,63 | | 115,48 | | 117,59 | | 103,13 | | 119,08 | | 134,64 |
| Turismes - 1 any/1000 hab. | | | 26,33 | | 20,76 | | 21,06 | | 30,49 | | 18,62 | | 27,16 | | 24 | | 28,17 |

SOCIOECONOMICS

| INDICADORS SOCIO-ECONOMICS | FONT | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--------------------------------|------------------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|--------|--------|-------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| Nivell instrucció. (>=16 anys) | PADRO (2005) | | | | | | | | | | | | | | | | |
| Primaria incompl. i analf. | | 3.225 | 11,22 | 3.755 | 12,48 | 2.997 | 12,13 | 2.153 | 17,91 | 1.609 | 18,96 | 2.608 | 12,2 | 16.347 | 13,03 | 168.622 | 11,94 |
| Primaria completa | | 7.848 | 27,3 | 8.492 | 28,22 | 7.084 | 28,67 | 4.511 | 37,53 | 3.357 | 39,55 | 5.994 | 28,03 | 37.286 | 29,72 | 372.397 | 26,37 |
| Estudis secundaris | | 13.006 | 45,24 | 12.694 | 42,18 | 10.607 | 42,93 | 4.286 | 35,65 | 2.924 | 34,45 | 9.192 | 42,98 | 52.709 | 42,02 | 560.435 | 39,68 |
| Estudis mitjos i superiors | | 4.380 | 15,23 | 4.851 | 16,12 | 3.790 | 15,34 | 952 | 7,92 | 509 | 6 | 3.331 | 15,58 | 17.813 | 14,2 | 296.545 | 21 |
| Naixements i taxa natalitat | Reg. Naixements (2005) | 230 | 7,02 | 237 | 6,98 | 216 | 7,69 | 195 | 13,72 | 106 | 10,6 | 260 | 10,55 | 1.244 | 8,66 | 14.736 | 9,14 |
| Naixements en dones <= 19 anys | Reg. Naixements (2005) | 2 | | 2 | | 3 | | 6 | | 4 | | 2 | | 19 | | 281 | |
| Taxa fecunditat | Reg. Naixements (2005) | | 27,07 | | 29,65 | | 31,07 | | 54,29 | | 41,85 | | 40,25 | | 34,53 | | 36,9 |
| Naixements baix pes i taxa | Reg. Naixements (2005) | 13 | 56,52 | 13 | 54,85 | 13 | 60,19 | 14 | 71,79 | 12 | 113,21 | 19 | 73,08 | 84 | 67,52 | 1.042 | 70,71 |
| M.Perinatal/1000 naix.(Nacion) | Reg. Perinatal (2005) | 0 | 0 | 3 | 12,55 | 5 | 22,62 | 1 | 5,1 | 2 | 18,52 | 0 | 0 | 11 | 8,77 | 94 | 6,34 |
| M.Perinatal/1000 naix.(Inter) | Reg. Perinatal (2005) | 0 | 0 | 1 | 4,18 | 2 | 9,05 | 1 | 5,1 | 2 | 18,52 | 0 | 0 | 6 | 4,78 | 58 | 3,91 |
| NAIXEMENTS | Reg.Naixements (2005) | | | | | | | | | | | | | | | | |
| Edat de la Mare < 15 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 6 | |
| 15 - 19 | | 2 | | 2 | | 3 | | 6 | | 4 | | 2 | | 19 | | 275 | |
| 20 - 24 | | 13 | | 13 | | 14 | | 18 | | 15 | | 12 | | 85 | | 1.031 | |
| 25 - 29 | | 50 | | 40 | | 43 | | 61 | | 30 | | 51 | | 275 | | 2.855 | |
| 30 - 34 | | 91 | | 110 | | 84 | | 73 | | 38 | | 134 | | 530 | | 6.099 | |
| 35 - 39 | | 65 | | 59 | | 62 | | 30 | | 15 | | 52 | | 283 | | 3.701 | |
| 40 - 44 | | 8 | | 12 | | 10 | | 7 | | 3 | | 9 | | 49 | | 723 | |
| >= 45 | | 1 | | 1 | | 0 | | 0 | | 1 | | 0 | | 3 | | 44 | |
| I.V.E.s. | Reg.IVES (2005) | | | | | | | | | | | | | | | | |
| Edat de la Mare < 15 | | | | | | | | | | | | | | | | 9 | |
| 15 - 19 | | | | | | | | | | | | | | | | 493 | |
| 20 - 24 | | | | | | | | | | | | | | | | 1.188 | |
| 25 - 29 | | | | | | | | | | | | | | | | 1.269 | |
| 30 - 34 | | | | | | | | | | | | | | | | 920 | |
| 35 - 39 | | | | | | | | | | | | | | | | 589 | |
| 40 - 44 | | | | | | | | | | | | | | | | 225 | |
| >= 45 | | | | | | | | | | | | | | | | 20 | |
| Lloc d'Origen | Reg.Naixements (2005) | | | | | | | | | | | | | | | | |
| del Pare: | | | | | | | | | | | | | | | | | |
| Estat espanyol | | 190 | | 182 | | 163 | | 166 | | 67 | | 231 | | 999 | | 10.929 | |
| Europa i països desenvolupats | | 6 | | 8 | | 7 | | 0 | | 3 | | 3 | | 27 | | 838 | |
| Països Magreb | | 3 | | 4 | | 4 | | 7 | | 15 | | 5 | | 38 | | 360 | |
| Resta d'Àfrica | | 4 | | 1 | | 1 | | 2 | | 0 | | 1 | | 9 | | 98 | |
| Centre i Sudamèrica | | 16 | | 36 | | 25 | | 13 | | 18 | | 11 | | 119 | | 1.485 | |
| Àsia (sense Japó) | | 5 | | 4 | | 4 | | 2 | | 2 | | 8 | | 25 | | 604 | |
| de la Mare: | | | | | | | | | | | | | | | | | |
| Estat espanyol | | 194 | | 177 | | 164 | | 162 | | 67 | | 229 | | 993 | | 11.151 | |
| Europa i països desenvolupats | | 5 | | 7 | | 8 | | 6 | | 5 | | 5 | | 36 | | 746 | |
| Països Magreb | | 2 | | 6 | | 8 | | 5 | | 13 | | 7 | | 41 | | 346 | |
| Resta d'Àfrica | | 3 | | 1 | | 0 | | 1 | | 2 | | 0 | | 7 | | 76 | |
| Centre i Sudamèrica | | 21 | | 42 | | 30 | | 19 | | 16 | | 11 | | 139 | | 1.796 | |
| Àsia (sense Japó) | | 5 | | 4 | | 4 | | 2 | | 3 | | 8 | | 26 | | 600 | |

MDOS_NOMINALES

| INDICADORS M.D.O. NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | | |
|-------------------------------|-------------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|-------------|------|-----------------|------|------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | |
| TETANUS | 0 - 14 H | | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | | 1 | 0,19 |
| | D | | | | | | | | | | | | | | | | 0 | 0 |
| | > = 65 H | | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | | | 0 | 0 |
| HEPATITIS A | 0 - 14 H | | | | | | | | | | | | | | | | 8 | 8,49 |
| | D | | | | | | | | | | | | | | | | 6 | 6,67 |
| | 15 - 64 | | | | | | | | | | | | | | | | 36 | 6,82 |
| | D | | | | | | | | | | | | | | | | 20 | 3,68 |
| | > = 65 H | | | | | | | | | | | | | | | | 1 | 0,78 |
| D | | | | | | | | | | | | | | | | | 1 | 0,49 |
| HEPATITIS B | 0 - 14 H | | | | | | | | | | | | | | | | 3 | 3,18 |
| | D | | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | | 39 | 7,39 |
| | D | | | | | | | | | | | | | | | | 9 | 1,66 |
| | > = 65 H | | | | | | | | | | | | | | | | 1 | 0,78 |
| D | | | | | | | | | | | | | | | | | 0 | 0 |
| ALTRES HEPATITIS | 0 - 14 H | | | | | | | | | | | | | | | | 3 | 3,18 |
| | D | | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | | 27 | 5,11 |
| | D | | | | | | | | | | | | | | | | 13 | 2,39 |
| | > = 65 H | | | | | | | | | | | | | | | | 5 | 3,9 |
| D | | | | | | | | | | | | | | | | | 6 | 2,96 |
| HEPATITIS DELTA | 0 - 14 H | | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | | |
| | 15 - 64 | | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | | |
| | > = 65 H | | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | | |
| AMEBIASI | 0 - 14 H | | | | | | | | | | | | | | | | 1 | 1,06 |
| | D | | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | | 4 | 0,76 |
| | D | | | | | | | | | | | | | | | | 4 | 0,74 |
| | > = 65 H | | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | | 0 | 0 | |

MDOS_NOMINALES

| INDICADORS M.D.O. NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|-------------------------------|-------------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|-------------|------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| BRUCEL.LOSI | 0 - 14 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | 1 | 0,19 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | > = 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 0 | 0 | |
| FEB.TIFOIDEA | 0 - 14 H | | | | | | | | | | | | | | | 1 | 1,06 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | 4 | 0,76 |
| | D | | | | | | | | | | | | | | | 3 | 0,55 |
| | > = 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 0 | 0 | |
| HAEMOPH.INFL. | 0 - 14 H | | | | | | | | | | | | | | | 1 | 1,06 |
| | D | | | | | | | | | | | | | | | 1 | 1,11 |
| | 15 - 64 | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | > = 65 H | | | | | | | | | | | | | | | 1 | 0,78 |
| D | | | | | | | | | | | | | | | 0 | 0 | |
| LEGIONELLA | 0 - 14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15 - 64 | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | > = 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| MAL.MENINGOCOCICA | 0 - 14 H | | | | | | | | | | | | | | | 11 | 11,67 |
| | D | | | | | | | | | | | | | | | 5 | 5,56 |
| | 15 - 64 | | | | | | | | | | | | | | | 10 | 1,89 |
| | D | | | | | | | | | | | | | | | 5 | 0,92 |
| | > = 65 H | | | | | | | | | | | | | | | 2 | 1,56 |
| D | | | | | | | | | | | | | | | 2 | 0,99 | |

MDOS_NOMINALES

| INDICADORS M.D.O. NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|-------------------------------|-------------|--------|------|--------|-------|--------|------|--------|--------|--------|------|--------|------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| PALUDISME | 0 - 14 H | | | | | | | | | | | | | | | 5 | 5,3 |
| | D | | | | | | | | | | | | | | | 5 | 5,56 |
| | 15 - 64 | | | | | | | | | | | | | | | 20 | 3,79 |
| | D | | | | | | | | | | | | | | | 19 | 3,5 |
| | > = 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 1 | 0,49 | |
| PAROTIDITIS | 0 - 14 H | | | 0 | 0 | | | 3 | 287,36 | | | | | 3 | 35,47 | 8 | 8,49 |
| | D | | | 0 | 0 | | | 2 | 212,54 | | | | | 2 | 24,4 | 12 | 13,33 |
| | 15 - 64 | | | 2 | 19,16 | | | 3 | 63,01 | | | | | 5 | 10,39 | 30 | 5,68 |
| | D | | | 0 | 0 | | | 1 | 22,03 | | | | | 1 | 2,02 | 16 | 2,95 |
| | > = 65 H | | | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 |
| D | | | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 1 | 0,49 | |
| LEISHMANIOSI | 0 - 14 H | | | | | | | | | | | | | | | 1 | 1,06 |
| | D | | | | | | | | | | | | | | | 3 | 3,33 |
| | 15 - 64 | | | | | | | | | | | | | | | 3 | 0,57 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | > = 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 0 | 0 | |
| SHIGELLA | 0 - 14 H | 0 | 0 | | | | | | | | | | | 0 | 0 | 4 | 4,24 |
| | D | 0 | 0 | | | | | | | | | | | 0 | 0 | 8 | 8,89 |
| | 15 - 64 | 1 | 8,84 | | | | | | | | | | | 1 | 2,08 | 17 | 3,22 |
| | D | 0 | 0 | | | | | | | | | | | 0 | 0 | 16 | 2,95 |
| | > = 65 H | 0 | 0 | | | | | | | | | | | 0 | 0 | 0 | 0 |
| D | 0 | 0 | | | | | | | | | | | 0 | 0 | 0 | 0 | |
| GASTR.E.COLI | 0 - 14 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 15 - 64 | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 2 | 0,37 |
| | > = 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 0 | 0 | |

MDOS_NOMINALES

| INDICADORS M.D.O. NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|-------------------------------|-------------|--------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|-------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| TOSFERINA | 0 - 14 H | | | | | 0 | 0 | 1 | 95,79 | 1 | 146,2 | | | 2 | 23,65 | 7 | 7,43 |
| | D | | | | | 1 | 66,49 | 0 | 0 | 1 | 158,98 | | | 2 | 24,4 | 12 | 13,33 |
| | 15 - 64 | | | | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 |
| | D | | | | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 3 | 0,55 |
| | > = 65 H | | | | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 |
| D | | | | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | |
| TUBERCULOSIS | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 146,2 | 0 | 0 | 1 | 11,82 | 26 | 27,58 |
| | D | 0 | 0 | 0 | 0 | 2 | 132,98 | 1 | 106,27 | 0 | 0 | 1 | 68,03 | 4 | 48,79 | 20 | 22,22 |
| | 15 - 64 | 3 | 26,51 | 4 | 38,33 | 3 | 31,33 | 2 | 42,01 | 4 | 113,06 | 1 | 11,76 | 17 | 35,32 | 228 | 43,18 |
| | D | 3 | 24,7 | 3 | 27,01 | 2 | 20,32 | 1 | 22,03 | 0 | 0 | 0 | 0 | 9 | 18,18 | 112 | 20,62 |
| | > = 65 H | 1 | 45,77 | 0 | 0 | 3 | 143,54 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 37,1 | 52 | 40,55 |
| D | 0 | 0 | 1 | 19,07 | 3 | 91,16 | 1 | 67,93 | 0 | 0 | 0 | 0 | 5 | 30,58 | 40 | 19,71 | |
| SIDA | 0 - 14 H | | | | | | | | | 0 | 0 | | | 0 | 0 | 0 | 0 |
| | D | | | | | | | | | 0 | 0 | | | 0 | 0 | 0 | 0 |
| | 15 - 64 | | | | | | | | | 1 | 28,26 | | | 1 | 2,08 | 92 | 17,42 |
| | D | | | | | | | | | 0 | 0 | | | 0 | 0 | 16 | 2,95 |
| | > = 65 H | | | | | | | | | 0 | 0 | | | 0 | 0 | 2 | 1,56 |
| D | | | | | | | | | 0 | 0 | | | 0 | 0 | 0 | 0 | |
| XARAMPIO | 0 - 14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15 - 64 | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | > = 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|-------------------------------------|------------------------|--------|--------|--------|-------|--------|-------|--------|--------|--------|------|--------|--------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| TUBERCULOSI | 0-14 H | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 6 | 1,11 |
| | D | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | >= 65 H | 2 | 88,65 | | | 0 | 0 | | | | | 1 | 61,88 | 3 | 27,52 | 10 | 7,78 |
| | D | 0 | 0 | | | 1 | 30,45 | | | | | 0 | 0 | 1 | 6,06 | 9 | 4,44 |
| | TOTAL/T.STD H | 2 | 15,032 | | | 0 | 0 | | | | | 1 | 12,023 | 3 | 4,656 | 16 | 2,087 |
| TOTAL/T.STD D | 0 | 0 | | | 1 | 7,462 | | | | | 0 | 0 | 1 | 1,378 | 9 | 1,065 | |
| SIDA | 0-14 H | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 0 | 0 |
| | D | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 0 | 0 |
| | 15-64 H | | | 1 | 9,48 | 2 | 20,81 | 2 | 40,22 | | | | | 5 | 10,2 | 53 | 9,78 |
| | D | | | 0 | 0 | 1 | 10,07 | 0 | 0 | | | | | 1 | 1,99 | 14 | 2,54 |
| | >= 65 H | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 4 | 3,11 |
| | D | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 1 | 0,49 |
| | TOTAL/T.STD H | | | 1 | 6,413 | 2 | 15,34 | 2 | 30,955 | | | | | 5 | 7,207 | 57 | 7,433 |
| TOTAL/T.STD D | | | 0 | 0 | 1 | 7,105 | 0 | 0 | | | | | 1 | 1,348 | 15 | 1,774 | |
| DIFTERIA | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |
| TOSFERINA | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |
| TETANUS | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|-------------------------------------|---|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|-------------|------|-----------------|------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| POLIOMELITIS AGUDA | 0-14 H D 15-64 H D >= 65 H D TOTAL/T.STD H TOTAL/T.STD D | | | | | | | | | | | | | | | | |
| XARAMPIO | 0-14 H D 15-64 H D >= 65 H D TOTAL/T.STD H TOTAL/T.STD D | | | | | | | | | | | | | | | | |
| RUBEOLA | 0-14 H D 15-64 H D >= 65 H D TOTAL/T.STD H TOTAL/T.STD D | | | | | | | | | | | | | | | | |
| GALTERES | 0-14 H D 15-64 H D >= 65 H D TOTAL/T.STD H TOTAL/T.STD D | | | | | | | | | | | | | | | | |
| SIFILIS TEMPRANA | 0-14 H D 15-64 H D >= 65 H D TOTAL/T.STD H TOTAL/T.STD D | | | | | | | | | | | | | | | | |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|------------------------|--------|------|--------|------|--------|-------|--------|------|--------|------|--------|------|-------------|------|-----------------|------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| COMPLICACIONES PRINCIPALES DE LA SIFILIS | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |
| INFECCIO GONOCOCICA | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |
| HEPATITIS A | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |
| HEPATITIS B | 0-14 H | | | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | D | | | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | 15-64 H | | | | | 1 | 10,41 | | | | | | | 1 | 2,04 | 3 | 0,55 |
| | D | | | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | >= 65 H | | | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| D | | | | | 0 | 0 | | | | | | | 0 | 0 | 1 | 0,49 | |
| TOTAL/T.STD H | | | | | 1 | 8,401 | | | | | | | 1 | 1,527 | 3 | 0,391 | |
| TOTAL/T.STD D | | | | | 0 | 0 | | | | | | | 0 | 0 | 1 | 0,118 | |
| NEOPLASIA MALINGA LLABI | 0-14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15-64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | >= 65 H | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | | | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | | | |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|--------|---------|--------|--------|-------------|---------|-----------------|--------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| NEOPLASIA MALIGNA LLENGUA BOCA I MUCOSA ORAL | 0-14 H | 0 | 0 | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | | | 0 | 0 | | | | | | | 0 | 0 | 3 | 0,55 |
| | D | 0 | 0 | | | 0 | 0 | | | | | | | 0 | 0 | 1 | 0,18 |
| | >= 65 H | 0 | 0 | | | 1 | 47,51 | | | | | | | 1 | 9,17 | 8 | 6,22 |
| | D | 1 | 30,71 | | | 0 | 0 | | | | | | | 1 | 6,06 | 7 | 3,45 |
| | TOTAL/T.STD H | 0 | 0 | | | 1 | 7,794 | | | | | | | 1 | 1,574 | 11 | 1,435 |
| TOTAL/T.STD D | 1 | 7,827 | | | 0 | 0 | | | | | | | 1 | 1,519 | 8 | 0,946 | |
| NEOPLASIA MALIGNA LARINGE | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 1 | 8,8 | 0 | 0 | 1 | 10,41 | 0 | 0 | | | 0 | 0 | 2 | 4,08 | 20 | 3,69 |
| | D | 0 | 0 | 1 | 8,95 | 0 | 0 | 1 | 21,36 | | | 0 | 0 | 2 | 3,99 | 4 | 0,73 |
| | >= 65 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 1 | 61,88 | 1 | 9,17 | 25 | 19,45 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 2 | 0,99 |
| | TOTAL/T.STD H | 1 | 5,513 | 0 | 0 | 1 | 6,274 | 0 | 0 | | | 1 | 12,023 | 3 | 4,326 | 45 | 5,868 |
| TOTAL/T.STD D | 0 | 0 | 1 | 5,499 | 0 | 0 | 1 | 17,854 | | | 0 | 0 | 2 | 2,538 | 6 | 0,71 | |
| NEOPLASIA MALIGNA TRAQUEA,BRONQUIOS PULMO | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 3 | 26,39 | 3 | 28,43 | 3 | 31,22 | 5 | 100,54 | 1 | 25,39 | 5 | 58,19 | 20 | 40,79 | 245 | 45,19 |
| | D | 0 | 0 | 0 | 0 | 2 | 20,13 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3,99 | 59 | 10,7 |
| | >= 65 H | 5 | 221,63 | 21 | 630,25 | 8 | 380,05 | 6 | 597,61 | 3 | 508,47 | 5 | 309,41 | 48 | 440,25 | 496 | 385,94 |
| | D | 1 | 30,71 | 2 | 37,94 | 2 | 60,9 | 1 | 67,66 | 1 | 127,71 | 1 | 41 | 8 | 48,45 | 96 | 47,37 |
| | TOTAL/T.STD H | 8 | 52,044 | 24 | 122,37 | 11 | 85,048 | 11 | 183,481 | 4 | 115,315 | 10 | 96,619 | 68 | 101,999 | 741 | 96,634 |
| TOTAL/T.STD D | 1 | 7,827 | 2 | 9,085 | 4 | 26,632 | 1 | 18,465 | 1 | 25,068 | 1 | 10,765 | 10 | 14,406 | 155 | 18,334 | |
| NEOPLASIA MALIGNA BUFETA URINARIA | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | 1 | 9,48 | 1 | 10,41 | 0 | 0 | | | 2 | 23,27 | 4 | 8,16 | 25 | 4,61 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 2 | 0,36 |
| | >= 65 H | 1 | 44,33 | 2 | 60,02 | 2 | 95,01 | 1 | 99,6 | | | 0 | 0 | 6 | 55,03 | 136 | 105,82 |
| | D | 0 | 0 | 1 | 18,97 | 0 | 0 | 0 | 0 | | | 0 | 0 | 1 | 6,06 | 35 | 17,27 |
| | TOTAL/T.STD H | 1 | 6,983 | 3 | 15,794 | 3 | 21,861 | 1 | 17,713 | | | 2 | 15,276 | 10 | 14,83 | 161 | 20,996 |
| TOTAL/T.STD D | 0 | 0 | 1 | 4,6 | 0 | 0 | 0 | 0 | | | 0 | 0 | 1 | 1,519 | 37 | 4,376 | |
| NEOPLASIA MALIGNA CERVIX UTERI | 0-14 D | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | 15-64 D | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | 0 | 0 | 6 | 1,09 |
| | >=65 D | 2 | 61,43 | 2 | 37,94 | 1 | 30,45 | | | | | | | 5 | 30,28 | 21 | 10,36 |
| | TOTAL/T.STD D | 2 | 14,692 | 2 | 9,085 | 1 | 7,171 | | | | | | | 5 | 7,312 | 27 | 3,194 |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|-------------------------------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|--------|--------|-------------|--------|-----------------|--------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| NEOPLASIA MALIGNA COS DE L'UTER | 0-14 D | | | | | | | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 |
| | 15-64 D | | | | | | | 1 | 21,36 | 0 | 0 | | | 1 | 1,99 | 8 | 1,45 |
| | >=65 D | | | | | | | 0 | 0 | 1 | 127,71 | | | 1 | 6,06 | 31 | 15,3 |
| | TOTAL/T.STD D | | | | | | | 1 | 15,667 | 1 | 37,401 | | | 2 | 2,807 | 39 | 4,613 |
| NEOPLASIA MALIGNA DE MAMA | 0-14 D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 D | 1 | 8,23 | 3 | 26,84 | 3 | 30,2 | 0 | 0 | 1 | 30,43 | 0 | 0 | 8 | 15,94 | 96 | 17,42 |
| | >=65 D | 2 | 61,43 | 4 | 75,89 | 4 | 121,8 | 1 | 67,66 | 0 | 0 | 5 | 205 | 16 | 96,91 | 188 | 92,77 |
| | TOTAL/T.STD D | 3 | 19,835 | 7 | 35,383 | 7 | 47,535 | 1 | 18,465 | 1 | 23,737 | 5 | 50,065 | 24 | 33,518 | 284 | 33,592 |
| FEBRE REUMATICA AGUDA | 0-14 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 15-64 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | >= 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 1 | 0,49 | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | 0 | 0 | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | 1 | 0,118 | |
| MALALTIA CRONICA PULMONAR | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | 1 | 9,48 | 0 | 0 | 0 | 0 | 1 | 25,39 | 0 | 0 | 2 | 4,08 | 33 | 6,09 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 21,36 | 0 | 0 | 0 | 0 | 1 | 1,99 | 9 | 1,63 |
| | >= 65 H | 5 | 221,63 | 14 | 420,17 | 5 | 237,53 | 5 | 498,01 | 6 | 1016,95 | 2 | 123,76 | 37 | 339,36 | 443 | 344,7 |
| | D | 0 | 0 | 0 | 0 | 2 | 60,9 | 1 | 67,66 | 0 | 0 | 0 | 0 | 3 | 18,17 | 133 | 65,63 |
| TOTAL/T.STD H | 5 | 39,181 | 15 | 74,724 | 5 | 39,596 | 5 | 85,004 | 7 | 223,318 | 2 | 24,047 | 39 | 60,343 | 476 | 62,075 | |
| TOTAL/T.STD D | 0 | 0 | 0 | 0 | 2 | 14,341 | 2 | 36,319 | 0 | 0 | 0 | 0 | 4 | 5,806 | 142 | 16,796 | |
| GRIP | 0-14 H | | | 0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 |
| | D | | | 0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 |
| | 15-64 H | | | 0 | 0 | | | | | | | | | 0 | 0 | 1 | 0,18 |
| | D | | | 0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 |
| | >= 65 H | | | 1 | 30,01 | | | | | | | | | 1 | 9,17 | 10 | 7,78 |
| D | | | 0 | 0 | | | | | | | | | 0 | 0 | 15 | 7,4 | |
| TOTAL/T.STD H | | | 1 | 4,691 | | | | | | | | | 1 | 1,574 | 11 | 1,435 | |
| TOTAL/T.STD D | | | 0 | 0 | | | | | | | | | 0 | 0 | 15 | 1,774 | |
| ASMA | 0-14 H | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 1 | 11,64 | 1 | 2,04 | 1 | 0,18 |
| | D | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0,36 |
| | >= 65 H | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2,33 |
| | D | 2 | 61,43 | | | 1 | 30,45 | | | 3 | 383,14 | 1 | 41 | 7 | 42,4 | 32 | 15,79 |
| TOTAL/T.STD H | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 1 | 7,979 | 1 | 1,389 | 4 | 0,522 | |
| TOTAL/T.STD D | 2 | 15,654 | | | 1 | 7,462 | | | 3 | 87,538 | 1 | 10,765 | 7 | 10,208 | 34 | 4,022 | |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--------------------------------------|------------------------|---------|---------|--------|--------|---------|--------|---------|---------|---------|---------|---------|---------|-------------|--------|-----------------|--------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| INFECCIONS PELL I TEIXIT SUBCUTANI | 0-14 H | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | >= 65 H | | | | | | | | | 1 | 169,49 | 0 | 0 | 1 | 9,17 | 4 | 3,11 |
| | D | | | | | | | | | 0 | 0 | 1 | 41 | 1 | 6,06 | 6 | 2,96 |
| | TOTAL/T.STD H | | | | | | | | | 1 | 33,328 | 0 | 0 | 1 | 1,574 | 4 | 0,522 |
| TOTAL/T.STD D | | | | | | | | | 0 | 0 | 1 | 10,765 | 1 | 1,519 | 6 | 0,71 | |
| DIABETES MELLITUS AMB ACIDOSI O COMA | 0-14 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 15-64 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | >= 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 1 | 0,49 | |
| TOTAL/T.STD H | | | | | | | | | | | | | | | 0 | 0 | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | 1 | 0,118 | |
| MALALTIA HIPERTENSIVA | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0,92 |
| | D | 1 | 8,23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 11,19 | 2 | 3,99 | 5 | 0,91 |
| | >= 65 H | 1 | 44,33 | 6 | 180,07 | 7 | 332,54 | 0 | 0 | 0 | 0 | 1 | 61,88 | 15 | 137,58 | 99 | 77,03 |
| | D | 2 | 61,43 | 2 | 37,94 | 4 | 121,8 | 3 | 202,98 | 2 | 82 | 2 | 82 | 13 | 78,74 | 209 | 103,14 |
| | TOTAL/T.STD H | 1 | 8,05 | 6 | 28,144 | 7 | 54,869 | 0 | 0 | 0 | 0 | 1 | 12,023 | 15 | 23,543 | 104 | 13,563 |
| TOTAL/T.STD D | 3 | 20,797 | 2 | 9,2 | 4 | 28,683 | 3 | 55,394 | 3 | 28,96 | 3 | 28,96 | 15 | 22,321 | 214 | 25,313 | |
| MALALTIA VASCULAR CEREBRAL | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 0 | 0 | 1 | 9,48 | 1 | 10,41 | 0 | 0 | 0 | 0 | 2 | 23,27 | 4 | 8,16 | 57 | 10,51 |
| | D | 0 | 0 | 1 | 8,95 | 0 | 0 | 2 | 42,72 | 0 | 0 | 0 | 0 | 3 | 5,98 | 31 | 5,62 |
| | >= 65 H | 10 | 443,26 | 15 | 450,18 | 7 | 332,54 | 6 | 597,61 | 3 | 508,47 | 6 | 371,29 | 47 | 431,07 | 507 | 394,49 |
| | D | 11 | 337,84 | 19 | 360,46 | 14 | 426,31 | 7 | 473,61 | 5 | 638,57 | 9 | 369 | 65 | 393,68 | 781 | 385,4 |
| | TOTAL/T.STD H | 10 | 78,362 | 16 | 78,754 | 8 | 62,374 | 6 | 100,937 | 3 | 99,984 | 8 | 81,99 | 51 | 78,907 | 564 | 73,551 |
| TOTAL/T.STD D | 11 | 85,136 | 20 | 93,115 | 14 | 100,389 | 9 | 158,433 | 5 | 187,007 | 9 | 95,003 | 68 | 102,088 | 812 | 96,046 | |
| CARDIOPATIA ISQUEMICA | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 6 | 52,78 | 2 | 18,95 | 1 | 10,41 | 1 | 20,11 | 1 | 25,39 | 2 | 23,27 | 13 | 26,51 | 144 | 26,56 |
| | D | 1 | 8,23 | 2 | 17,9 | 0 | 0 | 1 | 21,36 | 0 | 0 | 1 | 11,19 | 5 | 9,97 | 25 | 4,54 |
| | >= 65 H | 12 | 531,91 | 7 | 210,08 | 10 | 475,06 | 8 | 796,81 | 3 | 508,47 | 8 | 495,05 | 48 | 440,25 | 661 | 514,32 |
| | D | 14 | 429,98 | 15 | 284,58 | 6 | 182,7 | 6 | 405,95 | 5 | 638,57 | 11 | 451 | 57 | 345,22 | 641 | 316,31 |
| | TOTAL/T.STD H | 18 | 122,954 | 9 | 46,476 | 11 | 85,189 | 9 | 151,818 | 4 | 109,712 | 10 | 100,611 | 61 | 92,868 | 805 | 104,98 |
| TOTAL/T.STD D | 15 | 111,835 | 17 | 80,214 | 6 | 43,606 | 7 | 117,773 | 5 | 174,674 | 12 | 123,366 | 62 | 91,667 | 666 | 78,777 | |

MORTALITAT

| INDICADORS MORT. CAUSES CENTINELLES | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|------------------------|--------|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|-------------|--------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| EFECTES INDESITJ. EN MEDICAMENTS | 0-14 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 15-64 H | | | | | | | | | | | | | | | 1 | 0,18 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | >= 65 H | | | | | | | | | | | | | | | 3 | 2,33 |
| | D | | | | | | | | | | | | | | | 8 | 3,95 |
| TOTAL/T.STD H | | | | | | | | | | | | | | | 4 | 0,522 | |
| TOTAL/T.STD D | | | | | | | | | | | | | | | 8 | 0,946 | |
| CIRROSI I ALTRES MALALTIES CRONIQUES FETGE | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 1 | 8,8 | 1 | 9,48 | 1 | 10,41 | 0 | 0 | 2 | 50,77 | 1 | 11,64 | 6 | 12,24 | 62 | 11,44 |
| | D | 0 | 0 | 1 | 8,95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1,99 | 19 | 3,45 |
| | >= 65 H | 5 | 221,63 | 3 | 90,04 | 2 | 95,01 | 0 | 0 | 0 | 0 | 1 | 61,88 | 11 | 100,89 | 78 | 60,69 |
| | D | 2 | 61,43 | 2 | 37,94 | 1 | 30,45 | 1 | 67,66 | 0 | 0 | 2 | 82 | 8 | 48,45 | 83 | 40,96 |
| TOTAL/T.STD H | 6 | 43,627 | 4 | 20,562 | 3 | 22,489 | 0 | 0 | 2 | 40,979 | 2 | 19,642 | 17 | 25,658 | 140 | 18,257 | |
| TOTAL/T.STD D | 2 | 14,692 | 3 | 14,699 | 1 | 7,462 | 1 | 14,124 | 0 | 0 | 2 | 19,65 | 9 | 12,874 | 102 | 12,065 | |
| ACCIDENTS INFANTILS EN MENORS DE 14 ANYS | 0-3 H | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | |
| | D | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | |
| | 4-14 H | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 2 | |
| | D | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | |
| INFECCIONS RESP. AGUDES, NEUMONIA | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 1 | 1,09 |
| | 15-50 H | 0 | 0 | 1 | 12,32 | 0 | 0 | 0 | 0 | | | 0 | 0 | 1 | 2,68 | 7 | 1,67 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 27,31 | | | 0 | 0 | 1 | 2,71 | 5 | 1,22 |
| | TOTAL/T.STD H | 0 | 0 | 1 | 9,65 | 0 | 0 | 0 | 0 | | | 0 | 0 | 1 | 2,27 | 7 | 1,357 |
| TOTAL/T.STD D | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 23,513 | | | 0 | 0 | 1 | 2,274 | 6 | 1,197 | |
| SOBREDOSIS DROGUES | 0-14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15-64 H | 1 | 8,8 | 2 | 18,95 | 1 | 10,41 | 1 | 20,11 | 1 | 25,39 | 1 | 11,64 | 7 | 14,28 | 54 | 9,96 |
| | D | 0 | 0 | 1 | 8,95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1,99 | 14 | 2,54 |
| | >= 65 H | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 99,6 | 0 | 0 | 0 | 0 | 1 | 9,17 | 1 | 0,78 |
| | D | 0 | 0 | 0 | 0 | 1 | 30,45 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6,06 | 2 | 0,99 |
| TOTAL/T.STD H | 1 | 7,323 | 2 | 13,706 | 1 | 7,818 | 2 | 31,433 | 1 | 17,749 | 1 | 8,627 | 8 | 12,19 | 55 | 7,173 | |
| TOTAL/T.STD D | 0 | 0 | 1 | 5,714 | 1 | 7,462 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2,627 | 16 | 1,893 | |

MORTALITAT_EVITABLE

| INDICADORS MORTALITAT EVITABLE | | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|------------------------------------|----------|--------|------|--------|-------|--------|------|--------|------|--------|------|--------|--------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| TUBERCULOSI | 5 - 64 H | 0 | 0 | | | 0 | 0 | | | | | | | 0 | 0 | 5 | 0,83 |
| | 5 - 64 D | 0 | 0 | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | T.STD H | | 0 | | | | 0 | | | | | | | | 0 | | 0,828 |
| | T.STD D | | 0 | | | | 0 | | | | | | | | 0 | | 0 |
| TUMOR MALIGN DE COLL D'UTER | 15 - 64 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | 0 | 0 | 6 | 1,09 |
| | TX.STD. | | 0 | | 0 | | 0 | | | | | | | | 0 | | 1,089 |
| TUMOR MALIGN DE COLL I COS D'UTER | 15 - 54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 8 | 1,77 |
| | TX.STD. | | 0 | | 0 | | 0 | | 0 | | 0 | | | | 0 | | 1,774 |
| MALALTIA DE HODGKING | 5 - 64 H | 0 | 0 | 0 | 0 | | | | | | | | | 0 | 0 | 2 | 0,33 |
| | 5 - 64 D | 0 | 0 | 1 | 8,08 | | | | | | | | | 1 | 1,8 | 3 | 0,49 |
| | T.STD H | | 0 | | 0 | | | | | | | | | | 0 | | 0,331 |
| | T.STD D | | 0 | | 7,622 | | | | | | | | | | 1,786 | | 0,492 |
| MALALTIA REUMATICA CRONICA DEL COR | 5-44 H | | | | | | | | | | | | | | | 0 | 0 |
| | 5-44 D | | | | | | | | | | | | | | | 0 | 0 |
| | T.STD H | | | | | | | | | | | | | | | 0 | 0 |
| | T.STD D | | | | | | | | | | | | | | | 0 | 0 |
| MALALTIES DEL APARELL RESPIRATORI | 1- 4 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1,13 |
| | 1- 4 D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | T.STD H | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 1,129 |
| | T.STD D | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 | | 0 |
| ASMA | 5-44 H | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 1 | 15,54 | 1 | 2,69 | 1 | 0,24 |
| | 5-44 D | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | T.STD H | | 0 | | | | 0 | | | | 0 | | 14,595 | | 2,54 | | 0,239 |
| | T.STD D | | 0 | | | | 0 | | | | 0 | | 0 | | 0 | | 0 |

MORTALITAT_EVITABLE

| INDICADORS MORTALITAT EVITABLE | | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|----------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|-------------|--------|-----------------|--------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| APENDICITIS | 5 - 64 H | | | | | | | | | | | | | | | 1 | 0,17 |
| | 5 - 64 D | | | | | | | | | | | | | | | 0 | 0 |
| | T.STD H | | | | | | | | | | | | | | | | 0,166 |
| | T.STD D | | | | | | | | | | | | | | | | 0 |
| HERNIA ABDOMINAL | 5 - 64 H | | | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 - 64 D | | | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | T.STD H | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | T.STD D | | | | | | 0 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| COLELITIASI I COLECISTITIS | 5 - 64 H | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 2 | 0,33 |
| | 5 - 64 D | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 1 | 0,16 |
| | T.STD H | | 0 | | 0 | | 0 | | | | 0 | | | 0 | 0 | | 0,331 |
| | T.STD D | | 0 | | 0 | | 0 | | | | 0 | | | 0 | 0 | | 0,164 |
| HIPERTENSIO I MALALTIA CEREBROV. | 35-64 H | 0 | 0 | 1 | 15,93 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 39,59 | 3 | 10,63 | 56 | 18,05 |
| | 35-64 D | 1 | 13,2 | 1 | 14,25 | 0 | 0 | 2 | 79,05 | 0 | 0 | 1 | 18,42 | 5 | 16,45 | 36 | 10,81 |
| | T.STD H | | 0 | | 15,851 | | 0 | | 0 | | 0 | | 37,755 | | 10,139 | | 18,05 |
| | T.STD D | | 13,052 | | 14,502 | | 0 | | 85,071 | | 0 | | 18,858 | | 16,15 | | 10,807 |
| COMPLICACIONS EMBARAÇ, PART I PUERPERI | TX.STD. | | | | | | | | | | | | | | | | |
| CERTES COMPLIC. DEL (Nacional) PERIODE PERINATAL (Internac) | | 0 | 0 | 3 | 12,55 | 5 | 22,62 | 1 | 5,1 | 2 | 18,52 | 0 | 0 | 11 | 8,77 | 94 | 6,34 |
| | | 0 | 0 | 1 | 4,18 | 2 | 9,05 | 1 | 5,1 | 2 | 18,52 | 0 | 0 | 6 | 4,78 | 58 | 3,91 |
| FEBRE TIFOIDEA | 5 - 64 H | | | | | | | | | | | | | | | | |
| | 5 - 64 D | | | | | | | | | | | | | | | | |
| | T.STD H | | | | | | | | | | | | | | | | |
| | T.STD D | | | | | | | | | | | | | | | | |
| TOSFERINA | 0-14 H | | | | | | | | | | | | | | | | |
| | 0-14 D | | | | | | | | | | | | | | | | |
| | T.STD H | | | | | | | | | | | | | | | | |
| | T.STD D | | | | | | | | | | | | | | | | |

MORTALITAT_EVITABLE

| INDICADORS MORTALITAT EVITABLE | | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|---|--|--------|---------------|--------|--------------|--------|----------------|--------|------------|--------|------------|--------|---------------|-------------|---------------|-----------------|---------------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| TETANUS | 0-64 H 0-64 D T. STD H T. STD D | | | | | | | | | | | | | | | | |
| XARAMPIO | 1-14 H 1-14 D T. STD H T. STD D | | | | | | | | | | | | | | | | |
| OSTEOMIELITIS | 1-64 H 1-64 D T. STD H T. STD D | | | | | | | | | | | | | | | | |
| TM TRAQUEA, BRONQUIS I PULMO | 5 - 64 H 5 - 64 D T. STD H T. STD D | 3 0 | 23,84 0 | 3 0 | 25,53 0 | 3 2 | 28,16 18,25 | 5 0 | 88,86 0 | 1 0 | 22,69 0 | 5 0 | 52,14 0 | 20 2 | 36,62 3,6 | 245 59 | 40,57 9,67 |
| | | | 20,398 | | 24,435 | | 26,434 | | 100,298 | | 29,652 | | 49,798 | | 35,261 | | 40,572 |
| | | | 0 | | 0 | | 17,037 | | 0 | | 0 | | 0 | | 3,518 | | 9,673 |
| CIRROSI I ALTRES MAL. CRONIQUES DE FETGE | 15-74 H 15-74 D T. STD H T. STD D | 3 1 | 23,66 7,28 | 1 1 | 8,15 7,36 | 3 1 | 27,93 8,79 | 0 1 | 0 18,36 | 2 0 | 46,5 0 | 1 1 | 10,44 9,85 | 10 5 | 18,15 8,62 | 100 54 | 16,33 8,4 |
| | | | 24,389 | | 8,127 | | 28,158 | | 0 | | 51,308 | | 9,54 | | 18,331 | | 16,328 |
| | | | 9,032 | | 7,235 | | 9,818 | | 18,583 | | 0 | | 11,691 | | 8,945 | | 8,404 |
| ACCIDENTS DE VEHICLES A MOTOR | TOTS H TOTS D T. STD H T. STD D | 1 1 | 6,45 5,8 | | | | | 1 0 | 14,14 0 | 1 0 | 19,02 0 | 2 0 | 17,01 0 | 5 1 | 7,29 1,33 | 68 21 | 8,87 2,48 |
| | | | 6,998 | | | | | | 15,397 | | 23,23 | | 16,541 | | 7,082 | | 8,868 |
| | | | 7,827 | | | | | | 0 | | 0 | | 0 | | 1,519 | | 2,484 |

MORTALITAT_GLOBAL

| Indicadors mortalitat acumulada | Reg. mortalitat (2001-2005) | ABS 9A | | | ABS 9C | | | ABS 9D | | | ABS 9E | | |
|--|-----------------------------|----------|-------|--------|----------|-------|--------|----------|-------|--------|----------|--------|--------|
| | | n | II | IS | n | II | IS | n | II | IS | n | II | IS |
| ESPERANÇA DE VIDA | Homes | 77,78 | | | 77,99 | | | 77,65 | | | 74,22 | | |
| | Dones | 83,89 | | | 84,93 | | | 84,01 | | | 82,85 | | |
| | TOTAL | 80,98 | | | 81,70 | | | 80,98 | | | 78,43 | | |
| TAXA MORTALITAT ESTANDARITZADA (per 100.000) | Homes | 1.052,23 | | | 1.034,19 | | | 1.000,80 | | | 1.299,99 | | |
| | Dones | 1.019,01 | | | 900,04 | | | 1.002,48 | | | 1.144,98 | | |
| | TOTAL | 1.040,79 | | | 965,62 | | | 1.002,70 | | | 1.230,38 | | |
| R.M.C. | Homes | 96,07 | 89,13 | 103,55 | 94,42 | 88,68 | 100,53 | 91,37 | 84,54 | 98,75 | 118,69 | 107,01 | 131,65 |
| | Dones | 100,24 | 93,01 | 108,03 | 88,53 | 83,1 | 94,32 | 98,61 | 91,92 | 105,79 | 112,63 | 100,8 | 125,84 |
| | TOTAL | 98,78 | 93,48 | 104,38 | 91,64 | 87,5 | 95,99 | 95,16 | 90,17 | 100,44 | 116,77 | 107,98 | 126,28 |
| TAXA D'ANYES POTENCIALS DE VIDA PERDUTS (per 1.000) | Homes | 48,27 | | | 44,92 | | | 50,28 | | | 67,05 | | |
| | Dones | 21,31 | | | 20,89 | | | 19,90 | | | 20,25 | | |
| | TOTAL | 34,34 | | | 32,46 | | | 34,85 | | | 44,08 | | |
| TAXA ESTANDARITZADA D'ANYES POTENCIALS DE VIDA PERDUTS | Homes | 46,67 | | | 44,42 | | | 48,91 | | | 70,92 | | |
| | Dones | 20,86 | | | 20,68 | | | 19,69 | | | 21,65 | | |
| | TOTAL | 33,42 | | | 32,09 | | | 34,20 | | | 46,94 | | |
| R.A.P.V.P. | Homes | 91,69 | 76,49 | 106,89 | 87,26 | 72,46 | 102,06 | 96,09 | 77,8 | 114,37 | 139,32 | 108,38 | 170,26 |
| | Dones | 89,61 | 66,52 | 112,69 | 88,86 | 66,03 | 111,69 | 84,58 | 61,76 | 107,4 | 93,03 | 58,42 | 127,64 |
| | TOTAL | 90,74 | 78,07 | 103,42 | 87,11 | 74,75 | 99,47 | 92,86 | 78,36 | 107,36 | 127,43 | 103,04 | 151,82 |

| MORT. GLOBAL (N,%,Tx.100000) | Reg. mortalitat (2005) | n | II | IS | n | II | IS | n | II | IS | n | II | IS |
|------------------------------|------------------------|--------|-------|----------|--------|-------|---------|--------|-------|----------|--------|-------|----------|
| 0 - 1 any | Homes | 0,00 | 0 | 0 | 1,00 | 0,53 | 680,27 | 3,00 | 2 | 2702,7 | 0,00 | 0 | 0 |
| | Dones | 0,00 | 0 | 0 | 1,00 | 0,52 | 869,57 | 0,00 | 0 | 0 | 0,00 | 0 | 0 |
| | TOTAL | 0,00 | 0 | 0 | 2,00 | 0,52 | 763,36 | 3,00 | 1,05 | 1395,35 | 0,00 | 0 | 0 |
| 1 - 14 anys | Homes | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 1,00 | 1,33 | 100,3 |
| | Dones | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 0,00 | 0 | 0 |
| | TOTAL | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 1,00 | 0,72 | 53,05 |
| 15 - 34 anys | Homes | 2,00 | 1,4 | 42,53 | 4,00 | 2,12 | 93,59 | 5,00 | 3,33 | 124,44 | 0,00 | 0 | 0 |
| | Dones | 1,00 | 0,7 | 21,83 | 1,00 | 0,52 | 24,05 | 0,00 | 0 | 0 | 1,00 | 1,59 | 46,47 |
| | TOTAL | 3,00 | 1,05 | 32,31 | 5,00 | 1,31 | 59,3 | 5,00 | 1,75 | 63,63 | 1,00 | 0,72 | 22,44 |
| 35 - 54 anys | Homes | 17,00 | 11,89 | 372,56 | 11,00 | 5,82 | 243,2 | 18,00 | 12 | 473,93 | 13,00 | 17,33 | 670,79 |
| | Dones | 7,00 | 4,93 | 132,73 | 6,00 | 3,09 | 123,36 | 3,00 | 2,22 | 71,33 | 4,00 | 6,35 | 225,48 |
| | TOTAL | 24,00 | 8,42 | 243,98 | 17,00 | 4,44 | 181,1 | 21,00 | 7,37 | 262,37 | 17,00 | 12,32 | 457,97 |
| 55 - 74 anys | Homes | 52,00 | 36,36 | 1523,14 | 50,00 | 26,46 | 1442,17 | 41,00 | 27,33 | 1402,19 | 23,00 | 30,67 | 1761,1 |
| | Dones | 28,00 | 19,72 | 722,21 | 32,00 | 16,49 | 701,29 | 21,00 | 15,56 | 629,31 | 11,00 | 17,46 | 723,21 |
| | TOTAL | 80,00 | 28,07 | 1097,24 | 82,00 | 21,41 | 1021,17 | 62,00 | 21,75 | 990,26 | 34,00 | 24,64 | 1202,69 |
| >= 75 anys | Homes | 72,00 | 50,35 | 7627,12 | 123,00 | 65,08 | 7592,59 | 83,00 | 55,33 | 8512,82 | 38,00 | 50,67 | 8857,81 |
| | Dones | 106,00 | 74,65 | 6302,02 | 154,00 | 79,38 | 5380,85 | 111,00 | 82,22 | 6045,75 | 47,00 | 74,6 | 6591,87 |
| | TOTAL | 178,00 | 62,46 | 6778,37 | 277,00 | 72,32 | 6180,28 | 194,00 | 68,07 | 6901,46 | 85,00 | 61,59 | 7443,08 |
| TOTAL | Homes | 143,00 | 100 | 922,94 | 189,00 | 100 | 1204,05 | 150,00 | 100 | 1126,8 | 75,00 | 100 | 1060,37 |
| | Dones | 142,00 | 100 | 823 | 194,00 | 100 | 1062,43 | 135,00 | 100 | 914,51 | 63,00 | 100 | 881,98 |
| | TOTAL | 285,00 | 100 | 870,28 | 383,00 | 100 | 1127,9 | 285,00 | 100 | 1015,17 | 138,00 | 100 | 970,74 |
| T. estand. | Homes | | | 1012,209 | | | 977,373 | | | 1135,637 | | | 1240,138 |
| | Dones | | | 1035,462 | | | 914,6 | | | 958,131 | | | 1105,764 |
| | TOTAL | | | 1027,964 | | | 945,194 | | | 1044,284 | | | 1184,236 |

MORTALITAT_GLOBAL

| Indicadors mortalitat acumulada | Reg. mortalitat (2001-2005) | ABS 9F | | | ABS 9G | | | SANT ANDREU | | | TOTAL BARCELONA | | |
|--|-----------------------------|----------|--------|--------|----------|-------|--------|-------------|-------|--------|-----------------|-------|--------|
| | | n | II | IS | n | II | IS | n | II | IS | n | II | IS |
| ESPERANÇA DE VIDA | Homes | 74,97 | | | 78,10 | | | 77,28 | | | 76,83 | | |
| | Dones | 83,13 | | | 84,37 | | | 84,19 | | | 83,58 | | |
| | TOTAL | 78,84 | | | 81,39 | | | 80,88 | | | 80,39 | | |
| TAXA MORTALITAT ESTANDARITZADA (per 100.000) | Homes | 1.281,57 | | | 998,01 | | | 1.064,71 | | | 1.094,39 | | |
| | Dones | 1.085,76 | | | 1.033,62 | | | 991,69 | | | 1.016,36 | | |
| | TOTAL | 1.203,55 | | | 1.018,30 | | | 1.030,63 | | | 1.053,16 | | |
| R.M.C. | Homes | 117,01 | 102,05 | 134,15 | 91,12 | 83,05 | 99,97 | 97,29 | 94,06 | 100,63 | 100,00 | 99,05 | 100,96 |
| | Dones | 106,80 | 91,57 | 124,57 | 101,67 | 93,29 | 110,81 | 97,57 | 94,37 | 100,88 | 100,00 | 99,1 | 100,91 |
| | TOTAL | 114,23 | 102,71 | 127,03 | 96,64 | 90,46 | 103,25 | 97,86 | 95,47 | 100,31 | 100,00 | 99,32 | 100,68 |
| TAXA D'ANYES POTENCIALS DE VIDA PERDUTS (per 1.000) | Homes | 66,81 | | | 47,95 | | | 51,30 | | | 50,81 | | |
| | Dones | 18,75 | | | 15,36 | | | 19,62 | | | 23,25 | | |
| | TOTAL | 43,78 | | | 31,39 | | | 35,18 | | | 36,78 | | |
| TAXA ESTANDARITZADA D'ANYES POTENCIALS DE VIDA PERDUTS | Homes | 70,89 | | | 47,32 | | | 50,84 | | | 50,81 | | |
| | Dones | 20,08 | | | 15,31 | | | 19,62 | | | 23,25 | | |
| | TOTAL | 46,73 | | | 31,18 | | | 35,04 | | | 36,78 | | |
| R.A.P.V.P. | Homes | 139,25 | 103,22 | 175,28 | 92,97 | 73,9 | 112,04 | 100,07 | 92,08 | 108,06 | 100,00 | 100 | 100 |
| | Dones | 86,28 | 36,21 | 136,35 | 65,76 | 43,51 | 88,01 | 84,39 | 73,69 | 95,09 | 100,00 | 100 | 100 |
| | TOTAL | 126,87 | 96,72 | 157,02 | 84,65 | 69,79 | 99,51 | 95,26 | 88,83 | 101,7 | 100,00 | 100 | 100 |

| MORT. GLOBAL (N,%,Tx.100000) | Reg. mortalitat (2005) | n | II | IS | n | II | IS | n | II | IS | n | II | IS |
|------------------------------|------------------------|-------|-------|----------|--------|-------|----------|----------|-------|----------|-----------|-------|----------|
| 0 - 1 any | Homes | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 4,00 | 0,56 | 595,24 | 31,00 | 0,37 | 413,28 |
| | Dones | 0,00 | 0 | 0 | 1,00 | 1,18 | 862,07 | 2,00 | 0,31 | 337,27 | 22,00 | 0,26 | 316,05 |
| | TOTAL | 0,00 | 0 | 0 | 1,00 | 0,54 | 431,03 | 6,00 | 0,44 | 474,31 | 53,00 | 0,31 | 366,48 |
| 1 - 14 anys | Homes | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 1,00 | 0,14 | 12,53 | 12,00 | 0,14 | 13,54 |
| | Dones | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 6,00 | 0,07 | 7,09 |
| | TOTAL | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 1,00 | 0,07 | 6,35 | 18,00 | 0,11 | 10,39 |
| 15 - 34 anys | Homes | 1,00 | 1,72 | 50,45 | 2,00 | 2 | 56,48 | 14,00 | 1,96 | 67,24 | 154,00 | 1,85 | 66,4 |
| | Dones | 0,00 | 0 | 0 | 0,00 | 0 | 0 | 3,00 | 0,46 | 15,16 | 53,00 | 0,62 | 24,31 |
| | TOTAL | 1,00 | 1,06 | 28,36 | 2,00 | 1,08 | 28,37 | 17,00 | 1,24 | 41,87 | 207,00 | 1,22 | 46 |
| 35 - 54 anys | Homes | 8,00 | 13,79 | 542,37 | 9,00 | 9 | 251,26 | 76,00 | 10,63 | 382,31 | 645,00 | 7,73 | 288,01 |
| | Dones | 0,00 | 0 | 0 | 3,00 | 3,53 | 78,23 | 23,00 | 3,51 | 108,51 | 310,00 | 3,61 | 133,05 |
| | TOTAL | 8,00 | 8,51 | 294,33 | 12,00 | 6,49 | 161,79 | 99,00 | 7,23 | 241,02 | 955,00 | 5,64 | 209 |
| 55 - 74 anys | Homes | 15,00 | 25,86 | 1777,25 | 37,00 | 37 | 1507,74 | 218,00 | 30,49 | 1512,94 | 2.589,00 | 31,04 | 1653,71 |
| | Dones | 9,00 | 25 | 967,74 | 19,00 | 22,35 | 676,16 | 120,00 | 18,32 | 704,31 | 1.277,00 | 14,89 | 666,91 |
| | TOTAL | 24,00 | 25,53 | 1352,87 | 56,00 | 30,27 | 1063,83 | 338,00 | 24,67 | 1074,82 | 3.866,00 | 22,85 | 1110,8 |
| >= 75 anys | Homes | 34,00 | 58,62 | 14912,28 | 52,00 | 52 | 8227,85 | 402,00 | 56,22 | 8326,43 | 4.911,00 | 58,87 | 8428,3 |
| | Dones | 27,00 | 75 | 7670,45 | 62,00 | 72,94 | 5069,5 | 507,00 | 77,4 | 5849,1 | 6.909,00 | 80,55 | 6207,38 |
| | TOTAL | 61,00 | 64,89 | 10517,24 | 114,00 | 61,62 | 6145,55 | 909,00 | 66,35 | 6735,33 | 11.820,00 | 69,86 | 6970,53 |
| TOTAL | Homes | 58,00 | 100 | 1103,08 | 100,00 | 100 | 850,34 | 715,00 | 100 | 1042,37 | 8.342,00 | 100 | 1087,88 |
| | Dones | 36,00 | 100 | 759,81 | 85,00 | 100 | 659,58 | 655,00 | 100 | 872,82 | 8.577,00 | 100 | 1014,52 |
| | TOTAL | 94,00 | 100 | 940,38 | 185,00 | 100 | 750,6 | 1.370,00 | 100 | 953,79 | 16.919,00 | 100 | 1049,41 |
| T. estand. | Homes | | | 1669,663 | | | 1023,507 | | | 1080,858 | | | 1087,884 |
| | Dones | | | 1229,022 | | | 849,215 | | | 966,164 | | | 1014,517 |
| | TOTAL | | | 1489,562 | | | 933,665 | | | 1025,363 | | | 1049,411 |

MORTALITAT_GRANS_GRUPS

| INDICADORS MORTALITAT GRANS GRUPS (CIM-9) | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|---|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------------|---------|-----------------|---------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| MALALTIES TRANSMISIBLES | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15 - 64 H | 1 | 8,8 | 1 | 9,48 | 3 | 31,22 | 3 | 60,33 | 0 | 0 | 1 | 11,64 | 9 | 18,35 | 106 | 19,55 |
| | D | 1 | 8,23 | 0 | 0 | 1 | 10,07 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3,99 | 34 | 6,17 |
| | >= 65 H | 5 | 221,63 | 0 | 0 | 2 | 95,01 | 1 | 99,6 | 1 | 169,49 | 5 | 309,41 | 14 | 128,41 | 141 | 109,71 |
| | D | 4 | 122,85 | 2 | 37,94 | 4 | 121,8 | 3 | 202,98 | 1 | 127,71 | 3 | 123 | 17 | 102,96 | 170 | 83,89 |
| | TOTAL/T.STD H | 6 | 42,56 | 1 | 6,413 | 5 | 39,328 | 4 | 64,123 | 1 | 33,328 | 6 | 65,06 | 23 | 34,592 | 247 | 32,211 |
| TOTAL/T.STD D | 5 | 36,452 | 2 | 9,2 | 5 | 36,37 | 3 | 55,394 | 1 | 37,401 | 3 | 28,535 | 19 | 27,892 | 204 | 24,13 | |
| TUMORS | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 91,24 | 0 | 0 | 0 | 0 | 1 | 11,55 | 4 | 4,16 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 66,23 | 1 | 11,96 | 4 | 4,37 |
| | 15 - 64 H | 16 | 140,75 | 11 | 104,25 | 15 | 156,09 | 7 | 140,76 | 5 | 126,94 | 15 | 174,56 | 69 | 140,72 | 701 | 129,29 |
| | D | 8 | 65,8 | 9 | 80,53 | 10 | 100,65 | 2 | 42,72 | 3 | 91,3 | 3 | 33,56 | 35 | 69,76 | 407 | 73,84 |
| | >= 65 H | 25 | 1108,16 | 54 | 1620,65 | 33 | 1567,7 | 15 | 1494,02 | 15 | 2542,37 | 21 | 1299,5 | 163 | 1495 | 1974 | 1535,96 |
| | D | 23 | 706,39 | 37 | 701,95 | 24 | 730,82 | 9 | 608,93 | 2 | 255,43 | 16 | 656,01 | 111 | 672,28 | 1450 | 715,53 |
| | TOTAL/T.STD H | 41 | 273,993 | 65 | 336,693 | 48 | 360,973 | 23 | 376,97 | 20 | 576,452 | 36 | 346,493 | 233 | 349,147 | 2679 | 349,369 |
| TOTAL/T.STD D | 31 | 214,363 | 46 | 219,128 | 34 | 235,463 | 11 | 191,021 | 5 | 133,68 | 20 | 192,327 | 147 | 210,314 | 1861 | 220,125 | |
| MALALTIES APARELL CIRCULATORI | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 1 | 55,16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 11,96 | 1 | 1,09 |
| | 15 - 64 H | 10 | 87,97 | 4 | 37,91 | 3 | 31,22 | 5 | 100,54 | 3 | 76,16 | 5 | 58,19 | 30 | 61,18 | 319 | 58,84 |
| | D | 3 | 24,68 | 3 | 26,84 | 0 | 0 | 3 | 64,08 | 0 | 0 | 2 | 22,38 | 11 | 21,92 | 97 | 17,6 |
| | >= 65 H | 35 | 1551,42 | 50 | 1500,6 | 34 | 1615,2 | 18 | 1792,83 | 9 | 1525,42 | 23 | 1423,27 | 169 | 1550,03 | 2027 | 1577,2 |
| | D | 47 | 1443,49 | 68 | 1290,08 | 45 | 1370,28 | 20 | 1353,18 | 12 | 1532,57 | 30 | 1230,01 | 222 | 1344,56 | 2963 | 1462,15 |
| | TOTAL/T.STD H | 45 | 324,653 | 54 | 268,266 | 37 | 287,269 | 23 | 385,252 | 12 | 356,382 | 28 | 293,041 | 199 | 304,883 | 2346 | 305,943 |
| TOTAL/T.STD D | 50 | 377,015 | 72 | 336,429 | 45 | 323,261 | 23 | 405,458 | 12 | 424,151 | 32 | 333,448 | 234 | 349,865 | 3061 | 362,066 | |
| MALALTIES APARELL RESPIRATORI | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1,04 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2,18 |
| | 15 - 64 H | 3 | 26,39 | 3 | 28,43 | 4 | 41,62 | 1 | 20,11 | 2 | 50,77 | 2 | 23,27 | 15 | 30,59 | 93 | 17,15 |
| | D | 1 | 8,23 | 0 | 0 | 0 | 0 | 2 | 42,72 | 0 | 0 | 0 | 0 | 3 | 5,98 | 33 | 5,99 |
| | >= 65 H | 10 | 443,26 | 24 | 720,29 | 13 | 617,58 | 8 | 796,81 | 7 | 1186,44 | 3 | 185,64 | 65 | 596,17 | 1025 | 797,55 |
| | D | 6 | 184,28 | 20 | 379,43 | 16 | 487,21 | 6 | 405,95 | 3 | 383,14 | 2 | 82 | 53 | 321 | 843 | 415,99 |
| | TOTAL/T.STD H | 13 | 94,425 | 27 | 134,675 | 17 | 128,479 | 9 | 155,377 | 9 | 279,997 | 5 | 51,706 | 80 | 122,462 | 1119 | 145,929 |
| TOTAL/T.STD D | 7 | 51,591 | 20 | 91,886 | 16 | 115,312 | 8 | 142,582 | 3 | 87,538 | 2 | 21,53 | 56 | 83,64 | 878 | 103,853 | |

MORTALITAT_GRANS_GRUPS

| INDICADORS MORTALITAT GRANS GRUPS (CIM-9) | Reg. mortalitat (2005) | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|---------------------------|--------|----------|--------|---------|--------|----------|--------|----------|--------|----------|--------|----------|-------------|----------|-----------------|----------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| MALALTIES APARELL DIGESTIU | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15 - 64 H | 1 | 8,8 | 1 | 9,48 | 2 | 20,81 | 0 | 0 | 3 | 76,16 | 2 | 23,27 | 9 | 18,35 | 103 | 19 |
| | D | 1 | 8,23 | 1 | 8,95 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 11,19 | 3 | 5,98 | 40 | 7,26 |
| | >= 65 H | 10 | 443,26 | 10 | 300,12 | 6 | 285,04 | 2 | 199,2 | 1 | 169,49 | 4 | 247,52 | 33 | 302,67 | 280 | 217,87 |
| | D | 8 | 245,7 | 7 | 132,8 | 10 | 304,51 | 3 | 202,98 | 3 | 383,14 | 5 | 205 | 36 | 218,04 | 349 | 172,22 |
| | TOTAL/T.STD H | 11 | 83,875 | 11 | 54,057 | 8 | 60,565 | 2 | 35,425 | 4 | 97,536 | 6 | 63,369 | 42 | 64,188 | 383 | 49,947 |
| | TOTAL/T.STD D | 9 | 65,926 | 8 | 37,699 | 10 | 71,997 | 3 | 51,053 | 3 | 112,204 | 6 | 58,778 | 39 | 57,695 | 389 | 46,012 |
| CAUSES EXTERNES | 0 - 14 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4,16 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15 - 64 H | 5 | 43,98 | 5 | 47,38 | 6 | 62,43 | 2 | 40,22 | 4 | 101,55 | 4 | 46,55 | 26 | 53,02 | 230 | 42,42 |
| | D | 4 | 32,9 | 1 | 8,95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 9,97 | 64 | 11,61 |
| | >= 65 H | 3 | 132,98 | 3 | 90,04 | 1 | 47,51 | 3 | 298,8 | 2 | 338,98 | 1 | 61,88 | 13 | 119,23 | 188 | 146,28 |
| | D | 4 | 122,85 | 5 | 94,86 | 2 | 60,9 | 1 | 67,66 | 1 | 127,71 | 2 | 82 | 15 | 90,85 | 229 | 113 |
| | TOTAL/T.STD H | 8 | 55,111 | 8 | 48,48 | 7 | 54,99 | 5 | 82,256 | 6 | 145,402 | 5 | 45,817 | 39 | 58,262 | 422 | 55,033 |
| | TOTAL/T.STD D | 8 | 51,909 | 6 | 28,714 | 2 | 14,632 | 1 | 18,465 | 1 | 37,401 | 2 | 19,65 | 20 | 28,843 | 293 | 34,657 |
| TOTES LES CAUSES | 0 - 14 H | 0 | 0 | 1 | 55,16 | 3 | 187,85 | 1 | 91,24 | 0 | 0 | 0 | 0 | 5 | 57,76 | 43 | 44,74 |
| | D | 0 | 0 | 1 | 55,16 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 66,23 | 2 | 23,93 | 28 | 30,57 |
| | 15 - 64 H | 38 | 334,27 | 26 | 246,4 | 36 | 374,61 | 20 | 402,17 | 17 | 431,58 | 30 | 349,12 | 167 | 340,57 | 1677 | 309,31 |
| | D | 18 | 148,05 | 16 | 143,16 | 11 | 110,72 | 8 | 170,87 | 4 | 121,73 | 7 | 78,32 | 64 | 127,55 | 740 | 134,26 |
| | >= 65 H | 105 | 4654,26 | 162 | 4861,94 | 111 | 5273,16 | 54 | 5378,49 | 41 | 6949,15 | 70 | 4331,68 | 543 | 4980,28 | 6622 | 5152,55 |
| | D | 124 | 3808,35 | 177 | 3358 | 124 | 3775,88 | 55 | 3721,24 | 32 | 4086,85 | 77 | 3157,03 | 589 | 3567,32 | 7809 | 3853,5 |
| | TOTAL/T.STD H | 143 | 1021,261 | 189 | 962,798 | 150 | 1150,944 | 75 | 1252,51 | 58 | 1681,045 | 100 | 1026,735 | 715 | 1086,653 | 8342 | 1087,884 |
| | TOTAL/T.STD D | 142 | 1045,8 | 194 | 908,521 | 135 | 962,252 | 63 | 1106,506 | 36 | 1230,127 | 85 | 858,711 | 655 | 967,994 | 8577 | 1014,517 |

MDOS_QUINQUENALES_NOMINALES

| INDICADORS M.D.O.s Quinquenals NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|-------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| TETANUS | 0 - 14 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 1 | 0,22 |
| | 15 - 64 H | | | | | | | | | | | | | | | 1 | 0,04 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | >= 65 H | | | | | | | | | | | | | | | 0 | 0 |
| D | | | | | | | | | | | | | | | 3 | 0,3 | |
| TUBERCULOSI | 0 - 14 H | 0 | 0 | 2 | 22,06 | 2 | 25,05 | 0 | 0 | 1 | 27,43 | 0 | 0 | 5 | 11,55 | 69 | 14,36 |
| | D | 0 | 0 | 0 | 0 | 2 | 25,92 | 1 | 20,35 | 1 | 29,9 | 1 | 13,25 | 5 | 11,96 | 69 | 15,07 |
| | 15 - 64 H | 11 | 19,35 | 17 | 32,22 | 12 | 24,97 | 5 | 20,11 | 10 | 50,77 | 6 | 13,96 | 61 | 24,88 | 1206 | 44,49 |
| | D | 10 | 16,45 | 16 | 28,63 | 10 | 20,13 | 4 | 17,09 | 5 | 30,43 | 7 | 15,66 | 52 | 20,73 | 590 | 21,41 |
| | >= 65 H | 2 | 17,73 | 4 | 24,01 | 5 | 47,51 | 1 | 19,92 | 1 | 33,9 | 0 | 0 | 13 | 23,85 | 280 | 43,57 |
| D | 1 | 6,14 | 4 | 15,18 | 7 | 42,63 | 3 | 40,6 | 1 | 25,54 | 2 | 16,4 | 18 | 21,8 | 179 | 17,67 | |
| LEGIONELLA | 0 - 14 H | 1 | 10,7 | 0 | 0 | 1 | 12,52 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4,62 | 32 | 6,66 |
| | D | 0 | 0 | 0 | 0 | 1 | 12,96 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2,39 | 13 | 2,84 |
| | 15 - 64 H | 6 | 10,56 | 2 | 3,79 | 3 | 6,24 | 1 | 4,02 | 0 | 0 | 5 | 11,64 | 17 | 6,93 | 157 | 5,79 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6,09 | 0 | 0 | 1 | 0,4 | 25 | 0,91 |
| | >= 65 H | 2 | 17,73 | 1 | 6 | 3 | 28,5 | 0 | 0 | 2 | 67,8 | 0 | 0 | 8 | 14,67 | 120 | 18,67 |
| D | 0 | 0 | 1 | 3,79 | 1 | 6,09 | 2 | 27,06 | 0 | 0 | 0 | 0 | 4 | 4,85 | 52 | 5,13 | |
| SHIGELLA | 0 - 14 H | 1 | 10,7 | 1 | 11,03 | | | | | | | | | 2 | 4,62 | 22 | 4,58 |
| | D | 1 | 10,87 | 0 | 0 | | | | | | | | | 1 | 2,39 | 23 | 5,02 |
| | 15 - 64 H | 1 | 1,76 | 1 | 1,9 | | | | | | | | | 2 | 0,82 | 47 | 1,73 |
| | D | 0 | 0 | 2 | 3,58 | | | | | | | | | 2 | 0,8 | 56 | 2,03 |
| | >= 65 H | 0 | 0 | 0 | 0 | | | | | | | | | 0 | 0 | 1 | 0,16 |
| D | 0 | 0 | 0 | 0 | | | | | | | | | 0 | 0 | 3 | 0,3 | |
| PALUDISME | 0 - 14 H | 0 | 0 | 1 | 11,03 | | | 0 | 0 | | | 0 | 0 | 1 | 2,31 | 34 | 7,08 |
| | D | 0 | 0 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 32 | 6,99 |
| | 15 - 64 H | 0 | 0 | 1 | 1,9 | | | 1 | 4,02 | | | 1 | 2,33 | 3 | 1,22 | 112 | 4,13 |
| | D | 1 | 1,65 | 2 | 3,58 | | | 0 | 0 | | | 0 | 0 | 3 | 1,2 | 94 | 3,41 |
| | >= 65 H | 0 | 0 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 4 | 0,62 |
| D | 1 | 6,14 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 1 | 1,21 | 5 | 0,49 | |
| MAL.MENINGOCOCCICA | 0 - 14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15 - 64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| >= 65 H | | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | |

MDOS_QUINQUENALES_NOMINALES

| INDICADORS M.D.O.s Quinquenals NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|-------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|-------------|-------|-----------------|-------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| PAROTIDITIS | 0 - 14 H | 0 | 0 | 0 | 0 | 1 | 12,52 | 3 | 54,74 | 2 | 54,87 | 1 | 12,89 | 7 | 16,17 | 68 | 14,15 |
| | D | 0 | 0 | 0 | 0 | 1 | 12,96 | 3 | 61,04 | 1 | 29,9 | 0 | 0 | 5 | 11,96 | 53 | 11,57 |
| | 15 - 64 H | 0 | 0 | 2 | 3,79 | 0 | 0 | 3 | 12,07 | 1 | 5,08 | 0 | 0 | 6 | 2,45 | 79 | 2,91 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4,27 | 0 | 0 | 0 | 0 | 1 | 0,4 | 56 | 2,03 |
| | >= 65 H | 1 | 8,87 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1,83 | 7 | 1,09 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0,79 |
| AMEBIASI | 0 - 14 H | | | | | 0 | 0 | | | | | | | 0 | 0 | 12 | 2,5 |
| | D | | | | | 0 | 0 | | | | | | | 0 | 0 | 3 | 0,66 |
| | 15 - 64 H | | | | | 1 | 2,08 | | | | | | | 1 | 0,41 | 13 | 0,48 |
| | D | | | | | 0 | 0 | | | | | | | 0 | 0 | 11 | 0,4 |
| | >= 65 H | | | | | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 |
| | D | | | | | 0 | 0 | | | | | | | 0 | 0 | 1 | 0,1 |
| ALTRES HEPATITIS | 0 - 14 H | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 8 | 1,66 |
| | D | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 2 | 0,44 |
| | 15 - 64 H | | | 0 | 0 | 0 | 0 | 2 | 8,04 | | | | | 2 | 0,82 | 71 | 2,62 |
| | D | | | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | 0 | 52 | 1,89 |
| | >= 65 H | | | 1 | 6 | 0 | 0 | 0 | 0 | | | | | 1 | 1,83 | 15 | 2,33 |
| | D | | | 0 | 0 | 1 | 6,09 | 0 | 0 | | | | | 1 | 1,21 | 24 | 2,37 |
| BRUCEL·LOSI | 0 - 14 H | | | | | | | | | | | | | | | 1 | 0,21 |
| | D | | | | | | | | | | | | | | | 2 | 0,44 |
| | 15 - 64 H | | | | | | | | | | | | | | | 9 | 0,33 |
| | D | | | | | | | | | | | | | | | 1 | 0,04 |
| | >= 65 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 3 | 0,3 |
| FEBRE TIFOIDEA | 0 - 14 H | | | | | | | | | | | | | | | 5 | 1,04 |
| | D | | | | | | | | | | | | | | | 4 | 0,87 |
| | 15 - 64 H | | | | | | | | | | | | | | | 15 | 0,55 |
| | D | | | | | | | | | | | | | | | 10 | 0,36 |
| | >= 65 H | | | | | | | | | | | | | | | 1 | 0,16 |
| | D | | | | | | | | | | | | | | | 1 | 0,1 |
| HEPATITIS A | 0 - 14 H | 0 | 0 | 0 | 0 | 1 | 12,52 | 1 | 18,25 | | | 0 | 0 | 2 | 4,62 | 79 | 16,44 |
| | D | 1 | 10,87 | 1 | 11,03 | 0 | 0 | 0 | 0 | | | 1 | 13,25 | 3 | 7,18 | 47 | 10,26 |
| | 15 - 64 H | 0 | 0 | 1 | 1,9 | 2 | 4,16 | 0 | 0 | | | 1 | 2,33 | 4 | 1,63 | 212 | 7,82 |
| | D | 1 | 1,65 | 0 | 0 | 0 | 0 | 0 | 0 | | | 1 | 2,24 | 2 | 0,8 | 54 | 1,96 |
| | >= 65 H | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 2 | 0,31 |
| | D | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 1 | 0,1 |
| HEPATITIS B | 0 - 14 H | 0 | 0 | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 | 50 | 10,4 |
| | D | 0 | 0 | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 | 24 | 5,24 |
| | 15 - 64 H | 0 | 0 | 2 | 3,79 | | | | | | | 1 | 2,33 | 3 | 1,22 | 106 | 3,91 |
| | D | 1 | 1,65 | 0 | 0 | | | | | | | 0 | 0 | 1 | 0,4 | 27 | 0,98 |
| | >= 65 H | 0 | 0 | 1 | 6 | | | | | | | 1 | 12,38 | 2 | 3,67 | 5 | 0,78 |
| | D | 0 | 0 | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 | 6 | 0,59 |

MDOS_QUINQUENALES_NOMINALES

| INDICADORS M.D.O.s Quinquenals NOMINALS | Grup d'edat | ABS 9A | | ABS 9C | | ABS 9D | | ABS 9E | | ABS 9F | | ABS 9G | | SANT ANDREU | | TOTAL BARCELONA | |
|--|-------------|--------|------|--------|------|--------|------|--------|-------|--------|------|--------|------|-------------|------|-----------------|------|
| | | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa | n | taxa |
| HAEMOPHILUS INFL. | 0 - 14 H | | | 0 | 0 | | | 1 | 18,25 | | | | | 1 | 2,31 | 2 | 0,42 |
| | D | | | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 2 | 0,44 |
| | 15 - 64 H | | | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 2 | 0,07 |
| | D | | | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 |
| | >= 65 H | | | 1 | 6 | | | 0 | 0 | | | | | 1 | 1,83 | 3 | 0,47 |
| | D | | | 0 | 0 | | | 0 | 0 | | | | | 0 | 0 | 0 | 0 |
| GASTROENT. E.COLI | 0 - 14 H | | | | | | | | | | | 0 | 0 | 0 | 0 | 3 | 0,62 |
| | D | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | 15 - 64 H | | | | | | | | | | | 1 | 2,33 | 1 | 0,41 | 1 | 0,04 |
| | D | | | | | | | | | | | 0 | 0 | 0 | 0 | 2 | 0,07 |
| | >= 65 H | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| | D | | | | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| TOSFERINA | 0 - 14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15 - 64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| XARAMPIO | >= 65 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 0 - 14 H | | | | | | | | | | | | | | | 8 | 1,66 |
| | D | | | | | | | | | | | | | | | 8 | 1,75 |
| | 15 - 64 H | | | | | | | | | | | | | | | 3 | 0,11 |
| | D | | | | | | | | | | | | | | | 5 | 0,18 |
| LEISHMANIOSI | >= 65 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 0 | 0 |
| | 0 - 14 H | | | | | | | | | | | | | | | 17 | 3,54 |
| | D | | | | | | | | | | | | | | | 4 | 0,87 |
| | 15 - 64 H | | | | | | | | | | | | | | | 19 | 0,7 |
| | D | | | | | | | | | | | | | | | 5 | 0,18 |
| SIDA | >= 65 H | | | | | | | | | | | | | | | 0 | 0 |
| | D | | | | | | | | | | | | | | | 1 | 0,1 |
| | 0 - 14 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |
| | 15 - 64 H | | | | | | | | | | | | | | | | |
| | D | | | | | | | | | | | | | | | | |